

# Ibrahim Demirci

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7419266/publications.pdf>

Version: 2024-02-01

25  
papers

222  
citations

1039406

9  
h-index

1058022

14  
g-index

29  
all docs

29  
docs citations

29  
times ranked

313  
citing authors

#	ARTICLE	IF	CITATIONS
1	Reply to Reply: The clinical outcome of COVID-19 infection in patients with a history of thyroid cancer: A nationwide study. <i>Clinical Endocrinology</i> , 2023, 99, 533-534.	1.2	0
2	Clinical Characteristics and Outcomes of COVID-19 Patients with Overweight and Obesity: Turkish Nationwide Cohort Study (TurCObesity). <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2022, 130, 115-124.	0.6	9
3	No association of anti-osteoporosis drugs with COVID-19-related outcomes in women: a nationwide cohort study. <i>Osteoporosis International</i> , 2022, 33, 273-282.	1.3	13
4	Higher rate of COVID-19 mortality in patients with type 1 than type 2 diabetes: a nationwide study. <i>Endokrynologia Polska</i> , 2022, , .	0.3	3
5	Diagnostic Performance of the CUT Score in Assessing the Malignancy Risk of Thyroid Nodules. <i>UHD - Uluslararası Hematoloji-Onkoloji Dergisi</i> , 2022, 32, 35-43.	0.1	0
6	Patterns and preferences of antidiabetic drug use in Turkish patients with type 2 diabetes – A nationwide cross-sectional study (TEMD treatment study). <i>Diabetes Research and Clinical Practice</i> , 2021, 171, 108556.	1.1	6
7	Characteristics of patients with hypertension in a population with type 2 diabetes mellitus. Results from the Turkish Nationwide Survey of Glycemic and Other Metabolic Parameters of Patients with Diabetes Mellitus (TEMD Hypertension Study). <i>Primary Care Diabetes</i> , 2021, 15, 332-339.	0.9	13
8	Clinical characteristics and outcomes of COVID-19 in patients with type 2 diabetes in Turkey: A nationwide study (TurCoviDia). <i>Journal of Diabetes</i> , 2021, 13, 585-595.	0.8	26
9	Unexpectedly lower mortality rates in COVID-19 patients with and without type 2 diabetes in Istanbul. <i>Diabetes Research and Clinical Practice</i> , 2021, 174, 108753.	1.1	13
10	The clinical outcomes of COVID-19 infection in patients with a history of thyroid cancer: A nationwide study. <i>Clinical Endocrinology</i> , 2021, 95, 628-637.	1.2	7
11	Clinical outcomes of non-diabetic COVID-19 patients with different blood glucose levels: a nationwide Turkish study (TurCoGlycemia). <i>Endocrine</i> , 2021, 73, 261-269.	1.1	4
12	Triglyceride-glucose index levels in patients with congenital hypogonadotropic hypogonadism and the relationship with endothelial dysfunction and insulin resistance. <i>Endokrynologia Polska</i> , 2021, 72, 232-237.	0.3	8
13	Lower COVID-19 Mortality in Patients with Type 2 Diabetes Mellitus Taking Dipeptidyl Peptidase-4 Inhibitors: Results from a Turkish Nationwide Study. <i>Diabetes Therapy</i> , 2021, 12, 2857-2870.	1.2	11
14	Hematological indices in congenital male hypogonadism and the effects of testosterone replacement therapy: a retrospective study. <i>Gulhane Medical Journal</i> , 2021, 63, 205-211.	0.1	1
15	No association of Gaucher disease with COVID-19-related outcomes: a nationwide cohort study. <i>Internal Medicine Journal</i> , 2021, , .	0.5	2
16	Rates and associates of influenza and pneumococcus vaccination in diabetes mellitus: A nationwide cross-sectional study (TEMD vaccination study). <i>World Journal of Diabetes</i> , 2021, 12, 2107-2118.	1.3	3
17	Utilization of statins and LDL-cholesterol target attainment in Turkish patients with type 2 diabetes - a nationwide cross-sectional study (TEMD dyslipidemia study). <i>Lipids in Health and Disease</i> , 2020, 19, 237.	1.2	8
18	A Cross-Sectional Study of Overtreatment and Deintensification of Antidiabetic and Antihypertensive Medications in Diabetes Mellitus: The TEMD Overtreatment Study. <i>Diabetes Therapy</i> , 2020, 11, 1045-1059.	1.2	14

#	ARTICLE	IF	CITATIONS
19	Impact of Obesity on the Metabolic Control of Type 2 Diabetes: Results of the Turkish Nationwide Survey of Glycemic and Other Metabolic Parameters of Patients with Diabetes Mellitus (TEMDO Obesity) Tj ETQq1 1 0678431435BT /Over	1.1	25
20	It is not diabetic foot: it is my foot. Journal of Wound Care, 2019, 28, 30-37.	0.5	13
21	Prognostic risk factors for rare oncocyctic variantin 101 cases of papillary thyroid carcinoma. Hellenic Journal of Nuclear Medicine, 2019, 22, 116-122.	0.2	0
22	Turkish nationwide survEy of glycemc and other Metabolic parameters of patients with Diabetes mellitus (TEMDO study). Diabetes Research and Clinical Practice, 2018, 146, 138-147.	1.1	25
23	The Rates of Overtreatment and Deintensification of Antidiabetic and Antihypertensive Medications in Patients with Diabetes Mellitus. Diabetes, 2018, 67, .	0.3	0
24	Increased Endothelial Dysfunction and Insulin Resistance in Patients with Klinefelter Syndrome. Endocrine, Metabolic and Immune Disorders - Drug Targets, 2018, 18, 401-406.	0.6	4
25	Late Onset of Primary Pulmonary Primitive Neuroectodermal Tumor: A Case Report. Medicine and Pharmacy Reports, 2017, 90, 449-452.	0.2	4