

Kimitsune Ishizaki

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7422396/kimitsune-ishizaki-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

99
papers

5,422
citations

37
h-index

73
g-index

112
ext. papers

7,299
ext. citations

7
avg, IF

5.44
L-index

#	Paper	IF	Citations
99	Differential regulation of fluorescent alkaloid metabolism between idioblast and laticifer cells during leaf development in <i>Catharanthus roseus</i> seedlings.. <i>Journal of Plant Research</i> , 2022 , 1	2.6	1
98	A glycogen synthase kinase 3-like kinase MpGSK regulates cell differentiation in <i>Marchantia polymorpha</i> . <i>Plant Biotechnology</i> , 2022 , 39, 65-72	1.3	1
97	Migration of prospindle before the first asymmetric division in germinating spore of <i>Marchantia polymorpha</i> . <i>Plant Biotechnology</i> , 2022 , 39, 5-12	1.3	1
96	Phosphate Starvation Triggers Transcriptional Changes in the Biosynthesis and Signaling Pathways of Phytohormones in <i>Marchantia polymorpha</i> . <i>Biology and Life Sciences Forum</i> , 2021 , 4, 89		0
95	Major components of the KARRIKIN INSENSITIVE2-dependent signaling pathway are conserved in the liverwort <i>Marchantia polymorpha</i> . <i>Plant Cell</i> , 2021 , 33, 2395-2411	11.6	5
94	Development and Molecular Genetics of. <i>Annual Review of Plant Biology</i> , 2021 , 72, 677-702	30.7	11
93	Design principles of a minimal auxin response system. <i>Nature Plants</i> , 2020 , 6, 473-482	11.5	30
92	Gemma cup and gemma development in <i>Marchantia polymorpha</i> . <i>New Phytologist</i> , 2020 , 228, 459-465	9.8	8
91	?????????????????????????????????????. <i>Kagaku To Seibutsu</i> , 2020 , 58, 502-504	0	
90	Induction of Multichotomous Branching by CLAVATA Peptide in <i>Marchantia polymorpha</i> . <i>Current Biology</i> , 2020 , 30, 3833-3840.e4	6.3	21
89	Transcriptional and Morpho-Physiological Responses of upon Phosphate Starvation. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	6
88	Diversity of Pectin Rhamnogalacturonan I Rhamnosyltransferases in Glycosyltransferase Family 106. <i>Frontiers in Plant Science</i> , 2020 , 11, 997	6.2	11
87	Cytokinin Signaling Is Essential for Organ Formation in <i>Marchantia polymorpha</i> . <i>Plant and Cell Physiology</i> , 2019 , 60, 1842-1854	4.9	19
86	Physiological function of photoreceptor UVR8 in UV-B tolerance in the liverwort <i>Marchantia polymorpha</i> . <i>Planta</i> , 2019 , 249, 1349-1364	4.7	10
85	Control of proliferation in the haploid meristem by CLE peptide signaling in <i>Marchantia polymorpha</i> . <i>PLoS Genetics</i> , 2019 , 15, e1007997	6	27
84	The complexity of intercellular localisation of alkaloids revealed by single-cell metabolomics. <i>New Phytologist</i> , 2019 , 224, 848-859	9.8	31
83	The RopGEF KARAPPO Is Essential for the Initiation of Vegetative Reproduction in <i>Marchantia polymorpha</i> . <i>Current Biology</i> , 2019 , 29, 3525-3531.e7	6.3	9

82	GEMMA CUP-ASSOCIATED MYB1, an Ortholog of Axillary Meristem Regulators, Is Essential in Vegetative Reproduction in <i>Marchantia polymorpha</i> . <i>Current Biology</i> , 2019 , 29, 3987-3995.e5	6.3	14
81	A conserved regulatory mechanism mediates the convergent evolution of plant shoot lateral organs. <i>PLoS Biology</i> , 2019 , 17, e3000560	9.7	17
80	A conserved regulatory mechanism mediates the convergent evolution of plant shoot lateral organs 2019 , 17, e3000560		
79	A conserved regulatory mechanism mediates the convergent evolution of plant shoot lateral organs 2019 , 17, e3000560		
78	A conserved regulatory mechanism mediates the convergent evolution of plant shoot lateral organs 2019 , 17, e3000560		
77	A conserved regulatory mechanism mediates the convergent evolution of plant shoot lateral organs 2019 , 17, e3000560		
76	A conserved regulatory mechanism mediates the convergent evolution of plant shoot lateral organs 2019 , 17, e3000560		
75	A conserved regulatory mechanism mediates the convergent evolution of plant shoot lateral organs 2019 , 17, e3000560		
74	Generative Cell Specification Requires Transcription Factors Evolutionarily Conserved in Land Plants. <i>Current Biology</i> , 2018 , 28, 479-486.e5	6.3	31
73	An evolutionarily conserved NIMA-related kinase directs rhizoid tip growth in the basal land plant. <i>Development (Cambridge)</i> , 2018 , 145,	6.6	15
72	Cryopreservation of <i>Marchantia polymorpha</i> spermatozoa. <i>Journal of Plant Research</i> , 2018 , 131, 1047-1054	2.4	5
71	Responses of the chloroplast glyoxalase system to high CO concentrations. <i>Bioscience, Biotechnology and Biochemistry</i> , 2018 , 82, 2072-2083	2.1	6
70	An Evolutionarily Conserved Abscisic Acid Signaling Pathway Regulates Dormancy in the Liverwort <i>Marchantia polymorpha</i> . <i>Current Biology</i> , 2018 , 28, 3691-3699.e3	6.3	38
69	Transcription factor DUO1 generated by neo-functionalization is associated with evolution of sperm differentiation in plants. <i>Nature Communications</i> , 2018 , 9, 5283	17.4	28
68	Biosynthesis of riccionidins and marchantins is regulated by R2R3-MYB transcription factors in <i>Marchantia polymorpha</i> . <i>Journal of Plant Research</i> , 2018 , 131, 849-864	2.6	22
67	Occurrence of brassinosteroids in non-flowering land plants, liverwort, moss, lycophyte and fern. <i>Phytochemistry</i> , 2017 , 136, 46-55	4	29
66	Dynamic reorganization of the endomembrane system during spermatogenesis in <i>Marchantia polymorpha</i> . <i>Journal of Plant Research</i> , 2017 , 130, 433-441	2.6	7
65	The Liverwort, , Drives Alternative Electron Flow Using a Flavodiiron Protein to Protect PSI. <i>Plant Physiology</i> , 2017 , 173, 1636-1647	6.6	65

64	Chloroplastic ATP synthase builds up a proton motive force preventing production of reactive oxygen species in photosystem I. <i>Plant Journal</i> , 2017 , 91, 306-324	6.9	68
63	Land plants drive photorespiration as higher electron-sink: comparative study of post-illumination transient O ₂ -uptake rates from liverworts to angiosperms through ferns and gymnosperms. <i>Physiologia Plantarum</i> , 2017 , 161, 138-149	4.6	35
62	Diversity of strategies for escaping reactive oxygen species production within photosystem I among land plants: P700 oxidation system is prerequisite for alleviating photoinhibition in photosystem I. <i>Physiologia Plantarum</i> , 2017 , 161, 56-74	4.6	53
61	Insights into Land Plant Evolution Garnered from the Marchantia polymorpha Genome. <i>Cell</i> , 2017 , 171, 287-304.e15	56.2	538
60	The Roles of the Sole Activator-Type Auxin Response Factor in Pattern Formation of Marchantia polymorpha. <i>Plant and Cell Physiology</i> , 2017 , 58, 1642-1651	4.9	31
59	Inositol Hexakis Phosphate is the Seasonal Phosphorus Reservoir in the Deciduous Woody Plant <i>Populus alba</i> L. <i>Plant and Cell Physiology</i> , 2017 , 58, 1477-1485	4.9	5
58	DRP3 and ELM1 are required for mitochondrial fission in the liverwort Marchantia polymorpha. <i>Scientific Reports</i> , 2017 , 7, 4600	4.9	9
57	Evolution of land plants: insights from molecular studies on basal lineages. <i>Bioscience, Biotechnology and Biochemistry</i> , 2017 , 81, 73-80	2.1	26
56	Molecular Genetic Tools and Techniques for Marchantia polymorpha Research. <i>Plant and Cell Physiology</i> , 2016 , 57, 262-70	4.9	112
55	SNARE Molecules in Marchantia polymorpha: Unique and Conserved Features of the Membrane Fusion Machinery. <i>Plant and Cell Physiology</i> , 2016 , 57, 307-24	4.9	46
54	Phytochrome Signaling Is Mediated by PHYTOCHROME INTERACTING FACTOR in the Liverwort Marchantia polymorpha. <i>Plant Cell</i> , 2016 , 28, 1406-21	11.6	47
53	An Evolutionarily Conserved Plant RKD Factor Controls Germ Cell Differentiation. <i>Current Biology</i> , 2016 , 26, 1775-1781	6.3	58
52	The Naming of Names: Guidelines for Gene Nomenclature in Marchantia. <i>Plant and Cell Physiology</i> , 2016 , 57, 257-61	4.9	38
51	Cryopreservation of Gemmae from the Liverwort Marchantia polymorpha L. <i>Plant and Cell Physiology</i> , 2016 , 57, 300-6	4.9	18
50	Cell-specific localization of alkaloids in <i>Catharanthus roseus</i> stem tissue measured with Imaging MS and Single-cell MS. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 3891-6	11.5	69
49	Identification of miRNAs and Their Targets in the Liverwort Marchantia polymorpha by Integrating RNA-Seq and Degradome Analyses. <i>Plant and Cell Physiology</i> , 2016 , 57, 339-58	4.9	36
48	RSL Class I Genes Controlled the Development of Epidermal Structures in the Common Ancestor of Land Plants. <i>Current Biology</i> , 2016 , 26, 93-9	6.3	64
47	Transcriptional Framework of Male Gametogenesis in the Liverwort Marchantia polymorpha L. <i>Plant and Cell Physiology</i> , 2016 , 57, 325-38	4.9	37

46	Profiling and Characterization of Small RNAs in the Liverwort, <i>Marchantia polymorpha</i> , Belonging to the First Diverged Land Plants. <i>Plant and Cell Physiology</i> , 2016 , 57, 359-72	4.9	33
45	Localization of small molecules in plant tissues visualized by an imaging mass spectrometer. <i>Plant Morphology</i> , 2016 , 28, 23-27	0	
44	Abscisic acid-induced gene expression in the liverwort <i>Marchantia polymorpha</i> is mediated by evolutionarily conserved promoter elements. <i>Physiologia Plantarum</i> , 2016 , 156, 407-20	4.6	16
43	Evolutionary analysis of iron (Fe) acquisition system in <i>Marchantia polymorpha</i> . <i>New Phytologist</i> , 2016 , 211, 569-83	9.8	12
42	Involvement of Ca ²⁺ in Vacuole Degradation Caused by a Rapid Temperature Decrease in <i>Saintpaulia</i> Palisade Cells: A Case of Gene Expression Analysis in a Specialized Small Tissue. <i>Plant and Cell Physiology</i> , 2015 , 56, 1297-305	4.9	5
41	Biochemical characterization of allene oxide synthases from the liverwort <i>Marchantia polymorpha</i> and green microalgae <i>Klebsormidium flaccidum</i> provides insight into the evolutionary divergence of the plant CYP74 family. <i>Planta</i> , 2015 , 242, 1175-86	4.7	38
40	Abscisic acid induces biosynthesis of bisbibenzyls and tolerance to UV-C in the liverwort <i>Marchantia polymorpha</i> . <i>Phytochemistry</i> , 2015 , 117, 547-553	4	14
39	Auxin-Mediated Transcriptional System with a Minimal Set of Components Is Critical for Morphogenesis through the Life Cycle in <i>Marchantia polymorpha</i> . <i>PLoS Genetics</i> , 2015 , 11, e1005084	6	93
38	Phytochrome-mediated regulation of cell division and growth during regeneration and sporeling development in the liverwort <i>Marchantia polymorpha</i> . <i>Journal of Plant Research</i> , 2015 , 128, 407-21	2.6	37
37	Diversification of histone H2A variants during plant evolution. <i>Trends in Plant Science</i> , 2015 , 20, 419-25	13.1	54
36	Stomatal guard cells co-opted an ancient ABA-dependent desiccation survival system to regulate stomatal closure. <i>Current Biology</i> , 2015 , 25, 928-35	6.3	113
35	Development of schizogenous intercellular spaces in plants. <i>Frontiers in Plant Science</i> , 2015 , 6, 497	6.2	10
34	Functional analysis of allene oxide cyclase, MpAOC, in the liverwort <i>Marchantia polymorpha</i> . <i>Phytochemistry</i> , 2015 , 116, 48-56	4	47
33	Auxin Produced by the Indole-3-Pyruvic Acid Pathway Regulates Development and Gemmae Dormancy in the Liverwort <i>Marchantia polymorpha</i> . <i>Plant Cell</i> , 2015 , 27, 1650-69	11.6	71
32	Development of Gateway Binary Vector Series with Four Different Selection Markers for the Liverwort <i>Marchantia polymorpha</i> . <i>PLoS ONE</i> , 2015 , 10, e0138876	3.7	122
31	Altered levels of primary metabolites in response to exogenous indole-3-acetic acid in wild type and auxin signaling mutants of <i>Arabidopsis thaliana</i> : A capillary electrophoresis-mass spectrometry analysis. <i>Plant Biotechnology</i> , 2015 , 32, 65-79	1.3	10
30	Co-option of a photoperiodic growth-phase transition system during land plant evolution. <i>Nature Communications</i> , 2014 , 5, 3668	17.4	62
29	Arachidonic acid-dependent carbon-eight volatile synthesis from wounded liverwort (<i>Marchantia polymorpha</i>). <i>Phytochemistry</i> , 2014 , 107, 42-9	4	19

28	Comparison of the MpEF1 and CaMV35 promoters for application in <i>Marchantia polymorpha</i> overexpression studies. <i>Transgenic Research</i> , 2014 , 23, 235-44	3.3	63
27	Phototropin encoded by a single-copy gene mediates chloroplast photorelocation movements in the liverwort <i>Marchantia polymorpha</i> . <i>Plant Physiology</i> , 2014 , 166, 411-27	6.6	48
26	Cold-induced organelle relocation in the liverwort <i>Marchantia polymorpha</i> L. <i>Plant, Cell and Environment</i> , 2013 , 36, 1520-8	8.4	36
25	Essential role of the E3 ubiquitin ligase nopperabo1 in schizogenous intercellular space formation in the liverwort <i>Marchantia polymorpha</i> . <i>Plant Cell</i> , 2013 , 25, 4075-84	11.6	38
24	Efficient <i>Agrobacterium</i> -mediated transformation of the liverwort <i>Marchantia polymorpha</i> using regenerating thalli. <i>Bioscience, Biotechnology and Biochemistry</i> , 2013 , 77, 167-72	2.1	137
23	Characterization of four nuclear-encoded plastid RNA polymerase sigma factor genes in the liverwort <i>Marchantia polymorpha</i> : blue-light- and multiple stress-responsive SIG5 was acquired early in the emergence of terrestrial plants. <i>Plant and Cell Physiology</i> , 2013 , 54, 1736-48	4.9	23
22	Homologous recombination-mediated gene targeting in the liverwort <i>Marchantia polymorpha</i> L. <i>Scientific Reports</i> , 2013 , 3, 1532	4.9	94
21	Subfunctionalization of sigma factors during the evolution of land plants based on mutant analysis of liverwort (<i>Marchantia polymorpha</i> L.) MpSIG1. <i>Genome Biology and Evolution</i> , 2013 , 5, 1836-48	3.9	14
20	Composition and physiological function of the chloroplast NADH dehydrogenase-like complex in <i>Marchantia polymorpha</i> . <i>Plant Journal</i> , 2012 , 72, 683-93	6.9	70
19	Visualization of auxin-mediated transcriptional activation using a common auxin-responsive reporter system in the liverwort <i>Marchantia polymorpha</i> . <i>Journal of Plant Research</i> , 2012 , 125, 643-51	2.6	53
18	Characterization of the plasma membrane H ⁺ -ATPase in the liverwort <i>Marchantia polymorpha</i> . <i>Plant Physiology</i> , 2012 , 159, 826-34	6.6	28
17	Protein degradation - an alternative respiratory substrate for stressed plants. <i>Trends in Plant Science</i> , 2011 , 16, 489-98	13.1	261
16	Analysis of a range of catabolic mutants provides evidence that phytanoyl-coenzyme A does not act as a substrate of the electron-transfer flavoprotein/electron-transfer flavoprotein:ubiquinone oxidoreductase complex in <i>Arabidopsis</i> during dark-induced senescence. <i>Plant Physiology</i> , 2011 , 157, 55-69	6.6	33
15	Evolutionarily conserved regulatory mechanisms of abscisic acid signaling in land plants: characterization of ABSCISIC ACID INSENSITIVE1-like type 2C protein phosphatase in the liverwort <i>Marchantia polymorpha</i> . <i>Plant Physiology</i> , 2010 , 152, 1529-43	6.6	85
14	Identification of the 2-hydroxyglutarate and isovaleryl-CoA dehydrogenases as alternative electron donors linking lysine catabolism to the electron transport chain of <i>Arabidopsis</i> mitochondria. <i>Plant Cell</i> , 2010 , 22, 1549-63	11.6	245
13	Application of Lifeact reveals F-actin dynamics in <i>Arabidopsis thaliana</i> and the liverwort, <i>Marchantia polymorpha</i> . <i>Plant and Cell Physiology</i> , 2009 , 50, 1041-8	4.9	114
12	Gene content, organization and molecular evolution of plant organellar genomes and sex chromosomes: insights from the case of the liverwort <i>Marchantia polymorpha</i> . <i>Proceedings of the Japan Academy Series B: Physical and Biological Sciences</i> , 2009 , 85, 108-24	4	9
11	<i>Agrobacterium</i> -mediated transformation of the haploid liverwort <i>Marchantia polymorpha</i> L., an emerging model for plant biology. <i>Plant and Cell Physiology</i> , 2008 , 49, 1084-91	4.9	209

10	Direct transformation of the liverwort <i>Marchantia polymorpha</i> L. by particle bombardment using immature thalli developing from spores. <i>Plant Cell Reports</i> , 2008 , 27, 1467-73	5.1	76
9	Gene organization of the liverwort Y chromosome reveals distinct sex chromosome evolution in a haploid system. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007 , 104, 6472-7	11.5	107
8	The mitochondrial electron transfer flavoprotein complex is essential for survival of <i>Arabidopsis</i> in extended darkness. <i>Plant Journal</i> , 2006 , 47, 751-60	6.9	116
7	Comparative transcriptome analysis reveals significant differences in gene expression and signalling pathways between developmental and dark/starvation-induced senescence in <i>Arabidopsis</i> . <i>Plant Journal</i> , 2005 , 42, 567-85	6.9	789
6	The critical role of <i>Arabidopsis</i> electron-transfer flavoprotein:ubiquinone oxidoreductase during dark-induced starvation. <i>Plant Cell</i> , 2005 , 17, 2587-600	11.6	191
5	Evolution of ribosomal DNA unit on the X chromosome independent of autosomal units in the liverwort <i>Marchantia polymorpha</i> . <i>Chromosome Research</i> , 2003 , 11, 695-703	4.4	14
4	Multicopy genes uniquely amplified in the Y chromosome-specific repeats of the liverwort <i>Marchantia polymorpha</i> . <i>Nucleic Acids Research</i> , 2002 , 30, 4675-81	20.1	32
3	Isolation and characterization of high-CO ₂ requiring mutants from <i>Chlamydomonas reinhardtii</i> by gene tagging. <i>Canadian Journal of Botany</i> , 1998 , 76, 1092-1097		4
2	Isolation and characterization of high-CO ₂ requiring mutants from <i>Chlamydomonas reinhardtii</i> by gene tagging. <i>Canadian Journal of Botany</i> , 1998 , 76, 1092-1097		14
1	Major components in the KARRIKIN INSENSITIVE2-ligand signaling pathway are conserved in the liverwort, <i>Marchantia polymorpha</i>		1