Kasper Iversen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7422406/publications.pdf

Version: 2024-02-01

		136950	128289
147	4,576	32	60
papers	citations	h-index	g-index
156	156	156	7192
all docs	docs citations	times ranked	citing authors

#	Article	IF	Citations
1	Seroprevalence of SARS-CoV-2 antibodies and reduced risk of reinfection through 6Âmonths: a Danish observational cohort study of 44Â000 healthcare workers. Clinical Microbiology and Infection, 2022, 28, 710-717.	6.0	9
2	Severity of anaemia and association with all-cause mortality in patients with medically managed left-sided endocarditis. Heart, 2022, 108, 882-888.	2.9	4
3	Lipoprotein(a) Levels at Birth and in Early Childhood: The COMPARE Study. Journal of Clinical Endocrinology and Metabolism, 2022, 107, 324-335.	3.6	20
4	Lung Ultrasound Findings Associated With COVID-19 ARDS, ICU Admission, and All-Cause Mortality. Respiratory Care, 2022, 67, 66-75.	1.6	7
5	Humoral response to two doses of BNT162b2 vaccination in people with HIV. Journal of Internal Medicine, 2022, 291, 513-518.	6.0	33
6	Effect of Influenza Vaccination on Risk of Coronavirus Disease 2019: A Prospective Cohort Study of 46â€000 Healthcare Workers. Journal of Infectious Diseases, 2022, 226, 6-10.	4.0	4
7	Potential Advances of Adjunctive Hyperbaric Oxygen Therapy in Infective Endocarditis. Frontiers in Cellular and Infection Microbiology, 2022, 12, 805964.	3.9	7
8	The impact of partial-oral endocarditis treatment on anxiety and depression in the POET trial. Journal of Psychosomatic Research, 2022, 154, 110718.	2.6	3
9	Five-Year Outcomes of the Partial Oral Treatment of Endocarditis (POET) Trial. New England Journal of Medicine, 2022, 386, 601-602.	27.0	24
10	Seroprevalence of SARS-CoV-2 antibodies in social housing areas in Denmark. BMC Infectious Diseases, 2022, 22, 143.	2.9	12
11	Decline in Antibody Concentration 6 Months After Two Doses of SARS-CoV-2 BNT162b2 Vaccine in Solid Organ Transplant Recipients and Healthy Controls. Frontiers in Immunology, 2022, 13, 832501.	4.8	23
12	Association between early detected heart failure stages and future cardiovascular and non-cardiovascular events in the elderly (Copenhagen Heart Failure Risk Study). BMC Geriatrics, 2022, 22, 230.	2.7	1
13	Electrocardiographic Findings, Arrhythmias, and Left Ventricular Involvement in Familial ST-Depression Syndrome. Circulation: Arrhythmia and Electrophysiology, 2022, , 101161CIRCEP121010688.	4.8	5
14	SARS-CoV-2 seroprevalence among patients with severe mental illness: A cross-sectional study. PLoS ONE, 2022, 17, e0264325.	2.5	3
15	Temporal trends of mortality in patients with infective endocarditis: a nationwide study. European Heart Journal Quality of Care & Dutcomes, 2022, 9, 24-33.	4.0	12
16	Characteristics associated with serological COVID-19 vaccine response and durability in an older population with significant comorbidity: the Danish Nationwide ENFORCE Study. Clinical Microbiology and Infection, 2022, 28, 1126-1133.	6.0	30
17	Lung ultrasound findings following COVID-19 hospitalization: A prospective longitudinal cohort study. Respiratory Medicine, 2022, 197, 106826.	2.9	7
18	Self-assessed health status and associated mortality in endocarditis: secondary findings from the POET trial. Quality of Life Research, 2022, , $1.$	3.1	0

#	Article	IF	CITATIONS
19	Proteomic Characterization of Atherosclerotic Lesions In Situ Using Percutaneous Coronary Intervention Angioplasty Balloons—Brief Report. Arteriosclerosis, Thrombosis, and Vascular Biology, 2022, 42, 857-864.	2.4	4
20	Effect of vasopressin and methylprednisolone vs. placebo on long-term outcomes in patients with in-hospital cardiac arrest a randomized clinical trial. Resuscitation, 2022, 175, 67-71.	3.0	10
21	Polygenic risk score for ACE-inhibitor-associated cough based on the discovery of new genetic loci. European Heart Journal, 2022, 43, 4707-4718.	2.2	5
22	Dabigatran and the Risk of <i>Staphylococcus aureus</i> Bacteremia: A Nationwide Cohort Study. Clinical Infectious Diseases, 2021, 73, 480-486.	5.8	9
23	Effectiveness of Adding a Mask Recommendation to Other Public Health Measures to Prevent SARS-CoV-2 Infection in Danish Mask Wearers. Annals of Internal Medicine, 2021, 174, 335-343.	3.9	279
24	SARS-CoV-2 Antibody Responses Are Correlated to Disease Severity in COVID-19 Convalescent Individuals. Journal of Immunology, 2021, 206, 109-117.	0.8	96
25	Temporal Release of High-Sensitivity Cardiac Troponin T and I and Copeptin After Brief Induced Coronary Artery Balloon Occlusion in Humans. Circulation, 2021, 143, 1095-1104.	1.6	54
26	The risk of cardiac events in patients receiving immune checkpoint inhibitors: a nationwide Danish study. European Heart Journal, 2021, 42, 1621-1631.	2.2	102
27	Specificity and cross-reactivity of a test for anti-SARS-CoV-2 antibodies – Authors' reply. Lancet Infectious Diseases, The, 2021, 21, e119.	9.1	2
28	Temporal changes in the incidence of infective endocarditis in Denmark 1997–2017: A nationwide study. International Journal of Cardiology, 2021, 326, 145-152.	1.7	35
29	Capsid-like particles decorated with the SARS-CoV-2 receptor-binding domain elicit strong virus neutralization activity. Nature Communications, 2021, 12, 324.	12.8	79
30	Prevalence of SARS-CoV-2 IgG/IgM Antibodies among Danish and Swedish Falck Emergency and Non-Emergency Healthcare Workers. International Journal of Environmental Research and Public Health, 2021, 18, 923.	2.6	12
31	Plasma levels of glucagon but not GLP-1 are elevated in response to inflammation in humans. Endocrine Connections, 2021, 10, 205-213.	1.9	4
32	Prevalence of Bicuspid Aortic Valve and Associated Aortopathy in Newborns in Copenhagen, Denmark. JAMA - Journal of the American Medical Association, 2021, 325, 561.	7.4	62
33	Anti-biofilm Approach in Infective Endocarditis Exposes New Treatment Strategies for Improved Outcome. Frontiers in Cell and Developmental Biology, 2021, 9, 643335.	3.7	32
34	Lung ultrasound findings in hospitalized COVID-19 patients in relation to venous thromboembolic events: the ECHOVID-19 study. Journal of Ultrasound, 2021, , 1 .	1.3	1
35	Danish citizens' preferences for at-home oropharyngeal/nasal SARS-CoV-2 specimen collection. International Journal of Infectious Diseases, 2021, 109, 195-198.	3.3	5
36	Anti-SARS-CoV-2 Seropositivity Among Medical Students in Copenhagen. Open Forum Infectious Diseases, 2021, 8, ofab273.	0.9	12

#	Article	IF	CITATIONS
37	Recovery of cardiac function following <scp>COVID</scp> â€19Ââ€"Â <scp>ECHOVID</scp> â€19: a prospective longitudinal cohort study. European Journal of Heart Failure, 2021, 23, 1903-1912.	7.1	40
38	Coagulation parameters in the newborn and infant– the Copenhagen Baby Heart and COMPARE studies. Clinical Chemistry and Laboratory Medicine, 2021, .	2.3	1
39	Testing Denmark: a Danish Nationwide Surveillance Study of COVID-19. Microbiology Spectrum, 2021, 9, e0133021.	3.0	15
40	Abnormal routine blood tests as predictors of mortality in acutely admitted patients. Clinical Biochemistry, 2020, 77, 14-19.	1.9	2
41	Self-Collected versus Healthcare Worker-Collected Swabs in the Diagnosis of Severe Acute Respiratory Syndrome Coronavirus 2. Diagnostics, 2020, 10, 678.	2.6	21
42	Left-sided heart disease and risk of death in patients with end-stage kidney disease receiving haemodialysis: an observational study. BMC Nephrology, 2020, 21, 413.	1.8	8
43	Differences in mortality in patients undergoing surgery for infective endocarditis according to age and valvular surgery. BMC Infectious Diseases, 2020, 20, 705.	2.9	17
44	Risk of COVID-19 in health-care workers in Denmark: an observational cohort study. Lancet Infectious Diseases, The, 2020, 20, 1401-1408.	9.1	357
45	Echocardiographic abnormalities and predictors of mortality in hospitalized COVIDâ€19 patients: the ECHOVIDâ€19 study. ESC Heart Failure, 2020, 7, 4189-4197.	3.1	77
46	Coronary risk of patients with valvular heart disease: prospective validation of CT-Valve Score. Open Heart, 2020, 7, e001380.	2.3	0
47	Soluble urokinase plasminogen activator receptor (suPAR) is lower in disease-free patients but cannot rule out incident disease in patients with suspected cancer. Clinical Biochemistry, 2020, 84, 31-37.	1.9	5
48	Prevention of sudden cardiac death in hypertrophic cardiomyopathy: Risk assessment using left atrial diameter predicted from left atrial volume. Clinical Cardiology, 2020, 43, 581-586.	1.8	10
49	Diagnostic utility of MR-proANP and NT-proBNP in elderly outpatients with a high risk of heart failure: the Copenhagen heart failure risk study. Biomarkers, 2020, 25, 248-259.	1.9	2
50	Soluble urokinase receptor as a predictor of non-cardiac mortality in patients with percutaneous coronary intervention treated ST-segment elevation myocardial infarction. Clinical Biochemistry, 2020, 80, 8-13.	1.9	1
51	Accelerated treatment of endocarditis—The POET II trial: Rationale and design of a randomized controlled trial. American Heart Journal, 2020, 227, 40-46.	2.7	4
52	Early Stages of Obesity-related Heart Failure Are Associated with Natriuretic Peptide Deficiency and an Overall Lack of Neurohormonal Activation: The Copenhagen Heart Failure Risk Study. Global Heart, 2020, 15, 25.	2.3	3
53	Partial Oral versus Intravenous Antibiotic Treatment of Endocarditis. New England Journal of Medicine, 2019, 380, 415-424.	27.0	502
54	Prevalence of Infective Endocarditis in Enterococcus faecalis Bacteremia. Journal of the American College of Cardiology, 2019, 74, 193-201.	2.8	78

#	Article	lF	Citations
55	Reply. Journal of the American College of Cardiology, 2019, 74, 2435-2436.	2.8	1
56	Screening relatives in arrhythmogenic right ventricular cardiomyopathy: yield of imaging and electrical investigations. European Heart Journal Cardiovascular Imaging, 2019, 21, 175-182.	1.2	7
57	Prevalence of infective endocarditis in patients with positive blood cultures: a Danish nationwide study. European Heart Journal, 2019, 40, 3237-3244.	2.2	40
58	Repeatability and Reproducibility of Neonatal Echocardiography: The Copenhagen Baby Heart Study. Journal of the American Society of Echocardiography, 2019, 32, 895-905.e2.	2.8	13
59	Changes in left ventricular filling parameters before and after dialysis in patients with end stage renal disease. International Journal of Cardiovascular Imaging, 2019, 35, 1673-1681.	1.5	6
60	Risk of stroke subsequent to infective endocarditis: A nationwide study. American Heart Journal, 2019, 212, 144-151.	2.7	7
61	Long-Term Outcomes of Partial Oral Treatment of Endocarditis. New England Journal of Medicine, 2019, 380, 1373-1374.	27.0	51
62	Availability of suPAR in emergency departments may improve risk stratification: a secondary analysis of the TRIAGE III trial. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2019, 27, 43.	2.6	15
63	The Copenhagen Triage Algorithm is non-inferior to a traditional triage algorithm: A cluster-randomized study. PLoS ONE, 2019, 14, e0211769.	2.5	5
64	Soluble Urokinase Plasminogen Activator Receptor (suPAR) as an Added Predictor to Existing Preoperative Risk Assessments. World Journal of Surgery, 2019, 43, 780-790.	1.6	6
65	Copenhagen Baby Heart Study: a population study of newborns with prenatal inclusion. European Journal of Epidemiology, 2019, 34, 79-90.	5.7	32
66	High-sensitivity cardiac troponin T is superior to troponin I in the prediction of mortality in patients without acute coronary syndrome. International Journal of Cardiology, 2018, 259, 186-191.	1.7	23
67	suPAR is associated with risk of future acute surgery and post-operative mortality in acutely admitted medical patients. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2018, 26, 11.	2.6	14
68	MRâ€proADM as a Prognostic Marker in Patients With STâ€Segment–Elevation Myocardial Infarction—DANAMIâ€3 (a Danish Study of Optimal Acute Treatment of Patients With STEMI) Substudy. Journal of the American Heart Association, 2018, 7, .	3.7	15
69	Can copeptin and troponin T ratio predict final infarct size and myocardial salvage index in patients with ST-elevation myocardial infarction: A sub-study of the DANAMI-3 trial. Clinical Biochemistry, 2018, 59, 37-42.	1.9	4
70	Prediction of coronary heart disease or heart failure using highâ€sensitivity cardiac troponin T: A pilot study. European Journal of Clinical Investigation, 2018, 48, e13009.	3.4	6
71	Iron Deficiency in COPD Associates with Increased Pulmonary Artery Pressure Estimated by Echocardiography. Heart Lung and Circulation, 2017, 26, 101-104.	0.4	23
72	Effects of liraglutide and ischemic postconditioning on myocardial salvage after I/R injury in pigs*. Scandinavian Cardiovascular Journal, 2017, 51, 8-14.	1.2	9

#	Article	IF	CITATIONS
73	Inflammatory biomarkers and cancer: CRP and suPAR as markers of incident cancer in patients with serious nonspecific symptoms and signs of cancer. International Journal of Cancer, 2017, 141, 191-199.	5.1	31
74	Head-to-head comparison of cardiac troponin T and troponin I in patients without acute coronary syndrome: a systematic review. Biomarkers, 2017, 22, 701-708.	1.9	21
75	The firstâ€inâ€man randomized trial of a beta3 adrenoceptor agonist in chronic heart failure: the <scp>BEATâ€HF</scp> trial. European Journal of Heart Failure, 2017, 19, 566-575.	7.1	53
76	The prognostic significance of lung function in stable heart failure outpatients. Clinical Cardiology, 2017, 40, 1145-1151.	1.8	18
77	Influence of renal impairment on aldosterone status, calcium metabolism, and vasopressin activity in outpatients with systolic heart failure. ESC Heart Failure, 2017, 4, 554-562.	3.1	4
78	Prevalence of airflow obstruction in patients with stable systolic heart failure. BMC Pulmonary Medicine, 2017, 17, 6.	2.0	20
79	Coronary risk stratification of patients undergoing surgery for valvular heart disease. International Journal of Cardiology, 2017, 227, 37-42.	1.7	6
80	Routine blood tests are associated with short term mortality and can improve emergency department triage: a cohort study of >12,000 patients. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2017, 25, 115.	2.6	22
81	Introduction of a prognostic biomarker to strengthen risk stratification of acutely admitted patients: rationale and design of the TRIAGE III cluster randomized interventional trial. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2016, 24, 100.	2.6	8
82	The inflammatory biomarker YKL-40 decreases stepwise after exercise stress test. Cardiovascular Endocrinology, 2016, 5, 21-27.	0.8	4
83	Galectin 3: association to neurohumoral activity, echocardiographic parameters and renal function in outpatients with heart failure. BMC Cardiovascular Disorders, 2016, 16, 117.	1.7	21
84	Chronic obstructive pulmonary disease in patients with endâ€stage kidney disease on hemodialysis. Hemodialysis International, 2016, 20, 68-77.	0.9	20
85	The Copenhagen Triage Algorithm: a randomized controlled trial. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2016, 24, 123.	2.6	7
86	Soluble urokinase plasminogen activator receptor (suPAR) in acute care: a strong marker of disease presence and severity, readmission and mortality. A retrospective cohort study. Emergency Medicine Journal, 2016, 33, 769-775.	1.0	90
87	Cardiac remodelling and function with primary mitral valve insufficiency studied by magnetic resonance imaging. European Heart Journal Cardiovascular Imaging, 2016, 17, 863-870.	1.2	27
88	Functional effects of losartan in hypertrophic cardiomyopathy—a randomised clinical trial. Heart, 2016, 102, 285-291.	2.9	29
89	Left ventricular volume predicts exercise capacity in hypertrophic cardiomyopathy. International Journal of Cardiology, 2016, 203, 676-678.	1.7	5
90	CIED infection with either pocket or systemic infection presentation – complete device removal and long-term antibiotic treatment; long-term outcome. Scandinavian Cardiovascular Journal, 2016, 50, 52-57.	1.2	10

#	Article	IF	Citations
91	The importance of \hat{I}^2 2-agonists in myocardial infarction: Findings from the Eastern Danish Heart Registry. European Heart Journal: Acute Cardiovascular Care, 2016, 5, 551-559.	1.0	2
92	Routine biomarkers are strong predictors of short term mortality. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2015, 22, .	2.6	0
93	Comparison of systematic triage with clinical assessment in prediction of short-term mortality. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2015, 23, .	2.6	0
94	SuPAR - A future prognostic biomarker in emergency medicine. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2015, 23, .	2.6	5
95	The formation and design of the TRIAGE study - baseline data on 6005 consecutive patients admitted to hospital from the emergency department. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2015, 23, 106.	2.6	21
96	Routine biomarkers are strong predictors of short term mortality. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2015, 23, .	2.6	0
97	Iron deficiency: Prevalence and relation to cardiovascular biomarkers in heart failure outpatients. International Journal of Cardiology, 2015, 195, 143-148.	1.7	20
98	Efficacy and safety of the angiotensin II receptor blocker losartan for hypertrophic cardiomyopathy: the INHERIT randomised, double-blind, placebo-controlled trial. Lancet Diabetes and Endocrinology,the, 2015, 3, 123-131.	11.4	104
99	The effect of heparin on pregnancy associated plasma protein-A concentration in healthy, non-pregnant individuals. Clinical Biochemistry, 2015, 48, 757-761.	1.9	2
100	Retrospective Evaluation of Two Fast-track Strategies to Rule Out Acute Coronary Syndrome in a Real-life Chest Pain Population. Journal of Emergency Medicine, 2015, 49, 833-842.	0.7	2
101	Long-Term Outcome of Mustard/Senning Correction for Transposition of the Great Arteries in Sweden and Denmark. Circulation, 2015, 132, 633-638.	1.6	114
102	Influence of acute glycaemic level on measures of myocardial infarction in non-diabetic pigs. Scandinavian Cardiovascular Journal, 2015, 49, 376-82.	1.2	6
103	Pregnancy-associated plasma protein-A and the vulnerable plaque. Biomarkers in Medicine, 2014, 8, 1033-1047.	1.4	8
104	Influence of renal impairment on myocardial function in outpatients with systolic heart failure: An echocardiographic and cardiac biomarker study. International Journal of Cardiology, 2014, 177, 942-948.	1.7	6
105	Atrioventricular conduction after alcohol septal ablation for obstructive hypertrophic cardiomyopathy. Journal of Cardiovascular Medicine, 2014, 15, 214-221.	1.5	10
106	Short-term hemodynamic effect of angiotensin-converting enzyme inhibition in patients with severe aortic stenosis. American Heart Journal, 2014, 167, 226-234.	2.7	34
107	Takotsubo cardiomyopathy, a two-stage recovery of left ventricular systolic and diastolic function as determined by cardiac magnetic resonance imaging. European Heart Journal Cardiovascular Imaging, 2014, 15, 855-862.	1.2	33
108	Risk stratification in emergency patients by copeptin. BMC Medicine, 2014, 12, 80.	5.5	22

7

#	Article	IF	Citations
109	Echocardiographic Findings Suggestive of Infective Endocarditis in Asymptomatic Danish Injection Drug Users Attending Urban Injection Facilities. American Journal of Cardiology, 2014, 114, 100-104.	1.6	16
110	Troponin T is a strong marker of mortality in hospitalized patients. International Journal of Cardiology, 2013, 168, 818-824.	1.7	27
111	Echocardiographic predictors of exercise capacity and mortality in chronic obstructive pulmonary disease. BMC Cardiovascular Disorders, 2013, 13, 84.	1.7	43
112	Serial measurements of high-sensitivity cardiac troponin T after exercise stress test in stable coronary artery disease. Biomarkers, 2013, 18, 304-309.	1.9	13
113	Partial oral treatment of endocarditis. American Heart Journal, 2013, 165, 116-122.	2.7	37
114	ProANP plasma measurement predicts all-cause mortality in acutely hospitalised patients: a cohort study. BMJ Open, 2013, 3, e003288.	1.9	10
115	Termination of dobutamine infusion causes transient rebound left heart diastolic dysfunction in healthy elderly women but not in men: a cardiac magnetic resonance study. American Journal of Physiology - Heart and Circulatory Physiology, 2013, 305, H1098-H1103.	3.2	3
116	The decrease of cardiac chamber volumes and output during positive-pressure ventilation. American Journal of Physiology - Heart and Circulatory Physiology, 2013, 305, H1004-H1009.	3.2	26
117	Superior vena cava syndrome as a rare complication to lipomatous atrial septal hypertrophy (LASH). European Heart Journal Cardiovascular Imaging, 2013, 14, 717-717.	1.2	2
118	Soluble Urokinase Plasminogen Activator Receptor for Risk Prediction in Patients Admitted with Acute Chest Pain. Clinical Chemistry, 2013, 59, 1621-1629.	3.2	57
119	Left atrial and ventricular function during dobutamine and glycopyrrolate stress in healthy young and elderly as evaluated by cardiac magnetic resonance. American Journal of Physiology - Heart and Circulatory Physiology, 2012, 303, H1469-H1473.	3.2	27
120	THE PROGNOSTIC SIGNIFICANCE OF THE INFLAMMATORY BIOMARKER YKL-40 IN RELATION TO MORTALITY IN ALL-COMERS. A FOLLOW-UP STUDY AFTER 11 YEARS. Journal of the American College of Cardiology, 2012, 59, E1653.	2.8	0
121	Myocardial hypertrophy after pulmonary regurgitation and valve implantation in pigs. International Journal of Cardiology, 2012, 159, 29-33.	1.7	13
122	Usefulness of Soluble Urokinase Plasminogen Activator Receptor to Predict Repeat Myocardial Infarction and Mortality in Patients With ST-Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Intervention. American Journal of Cardiology, 2012, 110, 1756-1763.	1.6	67
123	ACUTE HEMODYNAMIC EFFECT OF TREATMENT WITH ACE INHIBITORS IN PATIENTS WITH SEVERE AORTIC STENOSIS (A PLACEB O CONTROLLED RANDOMIZED STUDY). Journal of the American College of Cardiology, 2011, 57, E1302.	2.8	0
124	Pregnancy associated plasma protein-A as a marker for myocardial infarction and death in patients with stable coronary artery disease: A prognostic study within the CLARICOR Trial. Atherosclerosis, 2011, 214, 203-208.	0.8	34
125	Pregnancy associated plasma protein-A (PAPP-A) is not a marker of the vulnerable atherosclerotic plaque. Clinical Biochemistry, 2011, 44, 312-318.	1.9	26
126	Pregnancy-associated plasma protein-a, a marker for outcome in patients suspected for acute coronary syndrome. Clinical Biochemistry, 2010, 43, 851-857.	1.9	24

#	Article	IF	CITATIONS
127	Effects of Chronic Severe Pulmonary Regurgitation and Percutaneous Valve Repair on Right Ventricular Geometry and Contractility Assessed by Tissue Doppler Echocardiography. Echocardiography, 2010, 27, 854-863.	0.9	14
128	Combination therapy with bosentan and sildenafil in Eisenmenger syndrome: a randomized, placebo-controlled, double-blinded trial. European Heart Journal, 2010, 31, 1124-1131.	2.2	170
129	Predictors of exercise capacity and symptoms in severe aortic stenosis. European Journal of Echocardiography, 2010, 11, 482-487.	2.3	22
130	Impacts of acute severe pulmonary regurgitation on right ventricular geometry and contractility assessed by tissue-Doppler echocardiography. European Journal of Echocardiography, 2010, 11, 19-26.	2.3	43
131	The prognostic importance of lung function in patients admitted with heart failure. European Journal of Heart Failure, 2010, 12, 685-691.	7.1	97
132	Usefulness of Pregnancy-Associated Plasma Protein A in Patients With Acute Coronary Syndrome. American Journal of Cardiology, 2009, 104, 1465-1471.	1.6	29
133	Pregnancy associated plasma protein A, a potential marker for vulnerable plaque in patients with non-ST-segment elevation acute coronary syndrome. Clinical Biochemistry, 2009, 42, 828-834.	1.9	20
134	Predictors of right ventricular function as measured by tricuspid annular plane systolic excursion in heart failure. Cardiovascular Ultrasound, 2009, 7, 51.	1.6	50
135	Left Ventricular Filling Pressure Estimation at Rest and During Exercise in Patients With Severe Aortic Valve Stenosis: Comparison of Echocardiographic and Invasive Measurements. Journal of the American Society of Echocardiography, 2009, 22, 343-349.	2.8	67
136	Release patterns of pregnancyâ€associated plasma protein A in patients with acute coronary syndromes assessed by an optimized monoclonal antibody assay. Scandinavian Journal of Clinical and Laboratory Investigation, 2009, 69, 121-127.	1.2	6
137	Pregnancy-associated plasma protein A in non-cardiac conditions. Clinical Biochemistry, 2008, 41, 548-553.	1.9	15
138	Chronic obstructive pulmonary disease in patients admitted with heart failure. Journal of Internal Medicine, 2008, 264, 361-369.	6.0	106
139	Pregnancy Associated Plasma Protein A, a Novel, Quick, and Sensitive Marker in ST-Elevation Myocardial Infarction. American Journal of Cardiology, 2008, 101, 1389-1394.	1.6	39
140	Heart Murmur and N-Terminal Pro-Brain Natriuretic Peptide as Predictors of Death in 2977 Consecutive Hospitalized Patients. American Journal of the Medical Sciences, 2008, 335, 444-450.	1.1	3
141	Pulmonary Artery Thrombosis and Hemoptysis in Eisenmenger Syndrome. Circulation, 2007, 115, e632-4.	1.6	7
142	Screening of adults with congenital cardiac disease lost for follow-up. Cardiology in the Young, 2007, 17, 601-8.	0.8	33
143	Optimisation of sandwich ELISA based on monoclonal antibodies for the specific measurement of pregnancy-associated plasma protein (PAPP-A) in acute coronary syndrome. Clinical Biochemistry, 2007, 40, 478-484.	1.9	26
144	Effect of teaching and type of stethoscope on cardiac auscultatory performance. American Heart Journal, 2006, 152, 85.e1-85.e7.	2.7	24

#	Article	IF	CITATIONS
145	A randomized trial comparing electronic and conventional stethoscopes. American Journal of Medicine, 2005, 118, 1289.e1-1289.e4.	1.5	18
146	Importance of chronic obstructive pulmonary disease for prognosis and diagnosis of congestive heart failure in patients with acute myocardial infarction. European Journal of Heart Failure, 2004, 6, 71-77.	7.1	49
147	MR-proANP measured at admission is associated with incident atrial fibrillation in STEMI patients. Heart and Vessels, 0, , .	1.2	O