

Fereydoun Davatchi

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7424268/fereydoun-davatchi-publications-by-citations.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

123 papers	4,012 citations	30 h-index	60 g-index
134 ext. papers	4,717 ext. citations	3.2 avg, IF	5.07 L-index

#	Paper	IF	Citations
123	The International Criteria for Behçet's Disease (ICBD): a collaborative study of 27 countries on the sensitivity and specificity of the new criteria. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2014 , 28, 338-47	4.6	642
122	Mesenchymal stem cell therapy for knee osteoarthritis. Preliminary report of four patients. <i>International Journal of Rheumatic Diseases</i> , 2011 , 14, 211-5	2.3	275
121	Behcet's disease: from East to West. <i>Clinical Rheumatology</i> , 2010 , 29, 823-33	3.9	174
120	WHO-ILAR COPCORD Study (Stage 1, Urban Study) in Iran. <i>Journal of Rheumatology</i> , 2008 , 35, 1384	4.1	154
119	Rituximab in intractable ocular lesions of Behcet's disease; randomized single-blind control study (pilot study). <i>International Journal of Rheumatic Diseases</i> , 2010 , 13, 246-52	2.3	142
118	Behcet's disease: epidemiology, clinical manifestations, and diagnosis. <i>Expert Review of Clinical Immunology</i> , 2017 , 13, 57-65	5.1	133
117	Mesenchymal stem cell therapy for knee osteoarthritis: 5 years follow-up of three patients. <i>International Journal of Rheumatic Diseases</i> , 2016 , 19, 219-25	2.3	123
116	Behcet's disease in Iran: analysis of 6500 cases. <i>International Journal of Rheumatic Diseases</i> , 2010 , 13, 367-73	2.3	119
115	Colchicine versus placebo in Behçet's disease: randomized, double-blind, controlled crossover trial. <i>Modern Rheumatology</i> , 2009 , 19, 542-549	3.3	94
114	Dense genotyping of immune-related loci implicates host responses to microbial exposure in Behçet's disease susceptibility. <i>Nature Genetics</i> , 2017 , 49, 438-443	36.3	89
113	The prevalence of musculoskeletal complaints in a rural area in Iran: a WHO-ILAR COPCORD study (stage 1, rural study) in Iran. <i>Clinical Rheumatology</i> , 2009 , 28, 1267-74	3.9	79
112	Osteoarthritis of the knees in the COPCORD world. <i>International Journal of Rheumatic Diseases</i> , 2011 , 14, 122-9	2.3	74
111	A time for action: Opportunities for preventing the growing burden and disability from musculoskeletal conditions in low- and middle-income countries. <i>Best Practice and Research in Clinical Rheumatology</i> , 2014 , 28, 377-93	5.3	73
110	Association study of IL10 and IL23R-IL12RB2 in Iranian patients with Behçet's disease. <i>Arthritis and Rheumatism</i> , 2012 , 64, 2761-72		62
109	Diagnosis/Classification Criteria for Behcet's Disease. <i>Pathology Research International</i> , 2012 , 2012, 607921		58
108	Diagnostic value of pathergy test in Behcet's disease according to the change of incidence over the time. <i>Clinical Rheumatology</i> , 2011 , 30, 1151-5	3.9	56
107	Adult Behcet's disease in Iran: analysis of 6075 patients. <i>International Journal of Rheumatic Diseases</i> , 2016 , 19, 95-103	2.3	55

106	FUT2: filling the gap between genes and environment in Behçet's disease?. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 618-24	2.4	54
105	Salmonella infection in systemic lupus erythematosus. <i>Lupus</i> , 1993 , 2, 55-9	2.6	47
104	Colchicine versus placebo in Behçet's disease: randomized, double-blind, controlled crossover trial. <i>Modern Rheumatology</i> , 2009 , 19, 542-9	3.3	46
103	How to deal with Behcet's disease in daily practice. <i>International Journal of Rheumatic Diseases</i> , 2010 , 13, 105-16	2.3	42
102	The saga of diagnostic/classification criteria in Behcet's disease. <i>International Journal of Rheumatic Diseases</i> , 2015 , 18, 594-605	2.3	40
101	The Global Spine Care Initiative: model of care and implementation. <i>European Spine Journal</i> , 2018 , 27, 925-945	2.7	39
100	Epidemiology of rheumatic diseases in Iran from analysis of four COPCORD studies. <i>International Journal of Rheumatic Diseases</i> , 2016 , 19, 1056-1062	2.3	38
99	Validation of the International Criteria for Behçet's disease (ICBD) in Iran. <i>International Journal of Rheumatic Diseases</i> , 2010 , 13, 55-60	2.3	37
98	HLA class I genotyping including HLA-B*51 allele typing in the Iranian patients with Behçet's disease. <i>Tissue Antigens</i> , 2001 , 57, 457-62		36
97	Development of a questionnaire for identification of the risk factors for osteoarthritis of the knees in developing countries. A pilot study in Iran and Bangladesh. An ILAR-COPCORD phase III study. <i>International Journal of Rheumatic Diseases</i> , 2010 , 13, 203-14	2.3	34
96	Prevalence of musculoskeletal disorders in southeastern Iran: a WHO-ILAR COPCORD study (stage 1, urban study). <i>International Journal of Rheumatic Diseases</i> , 2013 , 16, 509-17	2.3	33
95	Analysis of microsatellite polymorphism around the HLA-B locus in Iranian patients with Behçet's disease. <i>Tissue Antigens</i> , 2002 , 60, 396-9		33
94	WHO-ILAR COPCORD study (stage 1, urban study) in Sanandaj, Iran. <i>Clinical Rheumatology</i> , 2015 , 34, 535-43	3.9	31
93	The Global Spine Care Initiative: World Spine Care executive summary on reducing spine-related disability in low- and middle-income communities. <i>European Spine Journal</i> , 2018 , 27, 776-785	2.7	30
92	Prevalence of osteoarthritis in rural areas of Iran: a WHO-ILAR COPCORD study. <i>International Journal of Rheumatic Diseases</i> , 2014 , 17, 384-8	2.3	30
91	Comparison of existing disease activity indices in the follow-up of patients with Behçet's disease. <i>Modern Rheumatology</i> , 2009 , 19, 536-541	3.3	30
90	Proinflammatory cytokine gene polymorphisms in Behçet's disease. <i>European Cytokine Network</i> , 2010 , 21, 292-6	3.3	30
89	Brief report: association of CCR1, KLRC4, IL12A-AS1, STAT4, and ERAP1 With Behçet's disease in Iranians. <i>Arthritis and Rheumatology</i> , 2015 , 67, 2742-8	9.5	29

88	The Global Spine Care Initiative: care pathway for people with spine-related concerns. <i>European Spine Journal</i> , 2018 , 27, 901-914	2.7	28
87	Systemic lupus erythematosus in Iran: a study of 2280 patients over 33 years. <i>International Journal of Rheumatic Diseases</i> , 2010 , 13, 374-9	2.3	27
86	Quality-of-life measurement in blistering diseases. <i>Dermatologic Clinics</i> , 2012 , 30, 301-7, ix	4.2	26
85	Pimecrolimus versus placebo in genital aphthous ulcers of Behcet's disease: a randomized double-blind controlled trial. <i>International Journal of Rheumatic Diseases</i> , 2010 , 13, 253-8	2.3	26
84	Prevalence of Behcet's disease in Iran: a WHO-ILAR COPCORD stage I study. <i>APLAR Journal of Rheumatology</i> , 2007 , 10, 239-243		26
83	Gluten sensitivity enteropathy in patients with recurrent aphthous stomatitis. <i>BMC Gastroenterology</i> , 2009 , 9, 44	3	25
82	The Global Spine Care Initiative: classification system for spine-related concerns. <i>European Spine Journal</i> , 2018 , 27, 889-900	2.7	25
81	The prevalence of oral aphthosis in a normal population in Iran: a WHO-ILAR COPCORD study. <i>Archives of Iranian Medicine</i> , 2008 , 11, 207-9	2.4	25
80	Effect of ethnic origin (Caucasians versus Turks) on the prevalence of rheumatic diseases: a WHO-ILAR COPCORD urban study in Iran. <i>Clinical Rheumatology</i> , 2009 , 28, 1275-82	3.9	23
79	Behcet's disease: is there a gender influence on clinical manifestations?. <i>International Journal of Rheumatic Diseases</i> , 2012 , 15, 306-14	2.3	21
78	Combination of pulse cyclophosphamide and azathioprine in ocular manifestations of Behcet's disease: longitudinal study of up to 10 years. <i>International Journal of Rheumatic Diseases</i> , 2014 , 17, 444-52 ³	2.3	21
77	The Global Spine Care Initiative: methodology, contributors, and disclosures. <i>European Spine Journal</i> , 2018 , 27, 786-795	2.7	21
76	Re-evaluation of heterogeneity in HLA-B*510101 associated with Behçet's disease. <i>Tissue Antigens</i> , 2008 , 72, 347-53		20
75	Rheumatic diseases in the APLAR region. <i>APLAR Journal of Rheumatology</i> , 2006 , 9, 5-10		20
74	Methotrexate in ocular manifestations of Behcet's disease: a longitudinal study up to 15 years. <i>International Journal of Rheumatic Diseases</i> , 2013 , 16, 568-77	2.3	19
73	Behcet's disease in Iran: Analysis of 7641 cases. <i>Modern Rheumatology</i> , 2019 , 29, 1023-1030	3.3	19
72	Paediatric Behçet's disease in Iran: report of 204 cases. <i>Clinical and Experimental Rheumatology</i> , 2018 , 36, 135-140	2.2	19
71	Characterization of the major histocompatibility complex locus association with Behçet's disease in Iran. <i>Arthritis Research and Therapy</i> , 2015 , 17, 81	5.7	18

70	On the genetics of the Silk Route: association analysis of HLA, IL10, and IL23R-IL12RB2 regions with Behçet's disease in an Iranian population. <i>Immunogenetics</i> , 2015 , 67, 289-93	3.2	17
69	Validation of the revised International Criteria for Behcet's Disease (ICBD) in Iran. <i>Clinical Rheumatology</i> , 2015 , 34, 315-20	3.9	17
68	Association of interleukin-2, interleukin-4 and transforming growth factor-beta gene polymorphisms with Behcet's disease. <i>Clinical and Experimental Rheumatology</i> , 2011 , 29, S28-31	2.2	17
67	Nailfold capillaroscopy in Behçet's disease, analysis of 128 patients. <i>Clinical Rheumatology</i> , 2009 , 28, 603-5	3.9	16
66	Vitamin D deficiency in patients with Behcet's disease. <i>Journal of Diabetes and Metabolic Disorders</i> , 2014 , 13, 18	2.5	15
65	Pathergy test in Behcet's disease: change in incidence over the time. <i>APLAR Journal of Rheumatology</i> , 2007 , 10, 333-335		15
64	Comparison of existing disease activity indices in the follow-up of patients with Behçet's disease. <i>Modern Rheumatology</i> , 2009 , 19, 536-41	3.3	15
63	WHO-ILAR COPCORD pilot study in Tehran, Iran. <i>Journal of Rheumatology</i> , 2006 , 33, 1714	4.1	15
62	Non-corticosteroid risk factors of symptomatic avascular necrosis of bone in systemic lupus erythematosus: A retrospective case-control study. <i>Modern Rheumatology</i> , 2015 , 25, 590-4	3.3	14
61	New and innovative therapies for Behcet's disease. <i>APLAR Journal of Rheumatology</i> , 2004 , 7, 141-145		14
60	Evaluation of the effect of acetazolamide on cystoid macular oedema in patients with Behcet's disease. <i>Eye</i> , 2003 , 17, 762-6	4.4	14
59	Clinical and immunological pattern of systemic lupus erythematosus in men in a cohort of 2355 patients. <i>International Journal of Rheumatic Diseases</i> , 2014 , 17, 394-9	2.3	13
58	Gender influence on ocular manifestations and their outcome in Behcet's Disease. A long-term follow-up of up to 20 years. <i>Clinical Rheumatology</i> , 2011 , 30, 541-7	3.9	13
57	Comparative analysis of Behcet's disease in the APLAR region. <i>APLAR Journal of Rheumatology</i> , 2004 , 7, 38-43		13
56	Serum Profiles of Cytokines in Behcet's Disease. <i>Journal of Clinical Medicine</i> , 2017 , 6,	5.1	12
55	Impact of the positive pathergy test on the performance of classification/diagnosis criteria for Behçet's disease. <i>Modern Rheumatology</i> , 2013 , 23, 125-132	3.3	12
54	Imaging manifestations of Behcet's disease: Key considerations and major features. <i>European Journal of Radiology</i> , 2018 , 98, 214-225	4.7	12
53	Different aspects of psoriasis: analysis of 150 Iranian patients. <i>Archives of Iranian Medicine</i> , 2009 , 12, 279-83	2.4	12

52	Clinical features of Behcet's disease in patients without oral aphthosis. <i>Modern Rheumatology</i> , 2014 , 24, 637-9	3.3	11
51	The perspectives of Iranian physicians and patients towards patient decision aids: a qualitative study. <i>BMC Research Notes</i> , 2013 , 6, 379	2.3	11
50	Estimating the prevalence and disease characteristics of rheumatoid arthritis in Tehran: A WHO-ILAR COPCORD Study (from Iran COPCORD study, Urban Study stage 1). <i>Medical Journal of the Islamic Republic of Iran</i> , 2014 , 28, 93	1.1	11
49	High-dose intravenous steroid pulse therapy in ocular involvement of Behcet's disease: a pilot double-blind controlled study. <i>International Journal of Rheumatic Diseases</i> , 2017 , 20, 1269-1276	2.3	10
48	Prospective study of articular manifestations in Behçet's disease: five-year report. <i>International Journal of Rheumatic Diseases</i> , 2017 , 20, 97-102	2.3	10
47	Gene expression profiling and association studies implicate the neuregulin signaling pathway in Behçet's disease susceptibility. <i>Journal of Molecular Medicine</i> , 2013 , 91, 1013-23	5.5	10
46	Mesenchymal stem cell therapy unable to rescue the vision from advanced Behcet's disease retinal vasculitis: report of three patients. <i>International Journal of Rheumatic Diseases</i> , 2013 , 16, 139-47	2.3	10
45	The Global Spine Care Initiative: resources to implement a spine care program. <i>European Spine Journal</i> , 2018 , 27, 915-924	2.7	10
44	Rheumatology in Iran. <i>International Journal of Rheumatic Diseases</i> , 2009 , 12, 283-7	2.3	9
43	Performance of existing diagnosis/classification criteria for Behcet's disease in Iranian patients: analysis of 5666 patients and 2406 controls. <i>APLAR Journal of Rheumatology</i> , 2006 , 9, 238-243		9
42	The association of pathergy reaction and active clinical presentations of Behçet's disease. <i>Reumatologia</i> , 2017 , 55, 79-83	1.7	8
41	Correlation of clinical signs and symptoms of Behçet's disease with mean platelet volume (MPV) and red cell distribution width (RDW). <i>Orphanet Journal of Rare Diseases</i> , 2020 , 15, 297	4.2	8
40	Plasma homocysteine level in patients with Behcet's disease with or without thrombosis. <i>Archives of Iranian Medicine</i> , 2010 , 13, 476-81	2.4	8
39	Genital aphthosis in Behçet's disease: is it associated with less eye involvement?. <i>Rheumatology International</i> , 2014 , 34, 1581-7	3.6	7
38	Investigation of bacterial and viral agents and immune status in Behcet's disease patients from Iran. <i>International Journal of Rheumatic Diseases</i> , 2011 , 14, 298-310	2.3	7
37	Prevalence of celiac disease among patients with Behcet's disease in Iran. <i>Digestive Diseases and Sciences</i> , 2009 , 54, 1736-9	4	7
36	Management of ocular manifestations of Behcet's disease: outcome with cytotoxic drugs. <i>APLAR Journal of Rheumatology</i> , 2005 , 8, 119-123		7
35	Impact of the positive pathergy test on the performance of classification/diagnosis criteria for Behcet's disease. <i>Modern Rheumatology</i> , 2013 , 23, 125-32	3.3	7

34	Diagnosis of Behçet's disease: clinical characteristics, diagnostic criteria, and differential diagnoses. <i>BMC Rheumatology</i> , 2021 , 5, 2	2.9	7
33	Effect of early treatment in polymyositis and dermatomyositis. <i>Neurology India</i> , 2010 , 58, 58-61	0.7	6
32	Ophthalmic findings in Behçet's disease: Cases without apparent ocular signs. <i>Journal of Current Ophthalmology</i> , 2015 , 27, 46-50	2	5
31	The relationship between plasma homocysteine level and HLA-B51 in patients with Behçet's disease: a case-control study. <i>International Journal of Rheumatic Diseases</i> , 2014 , 17, 466-70	2.3	5
30	Study of the correlation of serum selenium level with Behçet's disease. <i>International Journal of Rheumatic Diseases</i> , 2011 , 14, 375-8	2.3	5
29	Fc-Gamma Receptor 3B Copy Number Variation Is Not a Risk Factor for Behçet's Disease. <i>International Journal of Rheumatology</i> , 2012 , 2012, 167096	2	5
28	Comparative study of anti-CCP and RF for the diagnosis of rheumatoid arthritis. <i>APLAR Journal of Rheumatology</i> , 2007 , 10, 121-124		5
27	Geographical variations in ocular and extra-ocular manifestations in Behçet's disease. <i>European Journal of Rheumatology</i> , 2019 , 6, 199-206	1.7	5
26	Correlation of clinical signs and symptoms of Behçet's disease with platelet-to-lymphocyte ratio (PLR) and neutrophil-to-lymphocyte ratio (NLR). <i>Immunologic Research</i> , 2021 , 69, 363-371	4.3	5
25	Epistatic Interaction of ERAP1 and HLA-B*51 in Iranian Patients with Behçet's Disease. <i>Scientific Reports</i> , 2018 , 8, 17612	4.9	5
24	The efficacy of Back School on chronic low back pain of workers of a pharmaceutical company in a Tehran suburb. COPCORD stage II study. <i>International Journal of Rheumatic Diseases</i> , 2012 , 15, 144-53	2.3	4
23	Performance of the 2010 Rheumatoid Arthritis Classification Criteria. <i>International Journal of Rheumatic Diseases</i> , 2012 , 15, 455-61	2.3	4
22	Association of mitochondrial polymorphism m.709G>A with Behçet's disease. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 1514-6	2.4	4
21	DMARD combination therapy in rheumatoid arthritis: 5-year follow-up results in a daily practice setting. <i>APLAR Journal of Rheumatology</i> , 2006 , 9, 60-63		4
20	Classification and Diagnosis Criteria for Behçet's Disease. <i>Rare Diseases of the Immune System</i> , 2014 , 189-198	0.2	3
19	Excellent endpoints from step-down bridge combination therapy of 5 immunosuppressants in NSAID-refractory ankylosing spondylitis: 6 year international study in Asia - WHO-ILAR COPCORD stage II treatment of the autoimmune diseases. <i>Journal of Rheumatology</i> , 2006 , 33, 2484-92	4.1	3
18	Clinical hand osteoarthritis in Tehran: prevalence, signs, symptoms, and pattern - COPCORD stage I, Iran study. <i>Journal of Rheumatology</i> , 2008 , 35, 1467-8	4.1	3
17	Validity and reliability of the Persian version of Behçet's disease quality-of-life (BD-QoL) questionnaire: a cross-cultural adaptation. <i>Rheumatology International</i> , 2015 , 35, 677-84	3.6	2

16	Behcet's Disease Criteria. <i>Journal of Medical & Surgical Pathology</i> , 2017 , 02,	0	2
15	Iron deficiency state in resistant oral aphthosis of Behcet's disease. <i>International Journal of Rheumatic Diseases</i> , 2014 , 17, 425-9	2.3	2
14	Pathological and Immunological Developments in Behcet's Disease. <i>Pathology Research International</i> , 2012 , 2012, 305780		2
13	Triglyceride and high-density lipoprotein levels as the markers of disease activity and their association with TNF- α and TNF receptor system in systemic lupus erythematosus. <i>APLAR Journal of Rheumatology</i> , 2007 , 10, 221-226		2
12	Bone mass density in the normal population of Iran. <i>APLAR Journal of Rheumatology</i> , 2005 , 8, 177-183		2
11	Nasal mucosal involvement in Behçet disease: a study of its incidence and characteristics in 400 patients. <i>Ear, Nose and Throat Journal</i> , 2010 , 89, 30-3	1	2
10	Are daily physical activities risk factors for knee osteoarthritis?. <i>International Journal of Rheumatic Diseases</i> , 2016 , 19, 241-7	2.3	1
9	IL10 low-frequency variants in Behçet's disease patients. <i>International Journal of Rheumatic Diseases</i> , 2017 , 20, 622-627	2.3	1
8	New simple way to use the classification tree for the diagnosis of Behcet's disease. <i>APLAR Journal of Rheumatology</i> , 2005 , 8, 43-44		1
7	Multiple aneurysms in an Iranian patient with neuro-Behcet's disease. <i>APLAR Journal of Rheumatology</i> , 2005 , 8, 220-223		1
6	Health-care access and utilization among individuals with low back pain in Iran: a WHO-ILAR COPCORD study. <i>BMC Health Services Research</i> , 2020 , 20, 879	2.9	1
5	Predictive value of erythrocyte sedimentation rate and C-reactive protein in Behcet's disease activity and manifestations: a cross-sectional study.. <i>BMC Rheumatology</i> , 2022 , 6, 9	2.9	0
4	Hereditary sensory neuropathy type I. <i>APLAR Journal of Rheumatology</i> , 2006 , 9, 302-304		
3	Clinical manifestations of chondromalacia patella in 260 Iranian patients. <i>APLAR Journal of Rheumatology</i> , 2005 , 8, 124-127		
2	Epidemiology of musculoskeletal symptoms, rheumatologic disorders, and disability in the Zoroastrian population in Yazd, Iran: a WHO-ILAR COPCORD study (stage 1). <i>BMC Rheumatology</i> , 2021 , 5, 46	2.9	
1	Development of rheumatology in Tehran University of Medical Sciences. <i>Archives of Iranian Medicine</i> , 2009 , 12, 605-10	2.4	