

Fereydoun Davatchi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7424268/fereydoun-davatchi-publications-by-year.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

123 papers	4,012 citations	30 h-index	60 g-index
134 ext. papers	4,717 ext. citations	3.2 avg, IF	5.07 L-index

#	Paper	IF	Citations
123	Predictive value of erythrocyte sedimentation rate and C-reactive protein in Behcet's disease activity and manifestations: a cross-sectional study.. <i>BMC Rheumatology</i> , 2022 , 6, 9	2.9	0
122	Epidemiology of musculoskeletal symptoms, rheumatologic disorders, and disability in the Zoroastrian population in Yazd, Iran: a WHO-ILAR COPCORD study (stage 1). <i>BMC Rheumatology</i> , 2021 , 5, 46	2.9	
121	Correlation of clinical signs and symptoms of Behçet's disease with platelet-to-lymphocyte ratio (PLR) and neutrophil-to-lymphocyte ratio (NLR). <i>Immunologic Research</i> , 2021 , 69, 363-371	4.3	5
120	Diagnosis of Behçet's disease: clinical characteristics, diagnostic criteria, and differential diagnoses. <i>BMC Rheumatology</i> , 2021 , 5, 2	2.9	7
119	Correlation of clinical signs and symptoms of Behçet's disease with mean platelet volume (MPV) and red cell distribution width (RDW). <i>Orphanet Journal of Rare Diseases</i> , 2020 , 15, 297	4.2	8
118	Health-care access and utilization among individuals with low back pain in Iran: a WHO-ILAR COPCORD study. <i>BMC Health Services Research</i> , 2020 , 20, 879	2.9	1
117	Geographical variations in ocular and extra-ocular manifestations in Behçet's disease. <i>European Journal of Rheumatology</i> , 2019 , 6, 199-206	1.7	5
116	Behcet's disease in Iran: Analysis of 7641 cases. <i>Modern Rheumatology</i> , 2019 , 29, 1023-1030	3.3	19
115	The Global Spine Care Initiative: World Spine Care executive summary on reducing spine-related disability in low- and middle-income communities. <i>European Spine Journal</i> , 2018 , 27, 776-785	2.7	30
114	Imaging manifestations of Behcet's disease: Key considerations and major features. <i>European Journal of Radiology</i> , 2018 , 98, 214-225	4.7	12
113	Epistatic Interaction of ERAP1 and HLA-B*51 in Iranian Patients with Behçet's Disease. <i>Scientific Reports</i> , 2018 , 8, 17612	4.9	5
112	The Global Spine Care Initiative: model of care and implementation. <i>European Spine Journal</i> , 2018 , 27, 925-945	2.7	39
111	The Global Spine Care Initiative: care pathway for people with spine-related concerns. <i>European Spine Journal</i> , 2018 , 27, 901-914	2.7	28
110	The Global Spine Care Initiative: methodology, contributors, and disclosures. <i>European Spine Journal</i> , 2018 , 27, 786-795	2.7	21
109	The Global Spine Care Initiative: classification system for spine-related concerns. <i>European Spine Journal</i> , 2018 , 27, 889-900	2.7	25
108	The Global Spine Care Initiative: resources to implement a spine care program. <i>European Spine Journal</i> , 2018 , 27, 915-924	2.7	10
107	Paediatric Behçet's disease in Iran: report of 204 cases. <i>Clinical and Experimental Rheumatology</i> , 2018 , 36, 135-140	2.2	19

106	Behcet's disease: epidemiology, clinical manifestations, and diagnosis. <i>Expert Review of Clinical Immunology</i> , 2017 , 13, 57-65	5.1	133
105	Dense genotyping of immune-related loci implicates host responses to microbial exposure in Behçet's disease susceptibility. <i>Nature Genetics</i> , 2017 , 49, 438-443	36.3	89
104	High-dose intravenous steroid pulse therapy in ocular involvement of Behcet's disease: a pilot double-blind controlled study. <i>International Journal of Rheumatic Diseases</i> , 2017 , 20, 1269-1276	2.3	10
103	Prospective study of articular manifestations in Behçet's disease: five-year report. <i>International Journal of Rheumatic Diseases</i> , 2017 , 20, 97-102	2.3	10
102	The association of pathergy reaction and active clinical presentations of Behçet's disease. <i>Reumatologia</i> , 2017 , 55, 79-83	1.7	8
101	Behcet's Disease Criteria. <i>Journal of Medical & Surgical Pathology</i> , 2017 , 02,	0	2
100	IL10 low-frequency variants in Behçet's disease patients. <i>International Journal of Rheumatic Diseases</i> , 2017 , 20, 622-627	2.3	1
99	Serum Profiles of Cytokines in Behcet's Disease. <i>Journal of Clinical Medicine</i> , 2017 , 6,	5.1	12
98	Adult Behcet's disease in Iran: analysis of 6075 patients. <i>International Journal of Rheumatic Diseases</i> , 2016 , 19, 95-103	2.3	55
97	Are daily physical activities risk factors for knee osteoarthritis?. <i>International Journal of Rheumatic Diseases</i> , 2016 , 19, 241-7	2.3	1
96	Mesenchymal stem cell therapy for knee osteoarthritis: 5 years follow-up of three patients. <i>International Journal of Rheumatic Diseases</i> , 2016 , 19, 219-25	2.3	123
95	Epidemiology of rheumatic diseases in Iran from analysis of four COPCORD studies. <i>International Journal of Rheumatic Diseases</i> , 2016 , 19, 1056-1062	2.3	38
94	Non-corticosteroid risk factors of symptomatic avascular necrosis of bone in systemic lupus erythematosus: A retrospective case-control study. <i>Modern Rheumatology</i> , 2015 , 25, 590-4	3.3	14
93	Validity and reliability of the Persian version of Behçet's disease quality-of-life (BD-QoL) questionnaire: a cross-cultural adaptation. <i>Rheumatology International</i> , 2015 , 35, 677-84	3.6	2
92	The saga of diagnostic/classification criteria in Behcet's disease. <i>International Journal of Rheumatic Diseases</i> , 2015 , 18, 594-605	2.3	40
91	On the genetics of the Silk Route: association analysis of HLA, IL10, and IL23R-IL12RB2 regions with Behçet's disease in an Iranian population. <i>Immunogenetics</i> , 2015 , 67, 289-93	3.2	17
90	Ophthalmic findings in Behcet's disease: Cases without apparent ocular signs. <i>Journal of Current Ophthalmology</i> , 2015 , 27, 46-50	2	5
89	FUT2: filling the gap between genes and environment in Behçet's disease?. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 618-24	2.4	54

88	WHO-ILAR COPCORD study (stage 1, urban study) in Sanandaj, Iran. <i>Clinical Rheumatology</i> , 2015 , 34, 535-43	3.9	31
87	Validation of the revised International Criteria for Behcet's Disease (ICBD) in Iran. <i>Clinical Rheumatology</i> , 2015 , 34, 315-20	3.9	17
86	Characterization of the major histocompatibility complex locus association with Behçet's disease in Iran. <i>Arthritis Research and Therapy</i> , 2015 , 17, 81	5.7	18
85	Brief report: association of CCR1, KLRC4, IL12A-AS1, STAT4, and ERAP1 With Behçet's disease in Iranians. <i>Arthritis and Rheumatology</i> , 2015 , 67, 2742-8	9.5	29
84	Prevalence of osteoarthritis in rural areas of Iran: a WHO-ILAR COPCORD study. <i>International Journal of Rheumatic Diseases</i> , 2014 , 17, 384-8	2.3	30
83	Clinical features of Behcet's disease in patients without oral aphthosis. <i>Modern Rheumatology</i> , 2014 , 24, 637-9	3.3	11
82	Genital aphthosis in Behçet's disease: is it associated with less eye involvement?. <i>Rheumatology International</i> , 2014 , 34, 1581-7	3.6	7
81	The relationship between plasma homocysteine level and HLA-B51 in patients with Behcet's disease: a case-control study. <i>International Journal of Rheumatic Diseases</i> , 2014 , 17, 466-70	2.3	5
80	Clinical and immunological pattern of systemic lupus erythematosus in men in a cohort of 2355 patients. <i>International Journal of Rheumatic Diseases</i> , 2014 , 17, 394-9	2.3	13
79	Vitamin D deficiency in patients with Behcet's disease. <i>Journal of Diabetes and Metabolic Disorders</i> , 2014 , 13, 18	2.5	15
78	A time for action: Opportunities for preventing the growing burden and disability from musculoskeletal conditions in low- and middle-income countries. <i>Best Practice and Research in Clinical Rheumatology</i> , 2014 , 28, 377-93	5.3	73
77	Classification and Diagnosis Criteria for Behçet Disease. <i>Rare Diseases of the Immune System</i> , 2014 , 189-198	0.2	3
76	Combination of pulse cyclophosphamide and azathioprine in ocular manifestations of Behcet's disease: longitudinal study of up to 10 years. <i>International Journal of Rheumatic Diseases</i> , 2014 , 17, 444-52	2.3	21
75	Iron deficiency state in resistant oral aphthosis of Behcet's disease. <i>International Journal of Rheumatic Diseases</i> , 2014 , 17, 425-9	2.3	2
74	The International Criteria for Behçet's Disease (ICBD): a collaborative study of 27 countries on the sensitivity and specificity of the new criteria. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2014 , 28, 338-47	4.6	642
73	Estimating the prevalence and disease characteristics of rheumatoid arthritis in Tehran: A WHO-ILAR COPCORD Study (from Iran COPCORD study, Urban Study stage 1). <i>Medical Journal of the Islamic Republic of Iran</i> , 2014 , 28, 93	1.1	11
72	Gene expression profiling and association studies implicate the neuregulin signaling pathway in Behçet's disease susceptibility. <i>Journal of Molecular Medicine</i> , 2013 , 91, 1013-23	5.5	10
71	Prevalence of musculoskeletal disorders in southeastern Iran: a WHO-ILAR COPCORD study (stage 1, urban study). <i>International Journal of Rheumatic Diseases</i> , 2013 , 16, 509-17	2.3	33

70	The perspectives of Iranian physicians and patients towards patient decision aids: a qualitative study. <i>BMC Research Notes</i> , 2013 , 6, 379	2.3	11
69	Methotrexate in ocular manifestations of Behcet's disease: a longitudinal study up to 15 years. <i>International Journal of Rheumatic Diseases</i> , 2013 , 16, 568-77	2.3	19
68	Impact of the positive pathergy test on the performance of classification/diagnosis criteria for Behcet's disease. <i>Modern Rheumatology</i> , 2013 , 23, 125-132	3.3	12
67	Mesenchymal stem cell therapy unable to rescue the vision from advanced Behcet's disease retinal vasculitis: report of three patients. <i>International Journal of Rheumatic Diseases</i> , 2013 , 16, 139-47	2.3	10
66	Impact of the positive pathergy test on the performance of classification/diagnosis criteria for Behcet's disease. <i>Modern Rheumatology</i> , 2013 , 23, 125-32	3.3	7
65	The efficacy of Back School on chronic low back pain of workers of a pharmaceutical company in a Tehran suburb. COPCORD stage II study. <i>International Journal of Rheumatic Diseases</i> , 2012 , 15, 144-53	2.3	4
64	Behcet's disease: is there a gender influence on clinical manifestations?. <i>International Journal of Rheumatic Diseases</i> , 2012 , 15, 306-14	2.3	21
63	Performance of the 2010 Rheumatoid Arthritis Classification Criteria. <i>International Journal of Rheumatic Diseases</i> , 2012 , 15, 455-61	2.3	4
62	Quality-of-life measurement in blistering diseases. <i>Dermatologic Clinics</i> , 2012 , 30, 301-7, ix	4.2	26
61	Association study of IL10 and IL23R-IL12RB2 in Iranian patients with Behçet's disease. <i>Arthritis and Rheumatism</i> , 2012 , 64, 2761-72		62
60	Fc-Gamma Receptor 3B Copy Number Variation Is Not a Risk Factor for Behçet's Disease. <i>International Journal of Rheumatology</i> , 2012 , 2012, 167096	2	5
59	Pathological and Immunological Developments in Behcet's Disease. <i>Pathology Research International</i> , 2012 , 2012, 305780		2
58	Diagnosis/Classification Criteria for Behcet's Disease. <i>Pathology Research International</i> , 2012 , 2012, 607921		58
57	Mesenchymal stem cell therapy for knee osteoarthritis. Preliminary report of four patients. <i>International Journal of Rheumatic Diseases</i> , 2011 , 14, 211-5	2.3	275
56	Investigation of bacterial and viral agents and immune status in Behcet's disease patients from Iran. <i>International Journal of Rheumatic Diseases</i> , 2011 , 14, 298-310	2.3	7
55	Osteoarthritis of the knees in the COPCORD world. <i>International Journal of Rheumatic Diseases</i> , 2011 , 14, 122-9	2.3	74
54	Study of the correlation of serum selenium level with Behcet's disease. <i>International Journal of Rheumatic Diseases</i> , 2011 , 14, 375-8	2.3	5
53	Gender influence on ocular manifestations and their outcome in Behcet's Disease. A long-term follow-up of up to 20 years. <i>Clinical Rheumatology</i> , 2011 , 30, 541-7	3.9	13

52	Diagnostic value of pathergy test in Behcet's disease according to the change of incidence over the time. <i>Clinical Rheumatology</i> , 2011 , 30, 1151-5	3.9	56
51	Association of mitochondrial polymorphism m.709G>A with Behçet's disease. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 1514-6	2.4	4
50	Association of interleukin-2, interleukin-4 and transforming growth factor-beta gene polymorphisms with Behcet's disease. <i>Clinical and Experimental Rheumatology</i> , 2011 , 29, S28-31	2.2	17
49	Effect of early treatment in polymyositis and dermatomyositis. <i>Neurology India</i> , 2010 , 58, 58-61	0.7	6
48	Validation of the International Criteria for Behçet's disease (ICBD) in Iran. <i>International Journal of Rheumatic Diseases</i> , 2010 , 13, 55-60	2.3	37
47	How to deal with Behcet's disease in daily practice. <i>International Journal of Rheumatic Diseases</i> , 2010 , 13, 105-16	2.3	42
46	Development of a questionnaire for identification of the risk factors for osteoarthritis of the knees in developing countries. A pilot study in Iran and Bangladesh. An ILAR-COPCORD phase III study. <i>International Journal of Rheumatic Diseases</i> , 2010 , 13, 203-14	2.3	34
45	Pimecrolimus versus placebo in genital aphthous ulcers of Behcet's disease: a randomized double-blind controlled trial. <i>International Journal of Rheumatic Diseases</i> , 2010 , 13, 253-8	2.3	26
44	Rituximab in intractable ocular lesions of Behcet's disease; randomized single-blind control study (pilot study). <i>International Journal of Rheumatic Diseases</i> , 2010 , 13, 246-52	2.3	142
43	Systemic lupus erythematosus in Iran: a study of 2280 patients over 33 years. <i>International Journal of Rheumatic Diseases</i> , 2010 , 13, 374-9	2.3	27
42	Behcet's disease in Iran: analysis of 6500 cases. <i>International Journal of Rheumatic Diseases</i> , 2010 , 13, 367-73	2.3	119
41	Behcet's disease: from East to West. <i>Clinical Rheumatology</i> , 2010 , 29, 823-33	3.9	174
40	Proinflammatory cytokine gene polymorphisms in Behçet's disease. <i>European Cytokine Network</i> , 2010 , 21, 292-6	3.3	30
39	Nasal mucosal involvement in Behçet disease: a study of its incidence and characteristics in 400 patients. <i>Ear, Nose and Throat Journal</i> , 2010 , 89, 30-3	1	2
38	Plasma homocysteine level in patients with Behcet's disease with or without thrombosis. <i>Archives of Iranian Medicine</i> , 2010 , 13, 476-81	2.4	8
37	Comparison of existing disease activity indices in the follow-up of patients with Behçet disease. <i>Modern Rheumatology</i> , 2009 , 19, 536-541	3.3	30
36	Nailfold capillaroscopy in Behçet's disease, analysis of 128 patients. <i>Clinical Rheumatology</i> , 2009 , 28, 603-5	3.9	16
35	The prevalence of musculoskeletal complaints in a rural area in Iran: a WHO-ILAR COPCORD study (stage 1, rural study) in Iran. <i>Clinical Rheumatology</i> , 2009 , 28, 1267-74	3.9	79

34	Effect of ethnic origin (Caucasians versus Turks) on the prevalence of rheumatic diseases: a WHO-ILAR COPCORD urban study in Iran. <i>Clinical Rheumatology</i> , 2009 , 28, 1275-82	3.9	23
33	Prevalence of celiac disease among patients with Behcet's disease in Iran. <i>Digestive Diseases and Sciences</i> , 2009 , 54, 1736-9	4	7
32	Gluten sensitivity enteropathy in patients with recurrent aphthous stomatitis. <i>BMC Gastroenterology</i> , 2009 , 9, 44	3	25
31	Rheumatology in Iran. <i>International Journal of Rheumatic Diseases</i> , 2009 , 12, 283-7	2.3	9
30	Colchicine versus placebo in Behçet's disease: randomized, double-blind, controlled crossover trial. <i>Modern Rheumatology</i> , 2009 , 19, 542-549	3.3	94
29	Comparison of existing disease activity indices in the follow-up of patients with Behçet's disease. <i>Modern Rheumatology</i> , 2009 , 19, 536-41	3.3	15
28	Colchicine versus placebo in Behçet's disease: randomized, double-blind, controlled crossover trial. <i>Modern Rheumatology</i> , 2009 , 19, 542-9	3.3	46
27	Different aspects of psoriasis: analysis of 150 Iranian patients. <i>Archives of Iranian Medicine</i> , 2009 , 12, 279-83	2.4	12
26	Development of rheumatology in Tehran University of Medical Sciences. <i>Archives of Iranian Medicine</i> , 2009 , 12, 605-10	2.4	
25	Re-evaluation of heterogeneity in HLA-B*510101 associated with Behçet's disease. <i>Tissue Antigens</i> , 2008 , 72, 347-53		20
24	WHO-ILAR COPCORD Study (Stage 1, Urban Study) in Iran. <i>Journal of Rheumatology</i> , 2008 , 35, 1384	4.1	154
23	Clinical hand osteoarthritis in Tehran: prevalence, signs, symptoms, and pattern - COPCORD stage I, Iran study. <i>Journal of Rheumatology</i> , 2008 , 35, 1467-8	4.1	3
22	The prevalence of oral aphthosis in a normal population in Iran: a WHO-ILAR COPCORD study. <i>Archives of Iranian Medicine</i> , 2008 , 11, 207-9	2.4	25
21	Comparative study of anti-CCP and RF for the diagnosis of rheumatoid arthritis. <i>APLAR Journal of Rheumatology</i> , 2007 , 10, 121-124		5
20	Triglyceride and high-density lipoprotein levels as the markers of disease activity and their association with TNF- α and TNF receptor system in systemic lupus erythematosus. <i>APLAR Journal of Rheumatology</i> , 2007 , 10, 221-226		2
19	Prevalence of Behcet's disease in Iran: a WHO-ILAR COPCORD stage I study. <i>APLAR Journal of Rheumatology</i> , 2007 , 10, 239-243		26
18	Pathergy test in Behcet's disease: change in incidence over the time. <i>APLAR Journal of Rheumatology</i> , 2007 , 10, 333-335		15
17	DMARD combination therapy in rheumatoid arthritis: 5-year follow-up results in a daily practice setting. <i>APLAR Journal of Rheumatology</i> , 2006 , 9, 60-63		4

16	Rheumatic diseases in the APLAR region. <i>APLAR Journal of Rheumatology</i> , 2006 , 9, 5-10		20
15	Performance of existing diagnosis/classification criteria for Behcet's disease in Iranian patients: analysis of 5666 patients and 2406 controls. <i>APLAR Journal of Rheumatology</i> , 2006 , 9, 238-243		9
14	Hereditary sensory neuropathy type I. <i>APLAR Journal of Rheumatology</i> , 2006 , 9, 302-304		
13	WHO-ILAR COPCORD pilot study in Tehran, Iran. <i>Journal of Rheumatology</i> , 2006 , 33, 1714	4.1	15
12	Excellent endpoints from step-down bridge combination therapy of 5 immunosuppressants in NSAID-refractory ankylosing spondylitis: 6 year international study in Asia - WHO-ILAR COPCORD stage II treatment of the autoimmune diseases. <i>Journal of Rheumatology</i> , 2006 , 33, 2484-92	4.1	3
11	New simple way to use the classification tree for the diagnosis of Behcet's disease. <i>APLAR Journal of Rheumatology</i> , 2005 , 8, 43-44		1
10	Management of ocular manifestations of Behcet's disease: outcome with cytotoxic drugs. <i>APLAR Journal of Rheumatology</i> , 2005 , 8, 119-123		7
9	Clinical manifestations of chondromalacia patella in 260 Iranian patients. <i>APLAR Journal of Rheumatology</i> , 2005 , 8, 124-127		
8	Multiple aneurysms in an Iranian patient with neuro-Behcet's disease. <i>APLAR Journal of Rheumatology</i> , 2005 , 8, 220-223		1
7	Bone mass density in the normal population of Iran. <i>APLAR Journal of Rheumatology</i> , 2005 , 8, 177-183		2
6	Comparative analysis of Behcet's disease in the APLAR region. <i>APLAR Journal of Rheumatology</i> , 2004 , 7, 38-43		13
5	New and innovative therapies for Behcet's disease. <i>APLAR Journal of Rheumatology</i> , 2004 , 7, 141-145		14
4	Evaluation of the effect of acetazolamide on cystoid macular oedema in patients with Behcet's disease. <i>Eye</i> , 2003 , 17, 762-6	4.4	14
3	Analysis of microsatellite polymorphism around the HLA-B locus in Iranian patients with Behçet's disease. <i>Tissue Antigens</i> , 2002 , 60, 396-9		33
2	HLA class I genotyping including HLA-B*51 allele typing in the Iranian patients with Behçet's disease. <i>Tissue Antigens</i> , 2001 , 57, 457-62		36
1	Salmonella infection in systemic lupus erythematosus. <i>Lupus</i> , 1993 , 2, 55-9	2.6	47