

Zbigniew Kulaga

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7424464/publications.pdf>

Version: 2024-02-01

31
papers

1,095
citations

535685

17
h-index

563245

28
g-index

31
all docs

31
docs citations

31
times ranked

1690
citing authors

#	ARTICLE	IF	CITATIONS
1	Obesity, metabolic syndrome, and primary hypertension. <i>Pediatric Nephrology</i> , 2021, 36, 825-837.	0.9	83
2	Evaluation of Cumulative Effect of Standard Triple Immunosuppression on Prevention of De Novo Donor Specific Antibodies (dnDSA) Production in Children after Kidney Transplantation – A Retrospective and Prospective Study. <i>Children</i> , 2021, 8, 1162.	0.6	0
3	Leukocyte matrix metalloproteinase and tissue inhibitor gene expression patterns in children with primary hypertension. <i>Journal of Human Hypertension</i> , 2020, 34, 355-363.	1.0	11
4	Long-term outcome of the survivors of infantile hypercalcaemia with CYP24A1 and SLC34A1 mutations. <i>Nephrology Dialysis Transplantation</i> , 2020, 36, 1484-1492.	0.4	12
5	Parental perceptions, attitudes and knowledge on European preschool children’s total screen time: the ToyBox-study. <i>European Journal of Public Health</i> , 2019, 30, 105-111.	0.1	15
6	Combined Longitudinal Effect of Physical Activity and Screen Time on Food and Beverage Consumption in European Preschool Children: The ToyBox-Study. <i>Nutrients</i> , 2019, 11, 1048.	1.7	19
7	Reproducibility and relative validity of a semiquantitative food frequency questionnaire in European preschoolers: The ToyBox study. <i>Nutrition</i> , 2019, 65, 60-67.	1.1	18
8	Central systolic blood pressure and central pulse pressure predict left ventricular hypertrophy in hypertensive children. <i>Pediatric Nephrology</i> , 2019, 34, 703-712.	0.9	41
9	High-Normal Blood Pressure in Children and Adolescents. <i>Updates in Hypertension and Cardiovascular Protection</i> , 2019, , 3-16.	0.1	1
10	Loss of CD31 receptor in CD4+ and CD8+ T-cell subsets in children with primary hypertension is associated with hypertension severity and hypertensive target organ damage. <i>Journal of Hypertension</i> , 2018, 36, 2148-2156.	0.3	23
11	Prevalence and sociodemographic correlates of overweight and obesity in a large Pan-European cohort of preschool children and their families: the ToyBox study. <i>Nutrition</i> , 2018, 55-56, 192-198.	1.1	35
12	Associations between food and beverage consumption and different types of sedentary behaviours in European preschoolers: the ToyBox-study. <i>European Journal of Nutrition</i> , 2017, 56, 1939-1951.	1.8	15
13	The relationship between selected socioeconomic factors and thinness among Polish school-aged children and adolescents. <i>European Journal of Pediatrics</i> , 2017, 176, 797-806.	1.3	11
14	Clustering of energy balance-related behaviours and parental education in European preschool children: the ToyBox study. <i>British Journal of Nutrition</i> , 2017, 118, 1089-1096.	1.2	30
15	Trends in external causes of child and adolescent mortality in Poland, 1999–2012. <i>International Journal of Public Health</i> , 2017, 62, 117-126.	1.0	11
16	Altered matrix metalloproteinase 9 and tissue inhibitor of metalloproteinases 1 levels in children with primary hypertension. <i>Journal of Hypertension</i> , 2016, 34, 1815-1822.	0.3	19
17	Leptin and Adiponectin Serum Levels from Infancy to School Age: Factors Influencing Tracking. <i>Childhood Obesity</i> , 2016, 12, 179-187.	0.8	23
18	PP.38.10. <i>Journal of Hypertension</i> , 2015, 33, e480.	0.3	0

#	ARTICLE	IF	CITATIONS
19	PP.38.15. Journal of Hypertension, 2015, 33, e481.	0.3	3
20	Differences in Energy Balance-Related Behaviours in European Preschool Children: The ToyBox-Study. PLoS ONE, 2015, 10, e0118303.	1.1	59
21	The relationship between selected socioeconomic factors and basic anthropometric parameters of school-aged children and adolescents in Poland. European Journal of Pediatrics, 2014, 173, 45-52.	1.3	28
22	Tools, harmonization and standardization procedures of the impact and outcome evaluation indices obtained during a kindergarten-based, family-involved intervention to prevent obesity in early childhood: the ToyBox-study. Obesity Reviews, 2014, 15, 53-60.	3.1	50
23	Polish 2012 growth references for preschool children. European Journal of Pediatrics, 2013, 172, 753-761.	1.3	52
24	Paediatric normative data for urine NGAL/creatinine ratio. Acta Paediatrica, International Journal of Paediatrics, 2013, 102, e269-72.	0.7	11
25	Oscillometric blood pressure reference values in children. Journal of Hypertension, 2013, 31, 427.	0.3	1
26	Oscillometric blood pressure percentiles for Polish normal-weight school-aged children and adolescents. Journal of Hypertension, 2012, 30, 1942-1954.	0.3	92
27	Population-based centile curves for triceps, subscapular, and abdominal skinfold thicknesses in Polish children and adolescents—the OLAF study. European Journal of Pediatrics, 2012, 171, 1215-1221.	1.3	21
28	Weight status of European preschool children and associations with family demographics and energy balance-related behaviours: a pooled analysis of six European studies. Obesity Reviews, 2012, 13, 29-41.	3.1	84
29	Polish 2010 growth references for school-aged children and adolescents. European Journal of Pediatrics, 2011, 170, 599-609.	1.3	241
30	The height-, weight-, and BMI-for-age of Polish school-aged children and adolescents relative to international and local growth references. BMC Public Health, 2010, 10, 109.	1.2	84
31	Data mining analysis of factors influencing children's blood pressure in a nation-wide health survey. , 2009, , .		2