

Federica Camin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7424751/publications.pdf>

Version: 2024-02-01

120
papers

4,501
citations

101496

36
h-index

118793

62
g-index

120
all docs

120
docs citations

120
times ranked

4230
citing authors

#	ARTICLE	IF	CITATIONS
1	Investigations on historical monumentsâ€™ deterioration through chemical and isotopic analyses: an Italian case study. <i>Environmental Science and Pollution Research</i> , 2022, 29, 29409-29418.	2.7	10
2	The Hierarchical Contribution of Organic vs. Conventional Farming, Cultivar, and Terroir on Untargeted Metabolomics Phytochemical Profile and Functional Traits of Tomato Fruits. <i>Frontiers in Plant Science</i> , 2022, 13, 856513.	1.7	2
3	Simultaneous evaluation of the enantiomeric and carbon isotopic ratios of <i>Cannabis sativa</i> L. essential oils by multidimensional gas chromatography. <i>Analytical and Bioanalytical Chemistry</i> , 2022, 414, 5643-5656.	1.9	5
4	Natural variation in stomatal dynamics drives divergence in heat stress tolerance and contributes to seasonal intrinsic water-use efficiency in <i>Vitis vinifera</i> (subsp. <i>sativa</i>) and <i>T. ETQq0 0 0 rgBT /Overlock210 Tf 50 617 Td (<i></i>	2.1	6
5	Stable isotope ratio analysis of lactose as a possible potential geographical tracer of milk. <i>Food Control</i> , 2022, 139, 109051.	2.8	5
6	Isotopic Characterization of Italian Industrial Hemp (<i>Cannabis sativa</i> L.) Intended for Food Use: A First Exploratory Study. <i>Separations</i> , 2022, 9, 136.	1.1	7
7	Selective Methods to Investigate Authenticity and Geographical Origin of Mediterranean Food Products. <i>Food Reviews International</i> , 2021, 37, 656-682.	4.3	20
8	A pilot study of eDNA metabarcoding to estimate plant biodiversity by an alpine glacier core (Adamello) Tj ETQq0 0 0 rgBT /Overlock 10	1.6	11
9	Fatty acids stable carbon isotope fractionation in the bovine organism. A compound-specific isotope analysis through gas chromatography combustion isotope ratio mass spectrometry. <i>Journal of Chromatography A</i> , 2021, 1641, 461966.	1.8	3
10	Using Bioelements Isotope Ratios and Fatty Acid Composition to Deduce Beef Origin and Zebu Feeding Regime in Cameroon. <i>Molecules</i> , 2021, 26, 2155.	1.7	5
11	Stable Isotope Ratios of Herbs and Spices Commonly Used as Herbal Infusions in the Italian Market. <i>ACS Omega</i> , 2021, 6, 11925-11934.	1.6	3
12	Evaluation of honey authenticity in Lebanon by analysis of carbon stable isotope ratio using elemental analyzer and liquid chromatography coupled to isotope ratio mass spectrometry. <i>Journal of Mass Spectrometry</i> , 2021, 56, e4730.	0.7	12
13	Tracing lamb meat with stable isotope ratio analysis: a review. <i>Small Ruminant Research</i> , 2021, 203, 106482.	0.6	4
14	NMR spectroscopy in wine authentication: An official control perspective. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2021, 20, 2040-2062.	5.9	37
15	Application of ¹³ C Quantitative NMR Spectroscopy to Isotopic Analyses for Vanillin Authentication Source. <i>Foods</i> , 2021, 10, 2635.	1.9	7
16	Special Issue â€œIsotopic Techniques for Food Scienceâ€•. <i>Molecules</i> , 2021, 26, 134.	1.7	2
17	Natal origins and timing of migration of two passerine species through the southern Alps: inferences from multiple stable isotopes (² H, ¹³ C, ¹⁵ N, ³⁴ S) and ringing data. <i>Ibis</i> , 2020, 162, 293-306.	1.0	2
18	³⁴ S for tracing the origin of cheese and detecting its authenticity. <i>Journal of Mass Spectrometry</i> , 2020, 55, e4451.	0.7	15

#	ARTICLE	IF	CITATIONS
19	Lipid Profiling and Stable Isotopic Data Analysis for Differentiation of Extra Virgin Olive Oils Based on Their Origin. <i>Molecules</i> , 2020, 25, 4.	1.7	24
20	Milk Authentication: Stable Isotope Composition of Hydrogen and Oxygen in Milks and Their Constituents. <i>Molecules</i> , 2020, 25, 4000.	1.7	9
21	Validation of the 2H-SNIF NMR and IRMS Methods for Vinegar and Vinegar Analysis: An International Collaborative Study. <i>Molecules</i> , 2020, 25, 2932.	1.7	7
22	Isotopic and elemental characterisation of Italian white truffle: A first exploratory study. <i>Food and Chemical Toxicology</i> , 2020, 145, 111627.	1.8	6
23	Characterization and authentication of commercial cleaning products formulated with biobased surfactants by stable carbon isotope ratio. <i>Talanta</i> , 2020, 219, 121256.	2.9	23
24	Food Matrix Reference Materials for Hydrogen, Carbon, Nitrogen, Oxygen, and Sulfur Stable Isotope-Ratio Measurements: Collagens, Flours, Honeys, and Vegetable Oils. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 10852-10864.	2.4	18
25	Can We Discover Truffle's True Identity?. <i>Molecules</i> , 2020, 25, 2217.	1.7	18
26	Compound-specific carbon and hydrogen isotope analysis of volatile organic compounds using headspace solid-phase microextraction. <i>Talanta</i> , 2020, 219, 121264.	2.9	5
27	Gas Chromatography Combustion Isotope Ratio Mass Spectrometry for Improving the Detection of Authenticity of Grape Must. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 3322-3329.	2.4	12
28	Bulk and compound-specific stable isotope ratio analysis for authenticity testing of organically grown tomatoes. <i>Food Chemistry</i> , 2020, 318, 126426.	4.2	22
29	Geographical verification of Slovenian milk using stable isotope ratio, multi-element and multivariate modelling approaches. <i>Food Chemistry</i> , 2020, 326, 126958.	4.2	20
30	Shift from nival to pluvial recharge of an aquifer-fed lake increases water temperature. <i>Inland Waters</i> , 2019, 9, 261-274.	1.1	7
31	Isotopic and elemental profiles of Mediterranean buffalo milk and cheese and authentication of Mozzarella di Bufala Campana PDO: An initial exploratory study. <i>Food Chemistry</i> , 2019, 285, 316-323.	4.2	37
32	Assessing the authenticity of animal rennet using $\delta^{15}\text{N}$ analysis of chymosin. <i>Food Chemistry</i> , 2019, 293, 545-549.	4.2	6
33	C and H stable isotope ratio analysis using solid-phase microextraction and gas chromatography-isotope ratio mass spectrometry for vanillin authentication. <i>Journal of Chromatography A</i> , 2019, 1595, 168-173.	1.8	28
34	Sampling guidelines for building and curating food authenticity databases. <i>Trends in Food Science and Technology</i> , 2019, 90, 187-193.	7.8	23
35	The use of stable isotope ratio analysis to characterise saw palmetto (<i>Serenoa Repens</i>) extract. <i>Food Chemistry</i> , 2019, 274, 26-34.	4.2	6
36	Lessons learned from inter-laboratory studies of carbon isotope analysis of honey. <i>Science and Justice - Journal of the Forensic Science Society</i> , 2019, 59, 9-19.	1.3	15

#	ARTICLE	IF	CITATIONS
37	Removal of pomace residues is critical in quantification of element concentrations in extra virgin olive oil. <i>Journal of Food Composition and Analysis</i> , 2019, 77, 39-46.	1.9	13
38	Characterisation and attempted differentiation of European and extra-European olive oils using stable isotope ratio analysis. <i>Food Chemistry</i> , 2019, 276, 782-789.	4.2	48
39	Combined use of isotopic fingerprint and metabolomics analysis for the authentication of saw palmetto (<i>Serenoa repens</i>) extracts. <i>FÄ-toterapÄ-Äc</i> , 2018, 127, 15-19.	1.1	15
40	Stable isotope ratios of H, C, O, N and S for the geographical traceability of Italian rainbow trout (<i>Oncorhynchus mykiss</i>). <i>Food Chemistry</i> , 2018, 267, 288-295.	4.2	36
41	Differentiation of wood-derived vanillin from synthetic vanillin in distillates using gas chromatography/combustion/isotope ratio mass spectrometry for $\delta^{13}\text{C}$ analysis. <i>Rapid Communications in Mass Spectrometry</i> , 2018, 32, 311-318.	0.7	15
42	A Multi-Methodological Protocol to Characterize PDO Olive Oils. <i>Metabolites</i> , 2018, 8, 43.	1.3	10
43	Matching geographical assignment by stable isotopes with African non-breeding sites of barn swallows <i>Hirundo rustica</i> tracked by geolocation. <i>PLoS ONE</i> , 2018, 13, e0202025.	1.1	10
44	Combination of sugar and stable isotopes analyses to detect the use of nongrape sugars in balsamic vinegar must. <i>Journal of Mass Spectrometry</i> , 2018, 53, 772-780.	0.7	4
45	Timber isoscapes. A case study in a mountain area in the Italian Alps. <i>PLoS ONE</i> , 2018, 13, e0192970.	1.1	15
46	Isotopic and elemental composition of selected types of Italian honey. <i>Measurement: Journal of the International Measurement Confederation</i> , 2017, 98, 283-289.	2.5	56
47	Stable isotope techniques for verifying the declared geographical origin of food in legal cases. <i>Trends in Food Science and Technology</i> , 2017, 61, 176-187.	7.8	142
48	Changes in stable isotope ratios in PDO cheese related to the area of production and green forage availability. The case study of Pecorino Siciliano. <i>Rapid Communications in Mass Spectrometry</i> , 2017, 31, 737-744.	0.7	11
49	Stable isotope ratio analysis for authentication of red yeast rice. <i>Talanta</i> , 2017, 174, 228-233.	2.9	23
50	Compound-specific $\delta^{13}\text{C}$ and $\delta^2\text{H}$ analysis of olive oil fatty acids. <i>Talanta</i> , 2017, 174, 38-43.	2.9	25
51	Dietary Effects on Stable Carbon Isotope Composition of Fatty Acids in Polar and Neutral Fractions of Intramuscular Fat of Lambs. <i>Journal of Agricultural and Food Chemistry</i> , 2017, 65, 9404-9411.	2.4	12
52	Determination of the $\delta^{13}\text{C}/\delta^{12}\text{C}$ Carbon Isotope Ratio in Carbonates and Bicarbonates by $\delta^{13}\text{C}$ NMR Spectroscopy. <i>Analytical Chemistry</i> , 2017, 89, 11413-11418.	3.2	19
53	Hydrochar enhances growth of poplar for bioenergy while marginally contributing to direct soil carbon sequestration. <i>GCB Bioenergy</i> , 2017, 9, 1618-1626.	2.5	31
54	Time since death and decay rate constants of Norway spruce and European larch deadwood in subalpine forests determined using dendrochronology and radiocarbon dating. <i>Biogeosciences</i> , 2016, 13, 1537-1552.	1.3	34

#	ARTICLE	IF	CITATIONS
55	Study on the suspended particulate matter of a Mediterranean artificial lake (Sos Canales Lake) using Stable Isotope Analysis of carbon and nitrogen. <i>Annales De Limnologie</i> , 2016, 52, 401-412.	0.6	4
56	Decomposition and stabilisation of Norway spruce needle-derived material in Alpine soils using a ¹³ C-labelling approach in the field. <i>Biogeochemistry</i> , 2016, 131, 321-338.	1.7	11
57	Analysis of ¹³ C and ¹⁵ N isotopic signatures to shed light on the hydrological cycle's influence on the trophic behavior of fish in a Mediterranean reservoir. <i>Biologia (Poland)</i> , 2016, 71, 1395-1403.	0.8	1
58	Regional features of northern Italian sparkling wines, identified using solid-phase micro extraction and comprehensive two-dimensional gas chromatography coupled with time-of-flight mass spectrometry. <i>Food Chemistry</i> , 2016, 208, 68-80.	4.2	56
59	Consistent response of crown transparency, shoot growth and leaf traits on Norway spruce (<i>Picea</i>) Tj ETQq1 1 0.784314 rgBT /Overl 1041-1044.	2.6	14
60	From soil to grape and wine: Variation of light and heavy elements isotope ratios. <i>Food Chemistry</i> , 2016, 210, 648-659.	4.2	47
61	¹⁵ N from soil to wine in bulk samples and proline. <i>Journal of Mass Spectrometry</i> , 2016, 51, 668-674.	0.7	9
62	FTIR and NDIR spectroscopies as valuable alternatives to IRMS spectrometry for the ¹³ C analysis of food. <i>Talanta</i> , 2016, 160, 276-281.	2.9	11
63	Stable isotope composition of cocoa beans of different geographical origin. <i>Journal of Mass Spectrometry</i> , 2016, 51, 684-689.	0.7	13
64	Stable Isotope Ratio Analysis for Assessing the Authenticity of Food of Animal Origin. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2016, 15, 868-877.	5.9	120
65	Multielemental fingerprinting and geographic traceability of <i>Theobroma cacao</i> beans and cocoa products. <i>Food Control</i> , 2016, 65, 46-53.	2.8	113
66	Food authentication: Techniques, trends & emerging approaches. <i>TrAC - Trends in Analytical Chemistry</i> , 2016, 85, 123-132.	5.8	403
67	Belowground carbon allocation patterns as determined by the in-growth soil core ¹³ C technique across different ecosystem types. <i>Geoderma</i> , 2016, 263, 140-150.	2.3	21
68	Variation of oxygen isotopic ratio during wine dealcoholization by membrane contactors: Experiments and modelling. <i>Journal of Membrane Science</i> , 2016, 498, 385-394.	4.1	15
69	Food web of a confined and anthropogenically affected coastal basin (the Mar Piccolo of Taranto) revealed by carbon and nitrogen stable isotopes analyses. <i>Environmental Science and Pollution Research</i> , 2016, 23, 12725-12738.	2.7	19
70	The use of IRMS, ¹ H NMR and chemical analysis to characterise Italian and imported Tunisian olive oils. <i>Food Chemistry</i> , 2016, 196, 98-105.	4.2	55
71	Traceability of different apple varieties by multivariate analysis of isotope ratio mass spectrometry data. <i>Rapid Communications in Mass Spectrometry</i> , 2015, 29, 1984-1990.	0.7	23
72	Oxygen and Hydrogen Stable Isotope Ratios of Bulk Needles Reveal the Geographic Origin of Norway Spruce in the European Alps. <i>PLoS ONE</i> , 2015, 10, e0118941.	1.1	14

#	ARTICLE	IF	CITATIONS
73	Hydrogen and Oxygen Stable Isotope Fractionation in Body Fluid Compartments of Dairy Cattle According to Season, Farm, Breed, and Reproductive Stage. <i>PLoS ONE</i> , 2015, 10, e0127391.	1.1	25
74	Validation of methods for H, C, N and S stable isotopes and elemental analysis of cheese: results of an international collaborative study. <i>Rapid Communications in Mass Spectrometry</i> , 2015, 29, 415-423.	0.7	33
75	H, C, and O Stable Isotope Ratios of Passito Wine. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 5851-5857.	2.4	9
76	Compound-Specific $\delta^{15}\text{N}$ and $\delta^{13}\text{C}$ Analyses of Amino Acids for Potential Discrimination between Organically and Conventionally Grown Wheat. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 5841-5850.	2.4	56
77	Climatic and geographical dependence of the H, C and O stable isotope ratios of Italian wine. <i>Analytica Chimica Acta</i> , 2015, 853, 384-390.	2.6	55
78	Stable Isotope Ratios and Aroma Profile Changes Induced Due to Innovative Wine Dealcoholisation Approaches. <i>Food and Bioprocess Technology</i> , 2014, 7, 62-70.	2.6	25
79	Tree rings and stable isotopes reveal the tree-history prior to insect defoliation on Norway spruce (<i>Picea abies</i> (L.) Karst.). <i>Forest Ecology and Management</i> , 2014, 319, 99-106.	1.4	12
80	Stable isotope characterization of the Vermigliana catchment. <i>Journal of Hydrology</i> , 2014, 509, 295-305.	2.3	40
81	Botanical traceability of commercial tannins using the mineral profile and stable isotopes. <i>Journal of Mass Spectrometry</i> , 2014, 49, 792-801.	0.7	16
82	Comparison of methods for stable isotope ratio ($\delta^{13}\text{C}$, $\delta^{15}\text{N}$, $\delta^2\text{H}$). <i>Talanta</i> , 2014, 118, 100-106.	2.2	18
83	Gas Chromatography-Combustion-Isotope Ratio Mass Spectrometry for Traceability and Authenticity in Foods and Beverages. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2014, 13, 814-837.	5.9	76
84	Palaeobotanical, chemical and physical investigation of the content of an ancient wine amphora from the northern Tyrrhenian sea in Italy. <i>Journal of Archaeological Science</i> , 2014, 45, 226-233.	1.2	18
85	Severe drought events increase the sensitivity to ozone on poplar clones. <i>Environmental and Experimental Botany</i> , 2014, 100, 94-104.	2.0	50
86	Spatiotemporal dynamics of C and N isotopic signature of zooplankton: a seasonal study on a man-made lake in the Mediterranean region. <i>Annales De Limnologie</i> , 2014, 50, 279-287.	0.6	7
87	$\delta^{18}\text{O}$ of Ethanol in Wine and Spirits for Authentication Purposes. <i>Journal of Food Science</i> , 2013, 78, C839-44.	1.5	29
88	Fungal root pathogen (<i>Heterobasidion parviporum</i>) increases drought stress in Norway spruce stand at low elevation in the Alps. <i>European Journal of Forest Research</i> , 2013, 132, 607-619.	1.1	28
89	Carbon, hydrogen and oxygen stable isotope ratios of whole wood, cellulose and lignin methoxyl groups of <i>Picea abies</i> as climate proxies. <i>Rapid Communications in Mass Spectrometry</i> , 2013, 27, 265-275.	0.7	68
90	Gas chromatography combined with mass spectrometry, flame ionization detection and elemental analyzer/isotope ratio mass spectrometry for characterizing and detecting the authenticity of commercial essential oils of <i>Rosa damascena</i> Mill.. <i>Rapid Communications in Mass Spectrometry</i> , 2013, 27, 591-602.	0.7	35

#	ARTICLE	IF	CITATIONS
91	Intra-annual Pattern of Photosynthesis, Growth and Stable Isotope Partitioning in a Poplar Clone Subjected to Ozone and Water Stress. <i>Water, Air, and Soil Pollution</i> , 2013, 224, 1.	1.1	13
92	Effect of origin, breeding and processing conditions on the isotope ratios of bioelements in dry-cured ham. <i>Food Chemistry</i> , 2013, 136, 1543-1550.	4.2	19
93	Stable isotopes of lakes and precipitation along an altitudinal gradient in the Eastern Alps. <i>Biogeochemistry</i> , 2013, 116, 187-198.	1.7	11
94	Isotope ratio mass spectrometry identifies soil microbial biocontrol agents having trophic relations with the plant pathogen <i>Armillaria mellea</i> . <i>Applied Soil Ecology</i> , 2013, 64, 142-151.	2.1	3
95	Statistical methods for improving verification of claims of origin for Italian wines based on stable isotope ratios. <i>Analytica Chimica Acta</i> , 2012, 757, 19-25.	2.6	29
96	H, C, N and S stable isotopes and mineral profiles to objectively guarantee the authenticity of grated hard cheeses. <i>Analytica Chimica Acta</i> , 2012, 711, 54-59.	2.6	77
97	Using elemental profiles and stable isotopes to trace the origin of green coffee beans on the global market. <i>Journal of Mass Spectrometry</i> , 2012, 47, 1132-1140.	0.7	48
98	Studying trophic interactions between a plant pathogen and two different antagonistic microorganisms using a ¹³ C-labeled compound and isotope ratio mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2012, 26, 510-516.	0.7	8
99	Elemental and isotopic characterisation of typical Italian alpine cheeses. <i>International Dairy Journal</i> , 2011, 21, 441-446.	1.5	61
100	ADAPTATION OF A PSYCHROPHILIC FRESHWATER DINOFLAGELLATE TO ULTRAVIOLET RADIATION1. <i>Journal of Phycology</i> , 2011, 47, 811-820.	1.0	10
101	Combining isotopic signatures of n(87Sr)/n(86Sr) and light stable elements (C, N, O, S) with multi-elemental profiling for the authentication of provenance of European cereal samples. <i>Journal of Cereal Science</i> , 2011, 53, 170-177.	1.8	62
102	Traceability along the production chain of Italian tomato products on the basis of stable isotopes and mineral composition. <i>Rapid Communications in Mass Spectrometry</i> , 2011, 25, 899-909.	0.7	40
103	Tissue turnover in ovine muscles and lipids as recorded by multiple (H, C, O, S) stable isotope ratios. <i>Food Chemistry</i> , 2011, 124, 291-297.	4.2	43
104	Potential isotopic and chemical markers for characterising organic fruits. <i>Food Chemistry</i> , 2011, 125, 1072-1082.	4.2	85
105	Characterisation of authentic Italian extra-virgin olive oils by stable isotope ratios of C, O and H and mineral composition. <i>Food Chemistry</i> , 2010, 118, 901-909.	4.2	135
106	Multielement stable isotope ratios (H, C, N, S) of honey from different European regions. <i>Food Chemistry</i> , 2010, 121, 770-777.	4.2	142
107	Stable isotope ratios of carbon and hydrogen to distinguish olive oil from shark squalene–squalane. <i>Rapid Communications in Mass Spectrometry</i> , 2010, 24, 1810-1816.	0.7	29
108	Application of Nonparametric Multivariate Analyses to the Authentication of Wild and Farmed European Sea Bass (<i>Dicentrarchus labrax</i>). Results of a Survey on Fish Sampled in the Retail Trade. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 10979-10988.	2.4	36

#	ARTICLE	IF	CITATIONS
109	Influence of Different Organic Fertilizers on Quality Parameters and the $\delta^{15}\text{N}$, $\delta^{13}\text{C}$, $\delta^2\text{H}$, $\delta^{34}\text{S}$, and $\delta^{18}\text{O}$ Values of Orange Fruit (Citrus) Tj ETQq1103784314 g	2.4	135
110	Isotopic and Elemental Data for Tracing the Origin of European Olive Oils. Journal of Agricultural and Food Chemistry, 2010, 58, 570-577.	2.4	135
111	Use of $\delta^{18}\text{O}$ in the interpretation of hydrological dynamics in lakes. Journal of Limnology, 2009, 68, 174.	0.3	15
112	Multielement (H, C, N, O, S) stable isotope characteristics of lamb meat from different Italian regions. Rapid Communications in Mass Spectrometry, 2009, 23, 2573-2585.	0.7	62
113	Performance and water-use efficiency (single-leaf vs. whole-canopy) of well-watered and half-stressed split-root Lambrusco grapevines grown in Po Valley (Italy). Agriculture, Ecosystems and Environment, 2009, 129, 97-106.	2.5	96
114	Influence of dietary composition on the carbon, nitrogen, oxygen and hydrogen stable isotope ratios of milk. Rapid Communications in Mass Spectrometry, 2008, 22, 1690-1696.	0.7	120
115	Evaluation of markers for the traceability of potato tubers grown in an organic versus conventional regime. Journal of the Science of Food and Agriculture, 2007, 87, 1330-1336.	1.7	43
116	Multi-element (H,C,N,S) stable isotope characteristics of lamb meat from different European regions. Analytical and Bioanalytical Chemistry, 2007, 389, 309-320.	1.9	150
117	Correlation Between Multielement Stable Isotope Ratio and Geographical Origin in Peretta Cows' Milk Cheese. Journal of Dairy Science, 2006, 89, 831-839.	1.4	61
118	Application of Multielement Stable Isotope Ratio Analysis to the Characterization of French, Italian, and Spanish Cheeses. Journal of Agricultural and Food Chemistry, 2004, 52, 6592-6601.	2.4	109
119	Stable isotope ratio analysis for authentication of lamb meat. Meat Science, 2003, 64, 239-247.	2.7	178
120	Characterization of the Geographical Origin of Pecorino Sardo Cheese by Casein Stable Isotope ($^{13}\text{C}/^{12}\text{C}$ and $^{15}\text{N}/^{14}\text{N}$) Ratios and Free Amino Acid Ratios. Journal of Agricultural and Food Chemistry, 2001, 49, 1404-1409.	2.4	124