
Catherine Arundel

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7426094/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Smoking cessation for people with severe mental illness (SCIMITAR+): a pragmatic randomised controlled trial. Lancet Psychiatry,the, 2019, 6, 379-390.	3.7	126
2	Hydroxychloroquine Effectiveness in Reducing Symptoms of Hand Osteoarthritis. Annals of Internal Medicine, 2018, 168, 385.	2.0	63
3	Clinical effectiveness, cost-effectiveness and acceptability of low-intensity interventions in the management of obsessive–compulsive disorder: the Obsessive–Compulsive Treatment Efficacy randomised controlled Trial (OCTET). Health Technology Assessment, 2017, 21, 1-132.	1.3	41
4	Patients with surgical wounds healing by secondary intention: A prospective, cohort study. International Journal of Nursing Studies, 2019, 89, 62-71.	2.5	28
5	Low-intensity cognitive-behaviour therapy interventions for obsessive-compulsive disorder compared to waiting list for therapist-led cognitive-behaviour therapy: 3-arm randomised controlled trial of clinical effectiveness. PLoS Medicine, 2017, 14, e1002337.	3.9	25
6	Successful recruitment to trials: findings from the SCIMITAR+ Trial. Trials, 2018, 19, 53.	0.7	17
7	Smoking Cessation Intervention for Severe Mental III Health Trial (SCIMITAR+): study protocol for a randomised controlled trial. Trials, 2017, 18, 44.	0.7	15
8	Negative pressure wound therapy versus usual care for Surgical Wounds Healing by Secondary Intention (SWHSI trial): study protocol for a randomised controlled pilot trial. Trials, 2016, 17, 535.	0.7	14
9	Smoking cessation in severe mental illness: combined long-term quit rates from the UK SCIMITAR trials programme. British Journal of Psychiatry, 2021, 218, 95-97.	1.7	13
10	SWATted away: the challenging experience of setting up a programme of SWATs in paediatric trials. Trials, 2019, 20, 141.	0.7	12
11	Obsessive Compulsive Treatment Efficacy Trial (OCTET) comparing the clinical and cost effectiveness of self-managed therapies: study protocol for a randomised controlled trial. Trials, 2014, 15, 278.	0.7	10
12	Learning from OCTET – exploring the acceptability of clinical trials management methods. Trials, 2018, 19, 378.	0.7	10
13	A bespoke smoking cessation service compared with treatment as usual for people with severe mental ill health: the SCIMITAR+ RCT. Health Technology Assessment, 2019, 23, 1-116.	1.3	10
14	Study within a trial (SWAT) protocol. Investigating the effect of personalised versus non-personalised study invitations on recruitment: An embedded randomised controlled recruitment trial. Contemporary Clinical Trials Communications, 2020, 18, 100572.	0.5	8
15	Costâ€effectiveness of a specialist smoking cessation package compared with standard smoking cessation services for people with severe mental illness in England: a trialâ€based economic evaluation from the SCIMITAR+ study. Addiction, 2020, 115, 2113-2122.	1.7	8
16	The PROMoting the USE of SWATs (PROMETHEUS) programme: Lessons learnt and future developments for SWATs. Research Methods in Medicine & Health Sciences, 2022, 3, 100-106.	0.7	7
17	Pilot feasibility randomized clinical trial of negative-pressure wound therapy <i>versus</i> usual care in patients with surgical wounds healing by secondary intention. BJS Open, 2018, 2, 99-111.	0.7	6
18	Bah humbug! Association between sending Christmas cards to trial participants and trial retention: randomised study within a trial conducted simultaneously across eight host trials. BMJ, The, 2021, 375, e067742.	3.0	6

CATHERINE ARUNDEL

#	Article	IF	CITATIONS
19	A randomized, embedded trial of preâ€notification of trial participation did not increase recruitment rates to a falls prevention trial. Journal of Evaluation in Clinical Practice, 2017, 23, 73-78.	0.9	5
20	Study reporting guidelines: How valid are they?. Contemporary Clinical Trials Communications, 2019, 14, 100343.	0.5	5
21	E-cigarette use and associated factors among smokers with severe mental illness. Addictive Behaviors, 2020, 108, 106456.	1.7	5
22	Dupuytren's interventions surgery versus collagenase (DISC) trial: study protocol for a pragmatic, two-arm parallel-group, non-inferiority randomised controlled trial. Trials, 2021, 22, 671.	0.7	5
23	The effectiveness of a contingent financial incentive to improve trial follow up; a randomised study within a trial (SWAT). F1000Research, 2019, 8, 1937.	0.8	4
24	Exploring feedback from research nurses in relation to the design and conduct of a randomised controlled trial of wound care treatments: A sequential, dependent, mixed-methods study. Journal of Tissue Viability, 2020, 29, 342-347.	0.9	3
25	SCIMITAR+ Trial: A randomised study within a trial (SWAT) of a contingent financial reward to improve trial follow-up. F1000Research, 2019, 8, 1937.	0.8	3
26	Staff training to improve participant recruitment into surgical randomised controlled trials: A feasibility study within a trial (SWAT) across four host trials simultaneously. Research Methods in Medicine & Health Sciences, 0, , 263208432211069.	0.7	3
27	Cost-effectiveness of hydroxychloroquine versus placebo for hand osteoarthritis: economic evaluation of the HERO trial. F1000Research, 2021, 10, 821.	0.8	2
28	Negative pressure wound therapy versus usual care for surgical wounds healing by secondary intention (SWHSI-2 trial): study protocol for a pragmatic, multicentre, cross surgical specialty, randomised controlled trial. Trials, 2021, 22, 739.	0.7	2
29	Challenges and solutions to nicotine replacement therapy access: observations from SCIMITAR+. BJPsych Open, 2020, 6, e120.	0.3	0
30	Out of pocket expenses in obsessive compulsive disorder. Journal of Mental Health, 2020, , 1-6.	1.0	0
31	The epidemiology, management and impact of surgical wounds healing by secondary intention: a research programme including the SWHSI feasibility RCT. Programme Grants for Applied Research, 2020, 8, 1-122.	0.4	0