

Sebastian Westermann

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7427034/publications.pdf>

Version: 2024-02-01

95
papers

5,747
citations

81434

41
h-index

97045

71
g-index

117
all docs

117
docs citations

117
times ranked

6367
citing authors

#	ARTICLE	IF	CITATIONS
1	Subpixel heterogeneity of ice-wedge polygonal tundra: a multi-scale analysis of land cover and evapotranspiration in the Lena River Delta, Siberia. <i>Tellus, Series B: Chemical and Physical Meteorology</i> , 2022, 64, 17301.	0.8	94
2	Standardized monitoring of permafrost thaw: a user-friendly, multiparameter protocol. <i>Arctic Science</i> , 2022, 8, 153-182.	0.9	9
3	A strong mitigation scenario maintains climate neutrality of northern peatlands. <i>One Earth</i> , 2022, 5, 86-97.	3.6	14
4	Permafrost in monitored unstable rock slopes in Norway – new insights from temperature and surface velocity measurements, geophysical surveying, and ground temperature modelling. <i>Earth Surface Dynamics</i> , 2022, 10, 97-129.	1.0	11
5	A new approach to simulate peat accumulation, degradation and stability in a global land surface scheme (JULES vn5.8_accumulate_soil) for northern and temperate peatlands. <i>Geoscientific Model Development</i> , 2022, 15, 1633-1657.	1.3	6
6	Explicitly modelling microtopography in permafrost landscapes in a land surface model (JULES) Tj ETQq0 0 0 rgBT /Qverlock 10 Tf 50 542	1.3	6
7	Modeling Pan-Arctic Peatland Carbon Dynamics Under Alternative Warming Scenarios. <i>Geophysical Research Letters</i> , 2022, 49, .	1.5	7
8	Thermohydrological Impact of Forest Disturbances on Ecosystem-Protected Permafrost. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2022, 127, .	1.3	3
9	Population living on permafrost in the Arctic. <i>Population and Environment</i> , 2021, 43, 22-38.	1.3	40
10	Variability of the surface energy balance in permafrost-underlain boreal forest. <i>Biogeosciences</i> , 2021, 18, 343-365.	1.3	19
11	Effects of multi-scale heterogeneity on the simulated evolution of ice-rich permafrost lowlands under a warming climate. <i>Cryosphere</i> , 2021, 15, 1399-1422.	1.5	16
12	Simulating Snow Redistribution and its Effect on Ground Surface Temperature at a High-Arctic Site on Svalbard. <i>Journal of Geophysical Research F: Earth Surface</i> , 2021, 126, e2020JF005673.	1.0	20
13	Consequences of permafrost degradation for Arctic infrastructure – bridging the model gap between regional and engineering scales. <i>Cryosphere</i> , 2021, 15, 2451-2471.	1.5	42
14	Surface temperatures and their influence on the permafrost thermal regime in high-Arctic rock walls on Svalbard. <i>Cryosphere</i> , 2021, 15, 2491-2509.	1.5	7
15	Onshore Thermokarst Primes Subsea Permafrost Degradation. <i>Geophysical Research Letters</i> , 2021, 48, e2021GL093881.	1.5	12
16	Lateral thermokarst patterns in permafrost peat plateaus in northern Norway. <i>Cryosphere</i> , 2021, 15, 3423-3442.	1.5	11
17	Sensitivity of ecosystem-protected permafrost under changing boreal forest structures. <i>Environmental Research Letters</i> , 2021, 16, 084045.	2.2	11
18	Spatial and Temporal Variations of Freezing and Thawing Indices From 1960 to 2020 in Mongolia. <i>Frontiers in Earth Science</i> , 2021, 9, .	0.8	7

#	ARTICLE	IF	CITATIONS
19	Reply to the comment: Northern Hemisphere permafrost extent: Drylands, glaciers and sea floor. <i>Earth-Science Reviews</i> , 2020, 203, 103036.	4.0	1
20	Thermokarst Lake to Lagoon Transitions in Eastern Siberia: Do Submerged Taliks Refreeze?. <i>Journal of Geophysical Research F: Earth Surface</i> , 2020, 125, e2019JF005424.	1.0	12
21	The FLUXNET2015 dataset and the ONEFlux processing pipeline for eddy covariance data. <i>Scientific Data</i> , 2020, 7, 225.	2.4	646
22	Modeled Microbial Dynamics Explain the Apparent Temperature Sensitivity of Wetland Methane Emissions. <i>Global Biogeochemical Cycles</i> , 2020, 34, e2020GB006678.	1.9	34
23	Fast response of cold ice-rich permafrost in northeast Siberia to a warming climate. <i>Nature Communications</i> , 2020, 11, 2201.	5.8	134
24	Icelandic permafrost dynamics since the Last Glacial Maximum – model results and geomorphological implications. <i>Quaternary Science Reviews</i> , 2020, 233, 106236.	1.4	16
25	Pan-Antarctic map of near-surface permafrost temperatures at 1&sup>2&sup> scale. <i>Cryosphere</i> , 2020, 14, 497-519.	1.5	34
26	Modelling past and future peatland carbon dynamics across the pan-Arctic. <i>Global Change Biology</i> , 2020, 26, 4119-4133.	4.2	58
27	Evaluating satellite retrieved fractional snow-covered area at a high-Arctic site using terrestrial photography. <i>Remote Sensing of Environment</i> , 2020, 239, 111618.	4.6	39
28	Subsea permafrost carbon stocks and climate change sensitivity estimated by expert assessment. <i>Environmental Research Letters</i> , 2020, 15, 124075.	2.2	34
29	Projecting circum-Arctic excess-ground-ice melt with a sub-grid representation in the Community Land Model. <i>Cryosphere</i> , 2020, 14, 4611-4626.	1.5	8
30	Pathways of ice-wedge degradation in polygonal tundra under different hydrological conditions. <i>Cryosphere</i> , 2019, 13, 1089-1123.	1.5	46
31	Submarine Permafrost Map in the Arctic Modeled Using 1&sup>D&sup> Transient Heat Flux (SuPerMAP). <i>Journal of Geophysical Research: Oceans</i> , 2019, 124, 3490-3507.	1.0	55
32	Northern Hemisphere permafrost map based on TTOP modelling for 2000&sup>2016 at 1&sup>km&sup>2 scale. <i>Earth-Science Reviews</i> , 2019, 193, 299-316.	4.0	462
33	Thaw processes in ice-rich permafrost landscapes represented with laterally coupled tiles in a land surface model. <i>Cryosphere</i> , 2019, 13, 591-609.	1.5	57
34	Heat and Salt Flow in Subsea Permafrost Modeled with CryoGRID2. <i>Journal of Geophysical Research F: Earth Surface</i> , 2019, 124, 920-937.	1.0	28
35	Stability Conditions of Peat Plateaus and Palsas in Northern Norway. <i>Journal of Geophysical Research F: Earth Surface</i> , 2019, 124, 705-719.	1.0	31
36	Improving Permafrost Modeling by Assimilating Remotely Sensed Soil Moisture. <i>Water Resources Research</i> , 2019, 55, 1814-1832.	1.7	22

#	ARTICLE	IF	CITATIONS
37	Hyper-resolution ensemble-based snow reanalysis in mountain regions using clustering. <i>Hydrology and Earth System Sciences</i> , 2019, 23, 4717-4736.	1.9	27
38	Modeling Conductive Heat Flow Between Steep Rock Walls and Talus Slopes – Thermal Processes and Geomorphological Implications. <i>Frontiers in Earth Science</i> , 2019, 7, .	0.8	6
39	Permafrost distribution in steep rock slopes in Norway: measurements, statistical modelling and implications for geomorphological processes. <i>Earth Surface Dynamics</i> , 2019, 7, 1019-1040.	1.0	28
40	Transient Modelling of Permafrost Distribution in Iceland. <i>Frontiers in Earth Science</i> , 2019, 7, .	0.8	20
41	Circumpolar permafrost maps and geohazard indices for near-future infrastructure risk assessments. <i>Scientific Data</i> , 2019, 6, 190037.	2.4	51
42	Contrasting temperature trends across the ice-free part of Greenland. <i>Scientific Reports</i> , 2018, 8, 1586.	1.6	40
43	Sentinel-1 SAR Interferometry for Surface Deformation Monitoring in Low-Land Permafrost Areas. <i>Remote Sensing</i> , 2018, 10, 1360.	1.8	67
44	Degrading permafrost puts Arctic infrastructure at risk by mid-century. <i>Nature Communications</i> , 2018, 9, 5147.	5.8	327
45	Holocene development of subarctic permafrost peatlands in Finnmark, northern Norway. <i>Holocene</i> , 2018, 28, 1855-1869.	0.9	17
46	Ensemble-based assimilation of fractional snow-covered area satellite retrievals to estimate the snow distribution at Arctic sites. <i>Cryosphere</i> , 2018, 12, 247-270.	1.5	40
47	A 20-year record (1998–2017) of permafrost, active layer and meteorological conditions at a high Arctic permafrost research site (Bayelva, Spitsbergen). <i>Earth System Science Data</i> , 2018, 10, 355-390.	3.7	47
48	Modelled Distribution and Temporal Evolution of Permafrost in Steep Rock Walls Along a Latitudinal Transect in Norway by CryoGrid 2D. <i>Permafrost and Periglacial Processes</i> , 2017, 28, 172-182.	1.5	30
49	Snow control on active layer thickness in steep alpine rock walls (Aiguille du Midi, 3842m.a.s.l., Mont) Tj ETQq1 1 0.784314 rgBT /Ove 2.2 46	2.2	46
50	A Tiling Approach to Represent Subgrid Snow Variability in Coupled Land Surface–Atmosphere Models. <i>Journal of Hydrometeorology</i> , 2017, 18, 49-63.	0.7	21
51	An observation-based constraint on permafrost loss as a function of global warming. <i>Nature Climate Change</i> , 2017, 7, 340-344.	8.1	257
52	Progress in space-borne studies of permafrost for climate science: Towards a multi-ECV approach. <i>Remote Sensing of Environment</i> , 2017, 203, 55-70.	4.6	23
53	Permafrost Map for Norway, Sweden and Finland. <i>Permafrost and Periglacial Processes</i> , 2017, 28, 359-378.	1.5	92
54	Terrestrial Remote Sensing of Snowmelt in a Diverse High-Arctic Tundra Environment Using Time-Lapse Imagery. <i>Remote Sensing</i> , 2017, 9, 733.	1.8	23

#	ARTICLE	IF	CITATIONS
55	Transient modeling of the ground thermal conditions using satellite data in the Lena River delta, Siberia. <i>Cryosphere</i> , 2017, 11, 1441-1463.	1.5	41
56	Carbon stocks and fluxes in the high latitudes: using site-level data to evaluate Earth system models. <i>Biogeosciences</i> , 2017, 14, 5143-5169.	1.3	43
57	Strong degradation of palsas and peat plateaus in northern Norway during the last 60 years. <i>Cryosphere</i> , 2017, 11, 1-16.	1.5	68
58	Small-scale variation of snow in a regional permafrost model. <i>Cryosphere</i> , 2016, 10, 1201-1215.	1.5	56
59	Monitoring Bedfast Ice and Ice Phenology in Lakes of the Lena River Delta Using TerraSAR-X Backscatter and Coherence Time Series. <i>Remote Sensing</i> , 2016, 8, 903.	1.8	32
60	Simulating the thermal regime and thaw processes of ice-rich permafrost ground with the land-surface model CryoGrid 3. <i>Geoscientific Model Development</i> , 2016, 9, 523-546.	1.3	104
61	Rapid degradation of permafrost underneath waterbodies in tundra landscapes – Toward a representation of thermokarst in land surface models. <i>Journal of Geophysical Research F: Earth Surface</i> , 2016, 121, 2446-2470.	1.0	54
62	Modelling of the thermal regime of permafrost during 1990–2014 in Hornsund, Svalbard. <i>Polish Polar Research</i> , 2016, 37, 219-242.	0.9	17
63	A ground temperature map of the North Atlantic permafrost region based on remote sensing and reanalysis data. <i>Cryosphere</i> , 2015, 9, 1303-1319.	1.5	82
64	A Comparison between Simulated and Observed Surface Energy Balance at the Svalbard Archipelago. <i>Journal of Applied Meteorology and Climatology</i> , 2015, 54, 1102-1119.	0.6	16
65	Future permafrost conditions along environmental gradients in Zackenberg, Greenland. <i>Cryosphere</i> , 2015, 9, 719-735.	1.5	51
66	Frozen ponds: production and storage of methane during the Arctic winter in a lowland tundra landscape in northern Siberia, Lena River delta. <i>Biogeosciences</i> , 2015, 12, 977-990.	1.3	58
67	Annual CO ₂ budget and seasonal CO ₂ exchange signals at a high Arctic permafrost site on Spitsbergen, Svalbard archipelago. <i>Biogeosciences</i> , 2014, 11, 6307-6322.	1.3	43
68	A statistical approach to represent small-scale variability of permafrost temperatures due to snow cover. <i>Cryosphere</i> , 2014, 8, 2063-2074.	1.5	78
69	Low Cost, Mobile Sensor System for Measurement of Carbon Dioxide in Permafrost Areas. <i>Procedia Engineering</i> , 2014, 87, 1318-1321.	1.2	3
70	Permafrost in Alpine Rock Faces from Jotunheimen and Hurrungane, Southern Norway. <i>Permafrost and Periglacial Processes</i> , 2014, 25, 1-13.	1.5	39
71	Climate and environmental change drives <i>Ixodes ricinus</i> geographical expansion at the northern range margin. <i>Parasites and Vectors</i> , 2014, 7, 11.	1.0	107
72	Severe cloud contamination of MODIS Land Surface Temperatures over an Arctic ice cap, Svalbard. <i>Remote Sensing of Environment</i> , 2014, 142, 95-102.	4.6	61

#	ARTICLE	IF	CITATIONS
73	Satellite-based modeling of permafrost temperatures in a tundra lowland landscape. Remote Sensing of Environment, 2013, 135, 12-24.	4.6	91
74	Transient thermal modeling of permafrost conditions in Southern Norway. Cryosphere, 2013, 7, 719-739.	1.5	113
75	CryoGRID 1.0: Permafrost Distribution in Norway estimated by a Spatial Numerical Model. Permafrost and Periglacial Processes, 2013, 24, 2-19.	1.5	63
76	The Distribution, Thermal Characteristics and Dynamics of Permafrost in Tröllaskagi, Northern Iceland, as Inferred from the Distribution of Rock Glaciers and Ice-Cored Moraines. Permafrost and Periglacial Processes, 2013, 24, 322-335.	1.5	60
77	Baseline characteristics of climate, permafrost and land cover from a new permafrost observatory in the Lena River Delta, Siberia (1998-2011). Biogeosciences, 2013, 10, 2105-2128.	1.3	144
78	Modelling borehole temperatures in Southern Norway - insights into permafrost dynamics during the 20th and 21st century. Cryosphere, 2012, 6, 553-571.	1.5	49
79	Systematic bias of average winter-time land surface temperatures inferred from MODIS at a site on Svalbard, Norway. Remote Sensing of Environment, 2012, 118, 162-167.	4.6	75
80	Geoelectric observations of the degradation of nearshore submarine permafrost at Barrow (Alaska). Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	3.3	37
81	Permafrost - Physical Aspects, Carbon Cycling, Databases and Uncertainties. , 2012, , 159-185.		20
82	Spatial and temporal variations of summer surface temperatures of high-arctic tundra on Svalbard - Implications for MODIS LST based permafrost monitoring. Remote Sensing of Environment, 2011, 115, 908-922.	4.6	97
83	The surface energy balance of a polygonal tundra site in northern Siberia - Part 2: Winter. Cryosphere, 2011, 5, 509-524.	1.5	63
84	The surface energy balance of a polygonal tundra site in northern Siberia - Part 1: Spring to fall. Cryosphere, 2011, 5, 151-171.	1.5	77
85	Modeling the impact of wintertime rain events on the thermal regime of permafrost. Cryosphere, 2011, 5, 945-959.	1.5	95
86	Spatial and temporal variations of summer surface temperatures of wet polygonal tundra in Siberia - implications for MODIS LST based permafrost monitoring. Remote Sensing of Environment, 2010, 114, 2059-2069.	4.6	74
87	Monitoring of active layer dynamics at a permafrost site on Svalbard using multi-channel ground-penetrating radar. Cryosphere, 2010, 4, 475-487.	1.5	56
88	The annual surface energy budget of a high-arctic permafrost site on Svalbard, Norway. Cryosphere, 2009, 3, 245-263.	1.5	104
89	Mechanical Effect of van der Waals Interactions Observed in Real Time in an Ultracold Rydberg Gas. Physical Review Letters, 2007, 98, 023004.	2.9	123
90	Modeling few-body phenomena in an ultracold Rydberg gas. Nuclear Physics A, 2007, 790, 728c-732c.	0.6	5

#	ARTICLE	IF	CITATIONS
91	Prospects of ultracold Rydberg gases for quantum information processing. Fortschritte Der Physik, 2006, 54, 776-787.	1.5	9
92	Coherent excitation of Rydberg atoms in an ultracold gas. Optics Communications, 2006, 264, 293-298.	1.0	62
93	Dynamics of resonant energy transfer in a cold Rydberg gas. European Physical Journal D, 2006, 40, 37-43.	0.6	65
94	Modelling the permafrost distribution in steep rock walls. , 0, , .		4
95	Prospects of Ultracold Rydberg Gases for Quantum Information Processing. , 0, , 227-242.		0