Sebastian Westermann

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7427034/publications.pdf Version: 2024-02-01

| | | 71102 | 85541 |
|-----------------|-----------------------|---------------------|------------------------|
| 95 | 5,747 | 41 | 71 |
| papers | citations | h-index | g-index |
| | | | |
| 117 all docs | 117 docs citations | 117 times ranked | 5687 citing authors |

| # | Article | IF | CITATIONS |
|----|---|-------------|-------------|
| 1 | Subpixel heterogeneity of ice-wedge polygonal tundra: a multi-scale analysis of land cover and evapotranspiration in the Lena River Delta, Siberia. Tellus, Series B: Chemical and Physical Meteorology, 2022, 64, 17301. | 1.6 | 94 |
| 2 | Standardized monitoring of permafrost thaw: a user-friendly, multiparameter protocol. Arctic Science, 2022, 8, 153-182. | 2.3 | 9 |
| 3 | A strong mitigation scenario maintains climate neutrality of northern peatlands. One Earth, 2022, 5, 86-97. | 6.8 | 14 |
| 4 | Permafrost in monitored unstable rock slopes in Norway – new insights from temperature and surface velocity measurements, geophysical surveying, and ground temperature modelling. Earth Surface Dynamics, 2022, 10, 97-129. | 2.4 | 11 |
| 5 | A new approach to simulate peat accumulation, degradation and stability in a global land surface scheme (JULES vn5.8_accumulate_soil) for northern and temperate peatlands. Geoscientific Model Development, 2022, 15, 1633-1657. | 3.6 | 6 |
| 6 | Explicitly modelling microtopography in permafrost landscapes in a land surface model (JULES) Tj ETQq0 0 0 rgB | T /Qverloct | 10 Tf 50 54 |
| 7 | Modeling Panâ€Arctic Peatland Carbon Dynamics Under Alternative Warming Scenarios. Geophysical Research Letters, 2022, 49, . | 4.0 | 7 |
| 8 | Thermohydrological Impact of Forest Disturbances on Ecosystemâ€Protected Permafrost. Journal of Geophysical Research G: Biogeosciences, 2022, 127, . | 3.0 | 3 |
| 9 | Population living on permafrost in the Arctic. Population and Environment, 2021, 43, 22-38. | 3.0 | 40 |
| 10 | Variability of the surface energy balance in permafrost-underlain boreal forest. Biogeosciences, 2021, 18, 343-365. | 3.3 | 19 |
| 11 | Effects of multi-scale heterogeneity on the simulated evolution of ice-rich permafrost lowlands under a warming climate. Cryosphere, 2021, 15, 1399-1422. | 3.9 | 16 |
| 12 | Simulating Snow Redistribution and its Effect on Ground Surface Temperature at a Highâ€Arctic Site on Svalbard. Journal of Geophysical Research F: Earth Surface, 2021, 126, e2020JF005673. | 2.8 | 20 |
| 13 | Consequences of permafrost degradation for Arctic infrastructure – bridging the model gap between regional and engineering scales. Cryosphere, 2021, 15, 2451-2471. | 3.9 | 42 |
| 14 | Surface temperatures and their influence on the permafrost thermal regime in high-Arctic rock walls on Svalbard. Cryosphere, 2021, 15, 2491-2509. | 3.9 | 7 |
| 15 | Onshore Thermokarst Primes Subsea Permafrost Degradation. Geophysical Research Letters, 2021, 48, e2021GL093881. | 4.0 | 12 |
| 16 | Lateral thermokarst patterns in permafrost peat plateaus in northern Norway. Cryosphere, 2021, 15, 3423-3442. | 3.9 | 11 |
| 17 | Sensitivity of ecosystem-protected permafrost under changing boreal forest structures. Environmental Research Letters, 2021, 16, 084045. | 5.2 | 11 |
| 18 | Spatial and Temporal Variations of Freezing and Thawing Indices From 1960 to 2020 in Mongolia. | 1.8 | 7 |

Frontiers in Earth Science, 2021, 9, .

SEBASTIAN WESTERMANN

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Reply to the comment: Northern Hemisphere permafrost extent: Drylands, glaciers and sea floor. Earth-Science Reviews, 2020, 203, 103036. | 9.1 | 1 |
| 20 | Thermokarst Lake to Lagoon Transitions in Eastern Siberia: Do Submerged Taliks Refreeze?. Journal of Geophysical Research F: Earth Surface, 2020, 125, e2019JF005424. | 2.8 | 12 |
| 21 | The FLUXNET2015 dataset and the ONEFlux processing pipeline for eddy covariance data. Scientific Data, 2020, 7, 225. | 5.3 | 646 |
| 22 | Modeled Microbial Dynamics Explain the Apparent Temperature Sensitivity of Wetland Methane Emissions. Global Biogeochemical Cycles, 2020, 34, e2020GB006678. | 4.9 | 34 |
| 23 | Fast response of cold ice-rich permafrost in northeast Siberia to a warming climate. Nature Communications, 2020, 11, 2201. | 12.8 | 134 |
| 24 | Icelandic permafrost dynamics since the Last Glacial Maximum – model results and geomorphological implications. Quaternary Science Reviews, 2020, 233, 106236. | 3.0 | 16 |
| 25 | Pan-Antarctic map of near-surface permafrost temperatures at 1 km ² scale. Cryosphere, 2020, 14, 497-519. | 3.9 | 34 |
| 26 | Modelling past and future peatland carbon dynamics across the panâ€Arctic. Global Change Biology, 2020, 26, 4119-4133. | 9.5 | 58 |
| 27 | Evaluating satellite retrieved fractional snow-covered area at a high-Arctic site using terrestrial photography. Remote Sensing of Environment, 2020, 239, 111618. | 11.0 | 39 |
| 28 | Subsea permafrost carbon stocks and climate change sensitivity estimated by expert assessment. Environmental Research Letters, 2020, 15, 124075. | 5.2 | 34 |
| 29 | Projecting circum-Arctic excess-ground-ice melt with a sub-grid representation in the Community Land Model. Cryosphere, 2020, 14, 4611-4626. | 3.9 | 8 |
| 30 | Pathways of ice-wedge degradation in polygonal tundra under different hydrological conditions. Cryosphere, 2019, 13, 1089-1123. | 3.9 | 46 |
| 31 | Submarine Permafrost Map in the Arctic Modeled Using 1â€Ð Transient Heat Flux (SuPerMAP). Journal of Geophysical Research: Oceans, 2019, 124, 3490-3507. | 2.6 | 55 |
| 32 | Northern Hemisphere permafrost map based on TTOP modelling for 2000–2016 at 1†km2 scale. Earth-Science Reviews, 2019, 193, 299-316. | 9.1 | 462 |
| 33 | Thaw processes in ice-rich permafrost landscapes represented with laterally coupled tiles in a land surface model. Cryosphere, 2019, 13, 591-609. | 3.9 | 57 |
| 34 | Heat and Salt Flow in Subsea Permafrost Modeled with CryoGRID2. Journal of Geophysical Research F: Earth Surface, 2019, 124, 920-937. | 2.8 | 28 |
| 35 | Stability Conditions of Peat Plateaus and Palsas in Northern Norway. Journal of Geophysical Research F: Earth Surface, 2019, 124, 705-719. | 2.8 | 31 |
| 36 | Improving Permafrost Modeling by Assimilating Remotely Sensed Soil Moisture. Water Resources Research, 2019, 55, 1814-1832. | 4.2 | 22 |

| # | Article | IF | CITATIONS |
|----|---|-----------------|--------------|
| 37 | Hyper-resolution ensemble-based snow reanalysis in mountain regions using clustering. Hydrology and Earth System Sciences, 2019, 23, 4717-4736. | 4.9 | 27 |
| 38 | Modeling Conductive Heat Flow Between Steep Rock Walls and Talus Slopes – Thermal Processes and Geomorphological Implications. Frontiers in Earth Science, 2019, 7, . | 1.8 | 6 |
| 39 | Permafrost distribution in steep rock slopes in Norway: measurements, statistical modelling and implications for geomorphological processes. Earth Surface Dynamics, 2019, 7, 1019-1040. | 2.4 | 28 |
| 40 | Transient Modelling of Permafrost Distribution in Iceland. Frontiers in Earth Science, 2019, 7, . | 1.8 | 20 |
| 41 | Circumpolar permafrost maps and geohazard indices for near-future infrastructure risk assessments. Scientific Data, 2019, 6, 190037. | 5.3 | 51 |
| 42 | Contrasting temperature trends across the ice-free part of Greenland. Scientific Reports, 2018, 8, 1586. | 3.3 | 40 |
| 43 | Sentinel-1 SAR Interferometry for Surface Deformation Monitoring in Low-Land Permafrost Areas. Remote Sensing, 2018, 10, 1360. | 4.0 | 67 |
| 44 | Degrading permafrost puts Arctic infrastructure at risk by mid-century. Nature Communications, 2018, 9, 5147. | 12.8 | 327 |
| 45 | Holocene development of subarctic permafrost peatlands in Finnmark, northern Norway. Holocene, 2018, 28, 1855-1869. | 1.7 | 17 |
| 46 | Ensemble-based assimilation of fractional snow-covered area satellite retrievals to estimate the snow distribution at Arctic sites. Cryosphere, 2018, 12, 247-270. | 3.9 | 40 |
| 47 | A 20-year record (1998–2017) of permafrost, active layer and meteorological conditions at a high Arctic permafrost research site (Bayelva, Spitsbergen). Earth System Science Data, 2018, 10, 355-390. | 9.9 | 47 |
| 48 | Modelled Distribution and Temporal Evolution of Permafrost in Steep Rock Walls Along a Latitudinal Transect in Norway by CryoGrid 2D. Permafrost and Periglacial Processes, 2017, 28, 172-182. | 3.4 | 30 |
| 49 | Snow control on active layer thickness in steep alpine rock walls (Aiguille du Midi, 3842ma.s.l., Mont) Tj ETQq1 1 | 0.784314 5.0 | rgBT /Overlo |
| 50 | A Tiling Approach to Represent Subgrid Snow Variability in Coupled Land Surface–Atmosphere Models. Journal of Hydrometeorology, 2017, 18, 49-63. | 1.9 | 21 |
| 51 | An observation-based constraint on permafrost loss as a function of global warming. Nature Climate Change, 2017, 7, 340-344. | 18.8 | 257 |
| 52 | Progress in space-borne studies of permafrost for climate science: Towards a multi-ECV approach. Remote Sensing of Environment, 2017, 203, 55-70. | 11.0 | 23 |
| 53 | Permafrost Map for Norway, Sweden and Finland. Permafrost and Periglacial Processes, 2017, 28, 359-378. | 3.4 | 92 |
| 54 | Terrestrial Remote Sensing of Snowmelt in a Diverse High-Arctic Tundra Environment Using Time-Lapse Imagery. Remote Sensing, 2017, 9, 733. | 4.0 | 23 |

SEBASTIAN WESTERMANN

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Transient modeling of the ground thermal conditions using satellite data in the Lena River delta, Siberia. Cryosphere, 2017, 11, 1441-1463. | 3.9 | 41 |
| 56 | Carbon stocks and fluxes in the high latitudes: using site-level data to evaluate Earth system models. Biogeosciences, 2017, 14, 5143-5169. | 3.3 | 43 |
| 57 | Strong degradation of palsas and peat plateaus in northern Norway during the last 60Âyears. Cryosphere, 2017, 11, 1-16. | 3.9 | 68 |
| 58 | Small-scale variation of snow in a regional permafrost model. Cryosphere, 2016, 10, 1201-1215. | 3.9 | 56 |
| 59 | Monitoring Bedfast Ice and Ice Phenology in Lakes of the Lena River Delta Using TerraSAR-X Backscatter and Coherence Time Series. Remote Sensing, 2016, 8, 903. | 4.0 | 32 |
| 60 | Simulating the thermal regime and thaw processes of ice-rich permafrost ground with the land-surface model CryoGrid 3. Geoscientific Model Development, 2016, 9, 523-546. | 3.6 | 104 |
| 61 | Rapid degradation of permafrost underneath waterbodies in tundra landscapes—Toward a representation of thermokarst in land surface models. Journal of Geophysical Research F: Earth Surface, 2016, 121, 2446-2470. | 2.8 | 54 |
| 62 | Modelling of the thermal regime of permafrost during 1990–2014 in Hornsund, Svalbard. Polish Polar Research, 2016, 37, 219-242. | 0.9 | 17 |
| 63 | A ground temperature map of the North Atlantic permafrost region based on remote sensing and reanalysis data. Cryosphere, 2015, 9, 1303-1319. | 3.9 | 82 |
| 64 | A Comparison between Simulated and Observed Surface Energy Balance at the Svalbard Archipelago. Journal of Applied Meteorology and Climatology, 2015, 54, 1102-1119. | 1.5 | 16 |
| 65 | Future permafrost conditions along environmental gradients in Zackenberg, Greenland. Cryosphere, 2015, 9, 719-735. | 3.9 | 51 |
| 66 | Frozen ponds: production and storage of methane during the Arctic winter in a lowland tundra landscape in northern Siberia, Lena River delta. Biogeosciences, 2015, 12, 977-990. | 3.3 | 58 |
| 67 | Annual CO ₂ budget and seasonal CO ₂ exchange signals at a high Arctic permafrost site on Spitsbergen, Svalbard archipelago. Biogeosciences, 2014, 11, 6307-6322. | 3.3 | 43 |
| 68 | A statistical approach to represent small-scale variability of permafrost temperatures due to snow cover. Cryosphere, 2014, 8, 2063-2074. | 3.9 | 78 |
| 69 | Low Cost, Mobile Sensor System for Measurement of Carbon Dioxide in Permafrost Areas. Procedia Engineering, 2014, 87, 1318-1321. | 1.2 | 3 |
| 70 | Permafrost in Alpine Rock Faces from Jotunheimen and Hurrungane, Southern Norway. Permafrost and Periglacial Processes, 2014, 25, 1-13. | 3.4 | 39 |
| 71 | Climate and environmental change drives Ixodes ricinus geographical expansion at the northern range margin. Parasites and Vectors, 2014, 7, 11. | 2.5 | 107 |
| 72 | Severe cloud contamination of MODIS Land Surface Temperatures over an Arctic ice cap, Svalbard. Remote Sensing of Environment, 2014, 142, 95-102. | 11.0 | 61 |

| # | Article | IF | CITATIONS |
|----|---|-----------|---------------|
| 73 | Satellite-based modeling of permafrost temperatures in a tundra lowland landscape. Remote Sensing of Environment, 2013, 135, 12-24. | 11.0 | 91 |
| 74 | Transient thermal modeling of permafrost conditions in Southern Norway. Cryosphere, 2013, 7, 719-739. | 3.9 | 113 |
| 75 | CryoGRID 1.0: Permafrost Distribution in Norway estimated by a Spatial Numerical Model. Permafrost and Periglacial Processes, 2013, 24, 2-19. | 3.4 | 63 |
| 76 | The Distribution, Thermal Characteristics and Dynamics of Permafrost in Tröllaskagi, Northern Iceland, as Inferred from the Distribution of Rock Glaciers and Iceâ€Cored Moraines. Permafrost and Periglacial Processes, 2013, 24, 322-335. | 3.4 | 60 |
| 77 | Baseline characteristics of climate, permafrost and land cover from a new permafrost observatory in the Lena River Delta, Siberia (1998–2011). Biogeosciences, 2013, 10, 2105-2128. | 3.3 | 144 |
| 78 | Modelling borehole temperatures in Southern Norway – insights into permafrost dynamics during the 20th and 21st century. Cryosphere, 2012, 6, 553-571. | 3.9 | 49 |
| 79 | Systematic bias of average winter-time land surface temperatures inferred from MODIS at a site on Svalbard, Norway. Remote Sensing of Environment, 2012, 118, 162-167. | 11.0 | 75 |
| 80 | Geoelectric observations of the degradation of nearshore submarine permafrost at Barrow (Alaskan) Tj ETQq0 0 | 0 rggT /O | verlock 10 Tf |
| 81 | Permafrost – Physical Aspects, Carbon Cycling, Databases and Uncertainties. , 2012, , 159-185. | | 20 |
| 82 | Spatial and temporal variations of summer surface temperatures of high-arctic tundra on Svalbard — Implications for MODIS LST based permafrost monitoring. Remote Sensing of Environment, 2011, 115, 908-922. | 11.0 | 97 |
| 83 | The surface energy balance of a polygonal tundra site in northern Siberia – Part 2: Winter. Cryosphere, 2011, 5, 509-524. | 3.9 | 63 |
| 84 | The surface energy balance of a polygonal tundra site in northern Siberia – Part 1: Spring to fall. Cryosphere, 2011, 5, 151-171. | 3.9 | 77 |
| 85 | Modeling the impact of wintertime rain events on the thermal regime of permafrost. Cryosphere, 2011, 5, 945-959. | 3.9 | 95 |
| 86 | Spatial and temporal variations of summer surface temperatures of wet polygonal tundra in Siberia - implications for MODIS LST based permafrost monitoring. Remote Sensing of Environment, 2010, 114, 2059-2069. | 11.0 | 74 |
| 87 | Monitoring of active layer dynamics at a permafrost site on Svalbard using multi-channel ground-penetrating radar. Cryosphere, 2010, 4, 475-487. | 3.9 | 56 |
| 88 | The annual surface energy budget of a high-arctic permafrost site on Svalbard, Norway. Cryosphere, 2009, 3, 245-263. | 3.9 | 104 |
| 89 | Mechanical Effect of van der Waals Interactions Observed in Real Time in an Ultracold Rydberg Gas. Physical Review Letters, 2007, 98, 023004. | 7.8 | 123 |
| 90 | Modeling few-body phenomena in an ultracold Rydberg gas. Nuclear Physics A, 2007, 790, 728c-732c. | 1.5 | 5 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 91 | Prospects of ultracold Rydberg gases for quantum information processing. Fortschritte Der Physik, 2006, 54, 776-787. | 4.4 | 9 |
| 92 | Coherent excitation of Rydberg atoms in an ultracold gas. Optics Communications, 2006, 264, 293-298. | 2.1 | 62 |
| 93 | Dynamics of resonant energy transfer in a cold Rydberg gas. European Physical Journal D, 2006, 40, 37-43. | 1.3 | 65 |
| 94 | Modelling the permafrost distribution in steep rock walls. , 0, , . | | 4 |
| 95 | Prospects of Ultracold Rydberg Gases for Quantum Information Processing. , 0, , 227-242. | | 0 |
| | | | |