
Bea Vuylsteke

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7427037/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Gonococcal bacterial load in PrEP users with Mycoplasma genitalium coinfection. International Journal of STD and AIDS, 2022, 33, 129-135.	0.5	3
2	Worryingly high prevalence of resistance-associated mutations to macrolides and fluoroquinolones in Mycoplasma genitalium among men who have sex with men with recurrent sexually transmitted infections. International Journal of STD and AIDS, 2022, 33, 385-390.	0.5	9
3	How Do Family Physicians Perceive Their Role in Providing Pre-exposure Prophylaxis for HIV Prevention?–An Online Qualitative Study in Flanders, Belgium. Frontiers in Medicine, 2022, 9, 828695.	1.2	2
4	Loss to followâ€up of patients in <scp>HIV</scp> care in Burundi: A retrospective cohort study. Tropical Medicine and International Health, 2022, 27, 574-582.	1.0	5
5	Sexual transmission of infections across Europe: appraising the present, scoping the future. Sexually Transmitted Infections, 2022, 98, 451-457.	0.8	15
6	PrEP user profiles, dynamics of PrEP use and followâ€up: a cohort analysis at a Belgian HIV centre (2017–2020). Journal of the International AIDS Society, 2022, 25, .	1.2	7
7	An alarming high prevalence of resistance-associated mutations to macrolides and fluoroquinolones in <i>Mycoplasma genitalium</i> in Belgium: results from samples collected between 2015 and 2018. Sexually Transmitted Infections, 2021, 97, 297-303.	0.8	22
8	The Impact of PrEP on the Sex Lives of MSM at High Risk for HIV Infection: Results of a Belgian Cohort. AIDS and Behavior, 2021, 25, 532-541.	1.4	4
9	HIV pre-exposure prophylaxis for men who have sex with men in west Africa: a multicountry demonstration study. Lancet HIV,the, 2021, 8, e420-e428.	2.1	35
10	Recurrent Sexually Transmitted Infections Among a Cohort of Men Who Have Sex With Men Using Preexposure Prophylaxis in Belgium Are Highly Associated With Sexualized Drug Use. Sexually Transmitted Diseases, 2021, 48, 726-732.	0.8	5
11	Antibacterial mouthwash to prevent sexually transmitted infections in men who have sex with men taking HIV pre-exposure prophylaxis (PReGo): a randomised, placebo-controlled, crossover trial. Lancet Infectious Diseases, The, 2021, 21, 657-667.	4.6	29
12	The social meanings of PrEP use – A mixedâ€method study of PrEP use disclosure in Antwerp and Amsterdam. Sociology of Health and Illness, 2021, 43, 1311-1327.	1.1	7
13	Screening for STIs is one of the main drivers of macrolide consumption in PrEP users. International Journal of STD and AIDS, 2021, 32, 1183-1184.	0.5	11
14	Choosing eventâ€driven and daily HIV preâ€exposure prophylaxis – data from two European PrEP demonstration projects among men who have sex with men. Journal of the International AIDS Society, 2021, 24, e25768.	1.2	13
15	Who falls between the cracks? Identifying eligible PrEP users among people with Sub-Saharan African migration background living in Antwerp, Belgium. PLoS ONE, 2021, 16, e0256269.	1.1	3
16	Can We Predict Incorrect PrEP Use in High HIV Risk Situations Among Men Who Have Sex With Men? An Analysis of Be-PrEP-ared, the Belgian PrEP Demonstration Study. Journal of Acquired Immune Deficiency Syndromes (1999), 2021, 88, 36-44.	0.9	1
17	Reduced sexual contacts with non-steady partners and less PrEP use among MSM in Belgium during the first weeks of the COVID-19 lockdown: results of an online survey. Sexually Transmitted Infections, 2021, 97, 414-419.	0.8	65
18	Awareness of, Willingness to Take PrEP and Its Actual Use Among Belgian MSM at High Risk of HIV Infection: Secondary Analysis of the Belgian European MSM Internet Survey. AIDS and Behavior, 2021, , 1	1.4	7

BEA VUYLSTEKE

#	Article	IF	CITATIONS
19	The current landscape of pre-exposure prophylaxis service delivery models for HIV prevention: a scoping review. BMC Health Services Research, 2020, 20, 704.	0.9	41
20	To Pool or Not to Pool Samples for Sexually Transmitted Infections Detection in Men Who Have Sex With Men? An Evaluation of a New Pooling Method Using the GeneXpert Instrument in West Africa. Sexually Transmitted Diseases, 2020, 47, 556-561.	0.8	13
21	Development and Evaluation of an HIV-Testing Intervention for Primary Care: Protocol for a Mixed Methods Study. JMIR Research Protocols, 2020, 9, e16486.	0.5	3
22	Daily and eventâ€driven preâ€exposure prophylaxis for men who have sex with men in Belgium: results of a prospective cohort measuring adherence, sexual behaviour and STI incidence. Journal of the International AIDS Society, 2019, 22, e25407.	1.2	82
23	Congruence between Hypothetical Willingness to Use Pre-Exposure Prophylaxis (PrEP) and Eligibility: An Online Survey among Belgian Men Having Sex with Men. International Journal of Environmental Research and Public Health, 2019, 16, 4411.	1.2	6
24	High uptake of pre-exposure prophylaxis (PrEP) during early roll-out in Belgium: results from surveillance reports. Sexual Health, 2019, 16, 80.	0.4	19
25	Evaluation of the 'Colli-Pee', a first-void urine collection device for self-sampling at home for the detection of sexually transmitted infections, versus a routine clinic-based urine collection in a one-to-one comparison study design: efficacy and acceptability among MSM in Belgium. BMJ Open, 2019, 9. e028145.	0.8	3
26	Choosing Between Daily and Event-Driven Pre-exposure Prophylaxis: Results of a Belgian PrEP Demonstration Project. Journal of Acquired Immune Deficiency Syndromes (1999), 2018, 79, 186-194.	0.9	72
27	Pre-exposure prophylaxis (PrEP) for men who have sex with men in Europe: review of evidence for a much needed prevention tool. Sexually Transmitted Infections, 2017, 93, 363-367.	0.8	20
28	Estimating the number of female sex workers in Côte d'Ivoire: results and lessons learned. Tropical Medicine and International Health, 2017, 22, 1112-1118.	1.0	7
29	First HIV prevalence estimates of a representative sample of adult sub-Saharan African migrants in a European city. Results of a community-based, cross-sectional study in Antwerp, Belgium. PLoS ONE, 2017, 12, e0174677.	1.1	28
30	Pre-Exposure Prophylaxis (PrEP) as an Additional Tool for HIV Prevention Among Men Who Have Sex With Men in Belgium: The Be-PrEP-ared Study Protocol. JMIR Research Protocols, 2017, 6, e11.	0.5	27
31	PrEP for African migrants in Europe? A research agenda. Lancet HIV,the, 2016, 3, e505-e507.	2.1	13
32	TOGETHER Project to Increase Understanding of the HIV Epidemic Among Sub-Saharan African Migrants: Protocol of Community-Based Participatory Mixed-Method Studies. JMIR Research Protocols, 2016, 5, e48.	0.5	6
33	The Epidemiology of HIV and Prevention Needs of Men Who Have Sex with Men in Abidjan, Cote d'Ivoire. PLoS ONE, 2015, 10, e0125218.	1.1	38
34	Retention and Risk Factors for Loss to Follow-up of Female and Male Sex Workers on Antiretroviral Treatment in Ivory Coast. Journal of Acquired Immune Deficiency Syndromes (1999), 2015, 68, S99-S106.	0.9	17
35	Community empowerment and involvement of female sex workers in targeted sexual and reproductive health interventions in Africa: a systematic review. Globalization and Health, 2014, 10, 47.	2.4	60
36	Exploring Risk Behaviors and Vulnerability for HIV among Men Who Have Sex with Men in Abidjan, Cote d′lvoire: Poor Knowledge, Homophobia and Sexual Violence. PLoS ONE, 2014, 9, e99591.	1.1	54

BEA VUYLSTEKE

#	Article	IF	CITATIONS
37	Evaluation of the APTIMA Combo 2 Assay using self-administered vaginal swabs for the detection of Chlamydia trachomatis and Neisseria gonorrhoeae. Diagnostic Microbiology and Infectious Disease, 2013, 76, 385-386.	0.8	2
38	High prevalence of HIV and sexually transmitted infections among male sex workers in Abidjan, Côte d'Ivoire: need for services tailored to their needs. Sexually Transmitted Infections, 2012, 88, 288-293.	0.8	77
39	HIV and STI Prevalence among Female Sex Workers in Côte d'Ivoire: Why Targeted Prevention Programs Should Be Continued and Strengthened. PLoS ONE, 2012, 7, e32627.	1.1	49
40	Capture-recapture for estimating the size of the female sex worker population in three cities in Côte d'lvoire and in Kisumu, western Kenya. Tropical Medicine and International Health, 2010, 15, 1537-1543.	1.0	36
41	Preventing HIV among sex workers. , 2009, , 376-406.		13
42	Evidence of Declining STD Prevalence in a South African Mining Community Following a Core-Group Intervention. Sexually Transmitted Diseases, 2000, 27, 1-8.	0.8	139