## Camilla Hoppe

## List of Publications by Citations

Source: https://exaly.com/author-pdf/7427623/camilla-hoppe-publications-by-citations.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

29 1,866 20 30 g-index

30 2,013 4.4 4.2 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
29	Animal protein intake, serum insulin-like growth factor I, and growth in healthy 2.5-y-old Danish children. <i>American Journal of Clinical Nutrition</i> , <b>2004</b> , 80, 447-52	7	244
28	Cowd milk and linear growth in industrialized and developing countries. <i>Annual Review of Nutrition</i> , <b>2006</b> , 26, 131-73	9.9	197
27	Choice of foods and ingredients for moderately malnourished children 6 months to 5 years of age. <i>Food and Nutrition Bulletin</i> , <b>2009</b> , 30, S343-404	1.8	187
26	High intakes of skimmed milk, but not meat, increase serum IGF-I and IGFBP-3 in eight-year-old boys. <i>European Journal of Clinical Nutrition</i> , <b>2004</b> , 58, 1211-6	5.2	175
25	Protein intake at 9 mo of age is associated with body size but not with body fat in 10-y-old Danish children. <i>American Journal of Clinical Nutrition</i> , <b>2004</b> , 79, 494-501	7	129
24	High intakes of milk, but not meat, increase s-insulin and insulin resistance in 8-year-old boys. <i>European Journal of Clinical Nutrition</i> , <b>2005</b> , 59, 393-8	5.2	116
23	Differential effects of casein versus whey on fasting plasma levels of insulin, IGF-1 and IGF-1/IGFBP-3: results from a randomized 7-day supplementation study in prepubertal boys. <i>European Journal of Clinical Nutrition</i> , <b>2009</b> , 63, 1076-83	5.2	94
22	An NMR-based metabonomic investigation on effects of milk and meat protein diets given to 8-year-old boys. <i>British Journal of Nutrition</i> , <b>2007</b> , 97, 758-63	3.6	92
21	The use of whey or skimmed milk powder in fortified blended foods for vulnerable groups. <i>Journal of Nutrition</i> , <b>2008</b> , 138, 145S-161S	4.1	79
20	Maternal fish oil supplementation in lactation and growth during the first 2.5 years of life. <i>Pediatric Research</i> , <b>2005</b> , 58, 235-42	3.2	73
19	Early programming of the IGF-I axis: negative association between IGF-I in infancy and late adolescence in a 17-year longitudinal follow-up study of healthy subjects. <i>Growth Hormone and IGF Research</i> , <b>2009</b> , 19, 82-6	2	48
18	The effect of milk proteins on appetite regulation and diet-induced thermogenesis. <i>European Journal of Clinical Nutrition</i> , <b>2012</b> , 66, 622-7	5.2	46
17	The effects of whole milk and infant formula on growth and IGF-I in late infancy. European Journal of Clinical Nutrition, 2009, 63, 956-63	5.2	46
16	Bone size and bone mass in 10-year-old Danish children: effect of current diet. <i>Osteoporosis International</i> , <b>2000</b> , 11, 1024-30	5.3	44
15	Differences in Danish childrend diet quality on weekdays v. weekend days. <i>Public Health Nutrition</i> , <b>2012</b> , 15, 1653-60	3.3	41
14	Effect of magnetic field strength on NMR-based metabonomic human urine data. Comparative study of 250, 400, 500, and 800 MHz. <i>Analytical Chemistry</i> , <b>2007</b> , 79, 7110-5	7.8	38
13	Dietary protein intake and bone mineral content in adolescents-The Copenhagen Cohort Study. Osteoporosis International, 2007, 18, 1661-7	5.3	34

## LIST OF PUBLICATIONS

12	in 17-year-old Scandinavians and correlation to retrospective infant plasma parameters.  Metabolism: Clinical and Experimental, <b>2009</b> , 58, 1039-45	12.7	32	
11	Associations of total, dairy, and meat protein with markers for bone turnover in healthy, prepubertal boys. <i>Journal of Nutrition</i> , <b>2007</b> , 137, 930-4	4.1	23	
10	High intake of milk, but not meat, decreases bone turnover in prepubertal boys after 7 days. <i>European Journal of Clinical Nutrition</i> , <b>2007</b> , 61, 957-62	5.2	23	
9	Distribution of Ca, K, Mg, and P in acid forest soils in plantations of Picea abies vidence of the base-pump effect. <i>Scandinavian Journal of Forest Research</i> , <b>1998</b> , 13, 265-273	1.7	19	
8	Short-term effects of replacing milk with cola beverages on insulin-like growth factor-I and insulin-glucose metabolism: a 10 d interventional study in young men. <i>British Journal of Nutrition</i> , <b>2009</b> , 102, 1047-51	3.6	17	
7	Whole cowd milk: why, what and when?. <i>Nestle Nutrition Workshop Series Paediatric Programme</i> , <b>2007</b> , 60, 201-219		16	
6	Intake and sources of gluten in 20- to 75-year-old Danish adults: a national dietary survey. <i>European Journal of Nutrition</i> , <b>2017</b> , 56, 107-117		15	
5	Gluten intake in 6-36-month-old Danish infants and children based on a national survey. <i>Journal of Nutritional Science</i> , <b>2013</b> , 2, e7	2.7	13	
4	Relationship between sleep duration and dietary intake in 4- to 14-year-old Danish children. <i>Journal of Nutritional Science</i> , <b>2013</b> , 2, e38	2.7	9	
3	Reporting accuracy of packed lunch consumption among Danish 11-year-olds differ by gender. <i>Food and Nutrition Research</i> , <b>2013</b> , 57,	3.1	9	
2	Effect of early protein intake on linear growth velocity and development of adiposity. <i>Monatsschrift Fur Kinderheilkunde</i> , <b>2003</b> , 151, S78-S83	0.2	4	
1	Milk-derived proteins and minerals alter serum osteocalcin in prepubertal boys after 7 days.  Nutrition Research, 2010, 30, 558-64	4	3	