

# Camilla Hoppe

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7427623/camilla-hoppe-publications-by-year.pdf>

**Version:** 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

29  
papers

1,866  
citations

20  
h-index

30  
g-index

30  
ext. papers

2,013  
ext. citations

4.4  
avg, IF

4.2  
L-index

#	Paper	IF	Citations
29	Intake and sources of gluten in 20- to 75-year-old Danish adults: a national dietary survey. <i>European Journal of Nutrition</i> , <b>2017</b> , 56, 107-117		15
28	Relationship between sleep duration and dietary intake in 4- to 14-year-old Danish children. <i>Journal of Nutritional Science</i> , <b>2013</b> , 2, e38	2.7	9
27	Gluten intake in 6-36-month-old Danish infants and children based on a national survey. <i>Journal of Nutritional Science</i> , <b>2013</b> , 2, e7	2.7	13
26	Reporting accuracy of packed lunch consumption among Danish 11-year-olds differ by gender. <i>Food and Nutrition Research</i> , <b>2013</b> , 57,	3.1	9
25	The effect of milk proteins on appetite regulation and diet-induced thermogenesis. <i>European Journal of Clinical Nutrition</i> , <b>2012</b> , 66, 622-7	5.2	46
24	Differences in Danish children's diet quality on weekdays v. weekend days. <i>Public Health Nutrition</i> , <b>2012</b> , 15, 1653-60	3.3	41
23	Milk-derived proteins and minerals alter serum osteocalcin in prepubertal boys after 7 days. <i>Nutrition Research</i> , <b>2010</b> , 30, 558-64	4	3
22	Choice of foods and ingredients for moderately malnourished children 6 months to 5 years of age. <i>Food and Nutrition Bulletin</i> , <b>2009</b> , 30, S343-404	1.8	187
21	Nuclear magnetic resonance-based metabonomics reveals strong sex effect on plasma metabolism in 17-year-old Scandinavians and correlation to retrospective infant plasma parameters. <i>Metabolism: Clinical and Experimental</i> , <b>2009</b> , 58, 1039-45	12.7	32
20	The effects of whole milk and infant formula on growth and IGF-I in late infancy. <i>European Journal of Clinical Nutrition</i> , <b>2009</b> , 63, 956-63	5.2	46
19	Differential effects of casein versus whey on fasting plasma levels of insulin, IGF-1 and IGF-1/IGFBP-3: results from a randomized 7-day supplementation study in prepubertal boys. <i>European Journal of Clinical Nutrition</i> , <b>2009</b> , 63, 1076-83	5.2	94
18	Early programming of the IGF-I axis: negative association between IGF-I in infancy and late adolescence in a 17-year longitudinal follow-up study of healthy subjects. <i>Growth Hormone and IGF Research</i> , <b>2009</b> , 19, 82-6	2	48
17	Short-term effects of replacing milk with cola beverages on insulin-like growth factor-I and insulin-glucose metabolism: a 10 d interventional study in young men. <i>British Journal of Nutrition</i> , <b>2009</b> , 102, 1047-51	3.6	17
16	The use of whey or skimmed milk powder in fortified blended foods for vulnerable groups. <i>Journal of Nutrition</i> , <b>2008</b> , 138, 145S-161S	4.1	79
15	Associations of total, dairy, and meat protein with markers for bone turnover in healthy, prepubertal boys. <i>Journal of Nutrition</i> , <b>2007</b> , 137, 930-4	4.1	23
14	High intake of milk, but not meat, decreases bone turnover in prepubertal boys after 7 days. <i>European Journal of Clinical Nutrition</i> , <b>2007</b> , 61, 957-62	5.2	23
13	Dietary protein intake and bone mineral content in adolescents-The Copenhagen Cohort Study. <i>Osteoporosis International</i> , <b>2007</b> , 18, 1661-7	5.3	34

12	Whole cow's milk: why, what and when?. <i>Nestle Nutrition Workshop Series Paediatric Programme</i> , <b>2007</b> , 60, 201-219		16
11	An NMR-based metabonomic investigation on effects of milk and meat protein diets given to 8-year-old boys. <i>British Journal of Nutrition</i> , <b>2007</b> , 97, 758-63	3.6	92
10	Effect of magnetic field strength on NMR-based metabonomic human urine data. Comparative study of 250, 400, 500, and 800 MHz. <i>Analytical Chemistry</i> , <b>2007</b> , 79, 7110-5	7.8	38
9	Cow's milk and linear growth in industrialized and developing countries. <i>Annual Review of Nutrition</i> , <b>2006</b> , 26, 131-73	9.9	197
8	High intakes of milk, but not meat, increase s-insulin and insulin resistance in 8-year-old boys. <i>European Journal of Clinical Nutrition</i> , <b>2005</b> , 59, 393-8	5.2	116
7	Maternal fish oil supplementation in lactation and growth during the first 2.5 years of life. <i>Pediatric Research</i> , <b>2005</b> , 58, 235-42	3.2	73
6	Protein intake at 9 mo of age is associated with body size but not with body fat in 10-y-old Danish children. <i>American Journal of Clinical Nutrition</i> , <b>2004</b> , 79, 494-501	7	129
5	High intakes of skimmed milk, but not meat, increase serum IGF-I and IGFBP-3 in eight-year-old boys. <i>European Journal of Clinical Nutrition</i> , <b>2004</b> , 58, 1211-6	5.2	175
4	Animal protein intake, serum insulin-like growth factor I, and growth in healthy 2.5-y-old Danish children. <i>American Journal of Clinical Nutrition</i> , <b>2004</b> , 80, 447-52	7	244
3	Effect of early protein intake on linear growth velocity and development of adiposity. <i>Monatsschrift Fur Kinderheilkunde</i> , <b>2003</b> , 151, S78-S83	0.2	4
2	Bone size and bone mass in 10-year-old Danish children: effect of current diet. <i>Osteoporosis International</i> , <b>2000</b> , 11, 1024-30	5.3	44
1	Distribution of Ca, K, Mg, and P in acid forest soils in plantations of <i>Picea abies</i> —evidence of the base-pump effect. <i>Scandinavian Journal of Forest Research</i> , <b>1998</b> , 13, 265-273	1.7	19