

Vincent Minville

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7428001/publications.pdf>

Version: 2024-02-01

148
papers

3,407
citations

147801
31
h-index

197818
49
g-index

172
all docs

172
docs citations

172
times ranked

4290
citing authors

#	ARTICLE	IF	CITATIONS
1	COCARDE Studyâ€“Cardiac Imaging Phenotype in Patients With COVID-19: Protocol for a Prospective Observational Study. Jmir Research Protocols, 2022, 11, e24931.	1.0	0
2	Evolution of platelet activation parameters during septic shock in intensive care unit. Platelets, 2022, 33, 918-925.	2.3	7
3	Platelet Versus Megakaryocyte: Who Is the Real Bandleader of Thromboinflammation in Sepsis?. Cells, 2022, 11, 1507.	4.1	8
4	Management of urgent invasive procedures in patients treated with direct oral anticoagulants: An observational registry analysis. Thrombosis Research, 2022, 216, 106-112.	1.7	2
5	Is preoperative balloon aortic valvuloplasty of interest for severe aortic stenosis in hip fracture surgery?. Injury, 2021, 52, 1438-1444.	1.7	5
6	Bilateral Parasternal Block and Bilateral Erector Spinae Plane Block Reduce Opioid Consumption in During Cardiac Surgery. Journal of Cardiothoracic and Vascular Anesthesia, 2021, 35, 1249-1250.	1.3	7
7	Cardiac imaging phenotype in patients with coronavirus disease 2019 (COVID-19): results of the cocarde study. International Journal of Cardiovascular Imaging, 2021, 37, 449-457.	1.5	16
8	Assessment of lung ultrasound for early detection of respiratory complications in thoracic surgery. Brazilian Journal of Anesthesiology (Elsevier), 2021, 72, 128-128.	0.4	1
9	AnaConDa Device: Solution to Perform Cardiac Surgery Without Intravenous Anesthetic During the Corona Virus Disease 2019 Pandemic. Journal of Cardiothoracic and Vascular Anesthesia, 2021, 35, 1267-1268.	1.3	2
10	Diaphragmatic speckle tracking imaging for 2D-strain assessment in mechanical ventilation weaning test. Medical Hypotheses, 2021, 152, 110593.	1.5	2
11	Anticoagulation Monitoring Under ECMO Support: A Comparative Study Between the Activated Coagulation Time and the Anti-Xa Activity Assay. Journal of Intensive Care Medicine, 2020, 35, 679-686.	2.8	48
12	Ultrasound-Guided Proximal and Distal Suprascapular Nerve Blocks: A Comparative Cadaveric Study. Pain Medicine, 2020, 21, 1240-1247.	1.9	10
13	Efficacy of multimodal analgesic treatment of severe traumatic acute pain in mice pretreated with chronic high dose of buprenorphine inducing mechanical allodynia. European Journal of Pharmacology, 2020, 875, 172884.	3.5	1
14	Risk factor analysis for linezolid-associated thrombocytopenia in critically ill patients. European Journal of Clinical Microbiology and Infectious Diseases, 2020, 39, 527-538.	2.9	15
15	Diagnostic accuracy of a revised computed tomography angiography score for brain death confirmation, combining supra-tentorial arteries and infra-tentorial veins. European Journal of Radiology, 2020, 130, 109132.	2.6	2
16	Clinical characteristics and outcome of hospitalized patients with SARS-CoV-2 infection at Toulouse University hospital (France). Results from the Covid-clinic-Toul cohort. Revue De Medecine Interne, 2020, 41, 732-740.	1.0	11
17	Outcome of community- versus hospital-acquired intra-abdominal infections in intensive care unit: a retrospective study. BMC Anesthesiology, 2020, 20, 295.	1.8	3
18	Functional and Structural Integrity of Frontoparietal Connectivity in Traumatic and Anoxic Coma. Critical Care Medicine, 2020, 48, e639-e647.	0.9	17

#	ARTICLE	IF	CITATIONS
19	Type 1 Diabetes in People Hospitalized for COVID-19: New Insights From the CORONADO Study. Diabetes Care, 2020, 43, e174-e177.	8.6	35
20	Identifying predictive factors for admitting patients with severe pre-eclampsia to intensive care unit. Journal of Maternal-Fetal and Neonatal Medicine, 2020, , 1-7.	1.5	3
21	Pharmacological characteristics of patients infected with SARS-Cov-2 admitted to Intensive Care Unit in South of France. Therapie, 2020, 75, 381-384.	1.0	22
22	Hydroxychloroquine in Coronavirus Disease 2019 Patients: What Still Needs to Be Known About the Kinetics. Clinical Infectious Diseases, 2020, 71, 2962-2964.	5.8	9
23	<p><p>Control of Spinal Anesthesia-Induced Hypotension in Adults<p>. Local and Regional Anesthesia, 2020, Volume 13, 39-46.	1.3	34
24	Thromboembolic events and Covid-19. Advances in Biological Regulation, 2020, 77, 100735.	2.3	61
25	Guidelines: Anaesthesia in the context of COVID-19 pandemic. Anaesthesia, Critical Care & Pain Medicine, 2020, 39, 395-415.	1.4	60
26	Assessment of electrical impedance tomography to set optimal positive end-expiratory pressure for veno-venous ECMO-treated severe ARDS patients. Journal of Critical Care, 2020, 60, 38-44.	2.2	12
27	Perineural dexamethasone attenuates liposomal bupivacaine-induced delayed neural inflammation in mice inÂvivo. British Journal of Anaesthesia, 2020, 125, 175-183.	3.4	7
28	Comparison of intubating conditions after induction with propofol and remifentanyl or sufentanyl. Der Anaesthetist, 2020, 69, 262-269.	1.2	1
29	Outcome of Critically Ill Patients With Influenza Infection: A Retrospective Study. Infectious Diseases: Research and Treatment, 2020, 13, 117863372090408.	1.7	9
30	Kinin B1 receptor: a potential therapeutic target in sepsis-induced vascular hyperpermeability. Journal of Translational Medicine, 2020, 18, 174.	4.4	7
31	Improving Provision of Preanesthetic Information Through Use of the Digital Conversational Agent ‘‘MyAnesthâ€ Prospective Observational Trial. Journal of Medical Internet Research, 2020, 22, e20455.	4.3	6
32	<p>Postoperative Delirium is a Risk Factor of Poor Evolution Three Years After Cardiac Surgery: An Observational Cohort Study</p>. Clinical Interventions in Aging, 2020, Volume 15, 2375-2381.	2.9	3
33	Platelets Are Critical Key Players in Sepsis. International Journal of Molecular Sciences, 2019, 20, 3494.	4.1	105
34	Validation of a visual analogue scale for the evaluation of the postoperative anxiety: A prospective observational study. Nursing Open, 2019, 6, 1323-1330.	2.4	26
35	Risk factors and the resistance mechanisms involved in Pseudomonas aeruginosa mutation in critically ill patients. Journal of Intensive Care, 2019, 7, 36.	2.9	4
36	Kinetics of mean platelet volume predicts mortality in patients with septic shock. PLoS ONE, 2019, 14, e0223553.	2.5	17

#	ARTICLE	IF	CITATIONS
37	Tibial post fracture pain is reduced in kinin receptors deficient mice and blunted by kinin receptor antagonists. <i>Journal of Translational Medicine</i> , 2019, 17, 346.	4.4	9
38	Risk factors for acquisition of carbapenem-resistance during treatment with carbapenem in the intensive care unit: a prospective study. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2019, 38, 2077-2085.	2.9	7
39	Management of critical events in the operating room: Usefulness of implementing a cognitive aid on the knowledge and satisfaction in French health-care providers. <i>Journal of Clinical Anesthesia</i> , 2019, 58, 7-8.	1.6	1
40	Topological disintegration of resting state functional connectomes in coma. <i>NeuroImage</i> , 2019, 195, 354-361.	4.2	19
41	Hemidiaphragmatic paralysis after ultrasound-guided supraclavicular block: a prospective cohort study. <i>Brazilian Journal of Anesthesiology (Elsevier)</i> , 2019, 69, 580-586.	0.4	6
42	Remifentanyl for Procedural Sedation and Analgesia in Central Venous Catheter Insertion. <i>Clinical Journal of Pain</i> , 2019, 35, 691-695.	1.9	5
43	Early Massive Pulmonary Embolism After Total Hip Arthroplasty in a Patient With Behcet Disease: A Case Report. <i>A&A Practice</i> , 2019, 12, 196-198.	0.4	1
44	Neurally adjusted ventilatory assist (NAVA) versus pressure support ventilation: patient-ventilator interaction during invasive ventilation delivered by tracheostomy. <i>Critical Care</i> , 2019, 23, 2.	5.8	20
45	Effect of fluid challenge on renal resistive index after major orthopaedic surgery: A prospective observational study using Doppler ultrasonography. <i>Anaesthesia, Critical Care & Pain Medicine</i> , 2019, 38, 147-152.	1.4	4
46	The hip fracture surgery in elderly patients (HIPELD) study to evaluate xenon anaesthesia for the prevention of postoperative delirium: a multicentre, randomized clinical trial. <i>British Journal of Anaesthesia</i> , 2018, 120, 127-137.	3.4	40
47	Feasibility and accuracy of gated blood pool SPECT equilibrium radionuclide ventriculography for the assessment of left and right ventricular volumes and function in patients with left ventricular assist devices. <i>Journal of Nuclear Cardiology</i> , 2018, 25, 625-634.	2.1	13
48	3-month prognostic impact of severe acute renal failure under veno-venous ECMO support: Importance of time of onset. <i>Journal of Critical Care</i> , 2018, 44, 63-71.	2.2	25
49	The importance of blood platelet lipid signaling in thrombosis and in sepsis. <i>Advances in Biological Regulation</i> , 2018, 67, 66-73.	2.3	20
50	Plasma free carnitine in severe trauma: Influence of the association with traumatic brain injury. <i>Injury</i> , 2018, 49, 538-542.	1.7	6
51	Platelet activation and prothrombotic properties in a mouse model of peritoneal sepsis. <i>Scientific Reports</i> , 2018, 8, 13536.	3.3	44
52	POFA trial study protocol: a multicentre, double-blind, randomised, controlled clinical trial comparing opioid-free versus opioid anaesthesia on postoperative opioid-related adverse events after major or intermediate non-cardiac surgery. <i>BMJ Open</i> , 2018, 8, e020873.	1.9	25
53	Ultrasound-guided proximal suprascapular nerve block: A cadaveric study. <i>Clinical Anatomy</i> , 2018, 31, 824-829.	2.7	19
54	Effects of Spinal Anaesthesia on Left Ventricular Function: An Observational Study using Two-Dimensional Strain Echocardiography. <i>Turkish Journal of Anaesthesiology and Reanimation</i> , 2018, 46, 268-271.	0.8	5

#	ARTICLE	IF	CITATIONS
55	Communication system and team situation awareness in a multiplayer real-time learning environment: application to a virtual operating room. <i>Visual Computer</i> , 2017, 33, 489-515.	3.5	13
56	Management of Severe Bleeding in Patients Treated with Direct Oral Anticoagulants. <i>Anesthesiology</i> , 2017, 127, 111-120.	2.5	52
57	Regional Anesthesia With Noninvasive Ventilation for Shoulder Surgery in a Patient With Severe Chronic Obstructive Pulmonary Disease. <i>A & A Case Reports</i> , 2017, 8, 261-264.	0.7	7
58	A New Step Toward Evidence of In Vivo Perineural Dexamethasone Safety. <i>Regional Anesthesia and Pain Medicine</i> , 2017, 43, 1.	2.3	13
59	CD163-positive tumor-associated macrophages and CD8-positive cytotoxic lymphocytes are powerful diagnostic markers for the therapeutic stratification of osteosarcoma patients: An immunohistochemical analysis of the biopsies from the French OS2006 phase 3 trial. <i>Oncolmunology</i> , 2017, 6, e1331193.	4.6	141
60	Role of the internet as an information resource before anaesthesia consultation. <i>European Journal of Anaesthesiology</i> , 2017, 34, 831-835.	1.7	3
61	Training in intraoperative handover and display of a checklist improve communication during transfer of care. <i>European Journal of Anaesthesiology</i> , 2017, 34, 471-476.	1.7	29
62	Influence of Age on Decision-Making Process to Limit or Withdraw Life-Sustaining Treatment in the Intensive Care Unit - A Single Center Prospective Observational Study. <i>Journal of Frailty & Aging</i> , 2017, 6, 148-153.	1.3	5
63	Early Prediction of 3-month Survival of Patients in Refractory Cardiogenic Shock and Cardiac Arrest on Extracorporeal Life Support. <i>Indian Journal of Critical Care Medicine</i> , 2017, 21, 138-145.	0.9	3
64	Comparison of patient and caregiver perception of pain from commonly performed accident and emergency services procedures. <i>European Journal of Emergency Medicine</i> , 2016, 23, 315-318.	1.1	6
65	The Doppler renal resistive index for early detection of acute kidney injury after hip fracture. <i>Anaesthesia, Critical Care & Pain Medicine</i> , 2016, 35, 377-382.	1.4	17
66	Predictors of desaturation during patient transport to the postoperative anesthesia care unit: an observational study. <i>Journal of Clinical Anesthesia</i> , 2016, 35, 210-214.	1.6	11
67	Préparation des respirateurs avant l'anesthésie d'un patient chez qui les halogènes sont contre-indiqués. <i>Anesthésie & Réanimation</i> , 2016, 2, 354-357.	0.1	1
68	Sepsis modeling in mice: ligation length is a major severity factor in cecal ligation and puncture. <i>Intensive Care Medicine Experimental</i> , 2016, 4, 22.	1.9	85
69	Prophylactic phenylephrine infusion for the prevention of hypotension after spinal anesthesia in the elderly: a randomized controlled clinical trial. <i>Journal of Clinical Anesthesia</i> , 2016, 35, 99-106.	1.6	21
70	Acute Bradykinin Receptor Blockade During Hemorrhagic Shock in Mice Prevents the Worsening Hypotensive Effect of Angiotensin-Converting Enzyme Inhibitor. <i>Critical Care Medicine</i> , 2016, 44, e882-e885.	0.9	5
71	Screening of patients with augmented renal clearance in ICU: taking into account the CKD-EPI equation, the age, and the cause of admission. <i>Annals of Intensive Care</i> , 2015, 5, 49.	4.6	50
72	Beneficial effects of levobupivacaine regional anaesthesia on postoperative opioid induced hyperalgesia in diabetic mice. <i>Journal of Translational Medicine</i> , 2015, 13, 208.	4.4	18

#	ARTICLE	IF	CITATIONS
73	The Script Concordance Test in anesthesiology: Validation of a new tool for assessing clinical reasoning. <i>Anaesthesia, Critical Care & Pain Medicine</i> , 2015, 34, 11-15.	1.4	21
74	Doppler renal resistive index for early detection of acute kidney injury after major orthopaedic surgery. <i>European Journal of Anaesthesiology</i> , 2015, 32, 37-43.	1.7	34
75	Patient-ventilator synchrony in Neurally Adjusted Ventilatory Assist (NAVA) and Pressure Support Ventilation (PSV): a prospective observational study. <i>BMC Anesthesiology</i> , 2015, 15, 117.	1.8	51
76	Cardiovascular effects of low-dose spinal anaesthesia as a function of age: An observational study using echocardiography. <i>Anaesthesia, Critical Care & Pain Medicine</i> , 2015, 34, 271-276.	1.4	26
77	Optimal perioperative management of arterial blood pressure. <i>Integrated Blood Pressure Control</i> , 2014, 7, 49.	1.2	104
78	The Sevoflurane Washout Profile of Seven Recent Anesthesia Workstations for Malignant Hyperthermia-Susceptible Adults and Infants. <i>Anesthesia and Analgesia</i> , 2014, 119, 67-75.	2.2	27
79	Acute respiratory distress syndrome following verapamil overdose treated with intravenous lipid emulsion: A rare life-threatening complication. <i>Annales Francaises D'Anesthesie Et De Reanimation</i> , 2014, 33, e101-e102.	1.4	22
80	Pharmacodynamics of cisatracurium in the intensive care unit: an observational study. <i>Annals of Intensive Care</i> , 2014, 4, 3.	4.6	8
81	Lactate clearance for death prediction in severe sepsis or septic shock patients during the first 24 hours in Intensive Care Unit: an observational study. <i>Annals of Intensive Care</i> , 2013, 3, 3.	4.6	123
82	Noninvasive assessment of hemodynamic response to a fluid challenge using femoral Doppler in critically ill ventilated patients. <i>Journal of Critical Care</i> , 2013, 28, 902-907.	2.2	8
83	Guidewire localization by transthoracic echocardiography during central venous catheter insertion: a periprocedural method to evaluate catheter placement. <i>Intensive Care Medicine</i> , 2013, 39, 1932-1937.	8.2	50
84	Anesthetic regimen for cardiac function evaluation by echocardiography in mice: comparison between ketamine, etomidate and isoflurane versus conscious state. <i>Laboratory Animals</i> , 2013, 47, 284-290.	1.0	29
85	Role of kinin B2 receptors in opioid-induced hyperalgesia in inflammatory pain in mice. <i>Biological Chemistry</i> , 2013, 394, 361-368.	2.5	12
86	Pneumothorax as a complication of ultrasound-guided interscalene block for shoulder surgery. <i>European Journal of Anaesthesiology</i> , 2013, 30, 90-91.	1.7	11
87	Epidural <i>versus</i>Â Continuous Preperitoneal Analgesia during Fast-track Open Colorectal Surgery. <i>Anesthesiology</i> , 2013, 118, 622-630.	2.5	63
88	Inside Anesthesia Breathing Circuits. <i>Anesthesia and Analgesia</i> , 2012, 115, 310-314.	2.2	11
89	The 90% effective dose of a sufentanil bolus for the management of painful positioning in intubated patients in the ICU. <i>European Journal of Anaesthesiology</i> , 2012, 29, 280-285.	1.7	3
90	The Emergence Level of the Musculocutaneous Nerve from the Brachial Plexus. <i>Anesthesia and Analgesia</i> , 2012, 114, 1131-1133.	2.2	9

#	ARTICLE	IF	CITATIONS
91	Type 2 Diabetes Mellitus in Mice Aggravates the Renal Impact of Hemorrhagic Shock. Shock, 2012, 38, 351-355.	2.1	7
92	Patent foramen ovale appearance with association of left ventricular assist device and mechanical ventilation. American Journal of Emergency Medicine, 2012, 30, 259.e1-259.e3.	1.6	8
93	Ketamine and postoperative nausea and vomiting: role of the morphine-sparing effect. Journal of Clinical Anesthesia, 2012, 24, 601-602.	1.6	2
94	Left Ventricularâ€“Right Atrial Communication with Third-degree Atrioventricular Block after Thoracic Trauma. Journal of Emergency Medicine, 2012, 43, e385-e388.	0.7	4
95	Hemorrhagic Shock and Acute Kidney Injury Model. Anesthesiology, 2012, 117, 1143-1143.	2.5	0
96	Medical Responsibility in the Operating Room: The Example of an Amniotic Fluid Embolism. Journal of Forensic Sciences, 2012, 57, 1120-1123.	1.6	3
97	Continuous spinal anaesthesia for a total hip arthroplasty in a patient with an atrial septal defect. Middle East Journal of Anesthesiology, 2012, 21, 623-6.	0.2	2
98	Predictors of pain relief and adverse events in patients receiving opioids in a prehospital setting. American Journal of Emergency Medicine, 2011, 29, 512-517.	1.6	33
99	Thrombolysis by recombinant tissue plasminogen activator during pregnancy: a case of massive pulmonary embolism. American Journal of Emergency Medicine, 2011, 29, 694.e1-694.e2.	1.6	21
100	Increased creatinine clearance in polytrauma patients with normal serum creatinine: a retrospective observational study. Critical Care, 2011, 15, R49.	5.8	55
101	Morphologic and functional renal impact of acute kidney injury after prolonged hemorrhagic shock in mice*. Critical Care Medicine, 2011, 39, 2131-2138.	0.9	33
102	Self-Inflicted Burns: The Value of Collaboration Between Medicine and Law. Journal of Forensic Sciences, 2011, 56, 638-642.	1.6	18
103	Ondansetron does not block paracetamol-induced analgesia in a mouse model of fracture pain. British Journal of Anaesthesia, 2011, 106, 112-118.	3.4	25
104	Use of intravenous lipid 20% emulsion for the treatment of a voluntary intoxication of flecainide with refractory shock. Clinical Toxicology, 2011, 49, 514-514.	1.9	21
105	Preoperative use of epoietin beta in total hip replacement: a prospective study. Archives of Orthopaedic and Trauma Surgery, 2010, 130, 41-45.	2.4	19
106	Distribution and expression of B2-kinin receptor on human leukocyte subsets in young adults and elderly using flow cytometry. Neuropeptides, 2010, 44, 155-161.	2.2	7
107	Long-term outcome of children with congenital toxoplasmosis. American Journal of Obstetrics and Gynecology, 2010, 203, 552.e1-552.e6.	1.3	82
108	Temporal analysis of regional anaesthesia-induced sensorimotor dysfunction: a model for understanding phantom limb. British Journal of Anaesthesia, 2010, 105, 208-213.	3.4	18

#	ARTICLE	IF	CITATIONS
109	Opioid-induced hyperalgesia in a mice model of orthopaedic pain: preventive effect of ketamine. British Journal of Anaesthesia, 2010, 104, 231-238.	3.4	68
110	Pancreatic cholangiocarcinoma as an ST-elevation myocardial infarction with thrombolytic therapy. American Journal of Emergency Medicine, 2010, 28, 389.e3-389.e5.	1.6	2
111	Postoperative myocardial damages after hip fracture repair are frequent and associated with a poor cardiac outcome: a three-hospital study. Age and Ageing, 2009, 38, 473-476.	1.6	24
112	Population Pharmacokinetics of Ceftazidime in Intensive Care Unit Patients: Influence of Glomerular Filtration Rate, Mechanical Ventilation, and Reason for Admission. Antimicrobial Agents and Chemotherapy, 2009, 53, 4483-4489.	3.2	44
113	Prehospital mechanical ventilation of a critical cardiac tamponade. American Journal of Emergency Medicine, 2009, 27, 1020.e1-1020.e3.	1.6	12
114	Cerebral Hemodynamic Changes in Severe Head Injury Patients Undergoing Decompressive Craniectomy. Journal of Neurosurgical Anesthesiology, 2009, 21, 339-345.	1.2	52
115	Intubation Difficulties in Obese Patients. Anesthesia and Analgesia, 2009, 108, 1051-1052.	2.2	1
116	The Effects of Spinal Anesthesia on Cerebral Blood Flow in the Very Elderly. Anesthesia and Analgesia, 2009, 108, 1291-1294.	2.2	23
117	Risk of Neurological Decompression Sickness in the Diver With a Right-to-Left Shunt: Literature Review and Meta-Analysis. Clinical Journal of Sport Medicine, 2009, 19, 231-235.	1.8	31
118	Decompression Sickness With a Right-to-Left Shunt-Reply. Clinical Journal of Sport Medicine, 2009, 19, 513.	1.8	0
119	The Efficacy of Skin Temperature for Block Assessment After Infraclavicular Brachial Plexus Block. Anesthesia and Analgesia, 2009, 108, 1034-1036.	2.2	41
120	Elevated serum cardiac troponin I in older patients with hip fracture: incidence and prognostic significance. Archives of Orthopaedic and Trauma Surgery, 2008, 128, 761-762.	2.4	7
121	Postoperative analgesia after total hip arthroplasty: patient-controlled analgesia versus transdermal fentanyl patch. Journal of Clinical Anesthesia, 2008, 20, 280-283.	1.6	26
122	Intubation difficile en obstétrique, que faut-il faire? Praticien En Anesthesie Reanimation, 2008, 12, 41-45.	0.0	1
123	Mouse Model of Fracture Pain. Anesthesiology, 2008, 108, 467-472.	2.5	36
124	Neck Circumference and Difficult Intubation. Anesthesia and Analgesia, 2008, 107, 1757.	2.2	0
125	Patient Comfort in Regional Anesthesia. Anesthesia and Analgesia, 2008, 106, 349-350.	2.2	2
126	The Importance of Increased Neck Circumference to Intubation Difficulties in Obese Patients. Anesthesia and Analgesia, 2008, 106, 1132-1136.	2.2	252

#	ARTICLE	IF	CITATIONS
127	Migraine with Atypical Aura in the Recovery Room: A Sometimes Complicated Diagnosis!. Anesthesia and Analgesia, 2008, 106, 1844-1846.	2.2	3
128	A Modified Mid-Femoral Approach to the Sciatic Nerve Block: A Correlation Between Evoked Motor Response and Sensory Block. Anesthesia and Analgesia, 2007, 105, 528-530.	2.2	7
129	The Paramedian Technique: A Superior Initial Approach to Continuous Spinal Anesthesia in the Elderly. Anesthesia and Analgesia, 2007, 105, 1855-1857.	2.2	67
130	Eutectic Mixture of Local Anesthetic (EMLA??) Decreases Pain During Humeral Block Placement in Nonsedated Patients. Anesthesia and Analgesia, 2007, 105, 512-515.	2.2	8
131	The Optimal Motor Response for Infraclavicular Brachial Plexus Block. Anesthesia and Analgesia, 2007, 104, 448-451.	2.2	25
132	A Modified Lateral Approach to the Sciatic Nerve. Regional Anesthesia and Pain Medicine, 2007, 32, 157-161.	2.3	0
133	A Modified Lateral Approach to the Sciatic Nerve: Magnetic Resonance Imaging Simulation and Clinical Study. Regional Anesthesia and Pain Medicine, 2007, 32, 157-161.	2.3	4
134	The relationship between bispectral index and endtidal concentration of sevoflurane during anesthesia and recovery in spontaneously ventilating children. Paediatric Anaesthesia, 2007, 17, 249-254.	1.1	9
135	RÃ©sponse:. Canadian Journal of Anaesthesia, 2007, 54, 771-772.	1.6	0
136	Glycine and ammonia plasma concentrations during sedation with remifentanyl in critically ill patients. Intensive Care Medicine, 2007, 33, 1179-1182.	8.2	7
137	Î²2-Adrenoceptor blockade partially restores ex vivo TNF production following hemorrhagic shock. Cytokine, 2006, 34, 212-218.	3.2	15
138	Spinal Anesthesia Using Single Injection Small-Dose Bupivacaine Versus Continuous Catheter Injection Techniques for Surgical Repair of Hip Fracture in Elderly Patients. Anesthesia and Analgesia, 2006, 102, 1559-1563.	2.2	88
139	Infraclavicular Brachial Plexus Block Versus Humeral Block in Trauma Patients: A Comparison of Patient Comfort. Anesthesia and Analgesia, 2006, 102, 912-915.	2.2	30
140	Nerve Stimulator-Guided Brachial Plexus Block in a Patient with Severe Parkinson??s Disease and Bilateral Deep Brain Stimulators. Anesthesia and Analgesia, 2006, 102, 1296.	2.2	16
141	Small-Dose Bupivacaine-Sufentanil Prevents Cardiac Output Modifications After Spinal Anesthesia. Anesthesia and Analgesia, 2005, 101, 1512-1515.	2.2	35
142	A Modified Coracoid Approach to Infraclavicular Brachial Plexus Blocks Using a Double-Stimulation Technique in 300 Patients. Anesthesia and Analgesia, 2005, 100, 263-265.	2.2	39
143	Infraclavicular Brachial Plexus Block Versus Humeral Approach: Comparison of Anesthetic Time and Efficacy. Anesthesia and Analgesia, 2005, 101, 1198-1201.	2.2	31
144	Resident Versus Staff Anesthesiologist Performance. Regional Anesthesia and Pain Medicine, 2005, 30, 233-237.	2.3	1

#	ARTICLE	IF	CITATIONS
145	Resident Versus Staff Anesthesiologist Performance: Coracoid Approach to Infraclavicular Brachial Plexus Blocks Using a Double-Stimulation Technique. Regional Anesthesia and Pain Medicine, 2005, 30, 233-237.	2.3	10
146	Hyperbaric Oxygen Therapy and Pain Management in a Child with Continuous Infraclavicular Brachial Plexus Block. Anesthesia and Analgesia, 2004, 99, 1878.	2.2	1
147	Difficult Airway in Obstetric Using Ilma-Fastrach??. Anesthesia and Analgesia, 2004, 99, 1873.	2.2	6
148	Ultrasound guidance for difficult lateral popliteal catheter insertion in a patient with peripheral vascular disease. Regional Anesthesia and Pain Medicine, 2004, 29, 368-370.	2.3	14