Anne Peters Harmel

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/7429674/anne-peters-harmel-publications-by-year.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

16,595 128 50 137 h-index g-index citations papers 19,968 8.9 148 6.4 L-index avg, IF ext. citations ext. papers

| # | Paper | IF | Citations |
|-----|--|---------------------|-------------------|
| 137 | 9. Pharmacologic Approaches to Glycemic Treatment: Standards of Medical Care in Diabetes-2022 <i>Diabetes Care</i> , 2022 , 45, S125-S143 | 14.6 | 64 |
| 136 | Racial/ethnic and socioeconomic disparities in the use of newer diabetes medications in the Look AHEAD study <i>The Lancet Regional Health Americas</i> , 2022 , 6, | | 3 |
| 135 | A Glycemia Risk Index (GRI) of Hypoglycemia and Hyperglycemia for Continuous Glucose Monitoring Validated by Clinician Ratings <i>Journal of Diabetes Science and Technology</i> , 2022 , 1932296 | 82 2 108 | 5 2 73 |
| 134 | 6. Glycemic Targets: Standards of Medical Care in Diabetes-2022 <i>Diabetes Care</i> , 2022 , 45, S83-S96 | 14.6 | 39 |
| 133 | 3. Prevention or Delay of Type 2 Diabetes and Associated Comorbidities: Standards of Medical Care in Diabetes-2022 <i>Diabetes Care</i> , 2022 , 45, S39-S45 | 14.6 | 8 |
| 132 | 5. Facilitating Behavior Change and Well-being to Improve Health Outcomes: Standards of Medical Care in Diabetes-2022 <i>Diabetes Care</i> , 2022 , 45, S60-S82 | 14.6 | 24 |
| 131 | Comparison of Protocols to Reduce Diabetic Ketoacidosis in Patients With Type 1 Diabetes Prescribed a Sodium-Glucose Cotransporter 2 Inhibitor. <i>Diabetes Spectrum</i> , 2021 , 34, 42-51 | 1.9 | 1 |
| 130 | The SAGE study: Global observational analysis of glycaemic control, hypoglycaemia and diabetes management in T1DM. <i>Diabetes/Metabolism Research and Reviews</i> , 2021 , 37, e3430 | 7.5 | 10 |
| 129 | Function and Emotion in Everyday Life With Type 1 Diabetes (FEEL-T1D): Protocol for a Fully Remote Intensive Longitudinal Study. <i>JMIR Research Protocols</i> , 2021 , 10, e30901 | 2 | 5 |
| 128 | Within-Trial Cost-Effectiveness of a Structured Lifestyle Intervention in Adults With Overweight/Obesity and Type 2 Diabetes: Results From the Action for Health in Diabetes (Look AHEAD) Study. <i>Diabetes Care</i> , 2021 , 44, 67-74 | 14.6 | 3 |
| 127 | The SimpliciT1 Study: A Randomized, Double-Blind, Placebo-Controlled Phase 1b/2 Adaptive Study of TTP399, a Hepatoselective Glucokinase Activator, for Adjunctive Treatment of Type 1 Diabetes. <i>Diabetes Care</i> , 2021 , 44, 960-968 | 14.6 | 8 |
| 126 | Changes in mood and health-related quality of life in Look AHEAD 6 years after termination of the lifestyle intervention. <i>Obesity</i> , 2021 , 29, 1294-1308 | 8 | 1 |
| 125 | Efficacy and safety of sotagliflozin in patients with type 2 diabetes and severe renal impairment. <i>Diabetes, Obesity and Metabolism</i> , 2021 , 23, 2632-2642 | 6.7 | 2 |
| 124 | The Management of Type 1 Diabetes in Adults. A Consensus Report by the American Diabetes Association (ADA) and the European Association for the Study of Diabetes (EASD). <i>Diabetes Care</i> , 2021 , 44, 2589-2625 | 14.6 | 26 |
| 123 | The management of type 1 diabetes in adults. A consensus report by the American Diabetes Association (ADA) and the European Association for the Study of Diabetes (EASD). <i>Diabetologia</i> , 2021 , 64, 2609-2652 | 10.3 | 21 |
| 122 | Effect of Continuous Glucose Monitoring on Hypoglycemia in Older Adults With Type 1 Diabetes: A Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 323, 2397-2406 | 27.4 | 73 |
| 121 | Do menopausal status and APOE4 genotype alter the long-term effects of intensive lifestyle intervention on cognitive function in women with type 2 diabetes mellitus?. <i>Neurobiology of Aging</i> , 2020 , 92, 61-72 | 5.6 | 7 |

(2018-2020)

| 120 | Efficacy and safety of dual add-on therapy with dapagliflozin plus saxagliptin versus glimepiride in patients with poorly controlled type 2 diabetes on a stable dose of metformin: Results from a 52-week, randomized, active-controlled trial. <i>Diabetes, Obesity and Metabolism</i> , 2020 , 22, 1083-1093 | 6.7 | 3 |
|-----|--|--------------------|-----|
| 119 | Implications of the Hemoglobin Glycation Index on the Diagnosis of Prediabetes and Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105, | 5.6 | 10 |
| 118 | Extended-Release Formulation and Medication Adherence. <i>Journal of General Internal Medicine</i> , 2020 , 35, 354-356 | 4 | О |
| 117 | Integration of Diabetes Technology in Clinical Practice. <i>Endocrinology and Metabolism Clinics of North America</i> , 2020 , 49, 69-77 | 5.5 | 3 |
| 116 | Diabetes digital app technology: benefits, challenges, and recommendations. A consensus report by the European Association for the Study of Diabetes (EASD) and the American Diabetes Association (ADA) Diabetes Technology Working Group. <i>Diabetologia</i> , 2020 , 63, 229-241 | 10.3 | 22 |
| 115 | Comprehensive Pulmonary Safety Review of Inhaled Technosphere Insulin in Patients with Diabetes Mellitus. <i>Clinical Drug Investigation</i> , 2020 , 40, 973-983 | 3.2 | 7 |
| 114 | Intensive Weight Loss Intervention and Cancer Risk in Adults with Type 2 Diabetes: Analysis of the Look AHEAD Randomized Clinical Trial. <i>Obesity</i> , 2020 , 28, 1678-1686 | 8 | 22 |
| 113 | Diabetic Ketoacidosis and Related Events With Sotagliflozin Added to Insulin in Adults With Type 1 Diabetes: A Pooled Analysis of the inTandem 1 and 2 Studies. <i>Diabetes Care</i> , 2020 , 43, 2713-2720 | 14.6 | 6 |
| 112 | The Affordable Care Act and Health Insurance Coverage Among People With Diagnosed and Undiagnosed Diabetes: Data From the National Health and Nutrition Examination Survey. <i>Diabetes Care</i> , 2019 , 42, e179-e180 | 14.6 | 6 |
| 111 | Improved Time in Range and Glycemic Variability With Sotagliflozin in Combination With Insulin in Adults With Type 1 Diabetes: A Pooled Analysis of 24-Week Continuous Glucose Monitoring Data From the inTandem Program. <i>Diabetes Care</i> , 2019 , 42, 919-930 | 14.6 | 37 |
| 110 | Baseline nocturnal glucose change: A predictor of the treatment effect of bolus intensification in insulin-treated type 2 diabetes. <i>Diabetes, Obesity and Metabolism</i> , 2019 , 21, 1752-1756 | 6.7 | 1 |
| 109 | International Consensus on Risk Management of Diabetic Ketoacidosis in Patients With Type 1 Diabetes Treated With Sodium-Glucose Cotransporter (SGLT) Inhibitors. <i>Diabetes Care</i> , 2019 , 42, 1147-1 | 1 11 46 | 138 |
| 108 | Weight Loss Experiences of African American, Hispanic, and Non-Hispanic White Men and Women with Type 2 Diabetes: The Look AHEAD Trial. <i>Obesity</i> , 2019 , 27, 1275-1284 | 8 | 9 |
| 107 | Dose-dependent glycometabolic effects of sotagliflozin on type 1 diabetes over 12 weeks: The inTandem4 trial. <i>Diabetes, Obesity and Metabolism</i> , 2019 , 21, 2440-2449 | 6.7 | 15 |
| 106 | Mifepristone Treatment in Four Cases of Primary Bilateral Macronodular Adrenal Hyperplasia (BMAH). <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 6279-6290 | 5.6 | 13 |
| 105 | Effectiveness and Safety of a Novel Care Model for the Management of Type 2 Diabetes at 1 Year: An Open-Label, Non-Randomized, Controlled Study. <i>Diabetes Therapy</i> , 2018 , 9, 583-612 | 3.6 | 173 |
| 104 | Dulaglutide treatment results in effective glycaemic control in latent autoimmune diabetes in adults (LADA): A post-hoc analysis of the AWARD-2, -4 and -5 Trials. <i>Diabetes, Obesity and Metabolism</i> , 2018 , 20, 1490-1498 | 6.7 | 24 |
| 103 | Diabetes Empowerment Council: Integrative Pilot Intervention for Transitioning Young Adults With Type 1 Diabetes. <i>Global Advances in Health and Medicine</i> , 2018 , 7, 2164956118761808 | 1.9 | 11 |

| 102 | Impact of Intensive Lifestyle Intervention on Disability-Free Life Expectancy: The Look AHEAD Study. <i>Diabetes Care</i> , 2018 , 41, 1040-1048 | 14.6 | 29 |
|-----|---|--------------------|-----|
| 101 | Physical Function Following a Long-Term Lifestyle Intervention Among Middle Aged and Older Adults With Type 2 Diabetes: The Look AHEAD Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2018 , 73, 1552-1559 | 6.4 | 20 |
| 100 | Strategy for Mitigating DKA Risk in Patients with Type 1 Diabetes on Adjunctive Treatment with SGLT Inhibitors: A STICH Protocol. <i>Diabetes Technology and Therapeutics</i> , 2018 , 20, 571-575 | 8.1 | 50 |
| 99 | Advances in Glucose Monitoring and Automated Insulin Delivery: Supplement to Endocrine Society Clinical Practice Guidelines. <i>Journal of the Endocrine Society</i> , 2018 , 2, 1214-1225 | 0.4 | 10 |
| 98 | Response to the comment on: "Dulaglutide treatment results in effective glycaemic control in latent autoimmune diabetes in adults (LADA): A post-hoc analysis of the AWARD-2, -4 and -5 trials". <i>Diabetes, Obesity and Metabolism</i> , 2018 , 20, 2319-2320 | 6.7 | |
| 97 | HbA and Hypoglycemia Reductions at 24 and 52 Weeks With Sotagliflozin in Combination With Insulin in Adults With Type 1 Diabetes: The European inTandem2 Study. <i>Diabetes Care</i> , 2018 , 41, 1981-1 | 9 140 6 | 95 |
| 96 | Sotagliflozin in Combination With Optimized Insulin Therapy in Adults With Type 1 Diabetes: The North American inTandem1 Study. <i>Diabetes Care</i> , 2018 , 41, 1970-1980 | 14.6 | 117 |
| 95 | Exercise management in type 1 diabetes: a consensus statement. <i>Lancet Diabetes and Endocrinology,the</i> , 2017 , 5, 377-390 | 18.1 | 391 |
| 94 | Resilient, Empowered, Active Living with Diabetes (REAL Diabetes) study: Methodology and baseline characteristics of a randomized controlled trial evaluating an occupation-based diabetes management intervention for young adults. <i>Contemporary Clinical Trials</i> , 2017 , 54, 8-17 | 2.3 | 11 |
| 93 | REPLACE-BG: A Randomized Trial Comparing Continuous Glucose Monitoring With and Without Routine Blood Glucose Monitoring in Adults With Well-Controlled Type 1 Diabetes. <i>Diabetes Care</i> , 2017 , 40, 538-545 | 14.6 | 152 |
| 92 | The Effect of Canagliflozin, a Sodium Glucose Cotransporter 2 Inhibitor, on Glycemic End Points Assessed by Continuous Glucose Monitoring and Patient-Reported Outcomes Among People With Type 1 Diabetes. <i>Diabetes Care</i> , 2017 , 40, 171-180 | 14.6 | 63 |
| 91 | Understanding bolus insulin dose timing: the characteristics and experiences of people with diabetes who take bolus insulin. <i>Current Medical Research and Opinion</i> , 2017 , 33, 639-645 | 2.5 | 13 |
| 90 | Clinical and Psychosocial Outcomes of a Structured Transition Program Among Young Adults With Type 1 Diabetes. <i>Journal of Adolescent Health</i> , 2017 , 60, 212-218 | 5.8 | 25 |
| 89 | Engagement and outcomes in a digital Diabetes Prevention Program: 3-year update. <i>BMJ Open Diabetes Research and Care</i> , 2017 , 5, e000422 | 4.5 | 44 |
| 88 | Effects of Sotagliflozin Added to Insulin in Patients with Type 1 Diabetes. <i>New England Journal of Medicine</i> , 2017 , 377, 2337-2348 | 59.2 | 224 |
| 87 | Objectively Assessed Physical Activity and Weight Loss Maintenance among Individuals Enrolled in a Lifestyle Intervention. <i>Obesity</i> , 2017 , 25, 1903-1909 | 8 | 23 |
| 86 | Standardizing Clinically Meaningful Outcome Measures Beyond HbA for Type 1 Diabetes: A Consensus Report of the American Association of Clinical Endocrinologists, the American Association of Diabetes Educators, the American Diabetes Association, the Endocrine Society, JDRF | 14.6 | 196 |
| 85 | International, The Leona M. and Harry B. Helmsley Charitable Trust, the Pediatric Endocrine Society, A Practical Approach to Using Trend Arrows on the Dexcom G5 CGM System for the Management of Adults With Diabetes. <i>Journal of the Endocrine Society</i> , 2017 , 1, 1445-1460 | 0.4 | 60 |

 8_4 Therapy of Type 1 Diabetes Mellitus **2017**, 1-24

| 83 | Four-Year Physical Activity Levels among Intervention Participants with Type 2 Diabetes. <i>Medicine and Science in Sports and Exercise</i> , 2016 , 48, 2437-2445 | 1.2 | 21 |
|----------------|--|------|-----|
| 82 | Diabetes distress in adults with type 1 diabetes: Prevalence, incidence and change over time. <i>Journal of Diabetes and Its Complications</i> , 2016 , 30, 1123-8 | 3.2 | 81 |
| 81 | Diabetic Ketoacidosis With Canagliflozin, a Sodium-Glucose Cotransporter 2 Inhibitor, in Patients With Type 1 Diabetes. <i>Diabetes Care</i> , 2016 , 39, 532-8 | 14.6 | 69 |
| 80 | Risk Factors Associated With Severe Hypoglycemia in Older Adults With Type 1 Diabetes. <i>Diabetes Care</i> , 2016 , 39, 603-10 | 14.6 | 90 |
| 79 | Clinical and Economic Impact of a Digital, Remotely-Delivered Intensive Behavioral Counseling Program on Medicare Beneficiaries at Risk for Diabetes and Cardiovascular Disease. <i>PLoS ONE</i> , 2016 , 11, e0163627 | 3.7 | 24 |
| 78 | AuthorsRreply to Bosco-Lūy and Salvo. <i>BMJ, The</i> , 2016 , 354, i4330 | 5.9 | |
| 77 | Characteristics of youth with type 1 diabetes (T1D) with and without a parent with T1D in the T1D exchange clinic registry. <i>Journal of Diabetes</i> , 2016 , 8, 834-838 | 3.8 | 4 |
| 76 | The relationship of social support with treatment adherence and weight loss in Latinos with type 2 diabetes. <i>Obesity</i> , 2016 , 24, 568-75 | 8 | 29 |
| 75 | Increasing Patient Acceptance and Adherence Toward Insulin. <i>Postgraduate Medicine</i> , 2016 , 128 Suppl 1, 11-20 | 3.7 | O |
| 74 | Hypoglycemia in Older Adults with Type 1 Diabetes. <i>Diabetes Technology and Therapeutics</i> , 2016 , 18, 765-771 | 8.1 | 23 |
| 73 | The Impact of Real-Time Continuous Glucose Monitoring in Patients 65 Years and Older. <i>Journal of Diabetes Science and Technology</i> , 2016 , 10, 892-7 | 4.1 | 32 |
| 7 ² | Diabetes Technology-Continuous Subcutaneous Insulin Infusion Therapy and Continuous Glucose Monitoring in Adults: An Endocrine Society Clinical Practice Guideline. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016 , 101, 3922-3937 | 5.6 | 124 |
| 71 | Euglycemic Diabetic Ketoacidosis: A Potential Complication of Treatment With Sodium-Glucose Cotransporter 2 Inhibition. <i>Diabetes Care</i> , 2015 , 38, 1687-93 | 14.6 | 499 |
| 70 | Diabetes and Cardiovascular Disease Risk Factors as Influenced by Race and Ethnic Background. <i>Current Cardiovascular Risk Reports</i> , 2015 , 9, 1 | 0.9 | 1 |
| 69 | Insulin pump risks and benefits: a clinical appraisal of pump safety standards, adverse event reporting and research needs. A joint statement of the European Association for the Study of Diabetes and the American Diabetes Association Diabetes Technology Working Group. <i>Diabetologia</i> | 10.3 | 44 |
| 68 | Patient perspectives on peer mentoring: type 1 diabetes management in adolescents and young adults. <i>The Diabetes Educator</i> , 2015 , 41, 59-68 | 2.5 | 20 |
| 67 | Letß Empower and Prepare (LEAP): Evaluation of a Structured Transition Program for Young Adults With Type 1 Diabetes. <i>Diabetes Care</i> , 2015 , 38, 1412-9 | 14.6 | 59 |

| 66 | Understanding the sources of diabetes distress in adults with type 1 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2015 , 29, 572-7 | 3.2 | 169 |
|----|---|-------------------|------|
| 65 | Insulin pump risks and benefits: a clinical appraisal of pump safety standards, adverse event reporting, and research needs: a joint statement of the European Association for the Study of Diabetes and the American Diabetes Association Diabetes Technology Working Group. <i>Diabetes</i> | 14.6 | 60 |
| 64 | Management of hyperglycemia in type 2 diabetes, 2015: a patient-centered approach: update to a position statement of the American Diabetes Association and the European Association for the Study of Diabetes. <i>Diabetes Care</i> , 2015 , 38, 140-9 | 14.6 | 1906 |
| 63 | BIOSIMILARS AND NEW INSULIN VERSIONS. <i>Endocrine Practice</i> , 2015 , 21, 1387-94 | 3.2 | 14 |
| 62 | Association between use of warfarin with common sulfonylureas and serious hypoglycemic events: retrospective cohort analysis. <i>BMJ, The</i> , 2015 , 351, h6223 | 5.9 | 18 |
| 61 | Initiation of human regular U-500 insulin use is associated with improved glycemic control: a real-world US cohort study. <i>BMJ Open Diabetes Research and Care</i> , 2015 , 3, e000074 | 4.5 | 18 |
| 60 | Management of hyperglycaemia in type 2 diabetes, 2015: a patient-centred approach. Update to a position statement of the American Diabetes Association and the European Association for the Study of Diabetes. <i>Diabetologia</i> , 2015 , 58, 429-42 | 10.3 | 496 |
| 59 | Primary care medical home experience and health-related quality of life among adult medicaid patients with type 2 diabetes. <i>Journal of General Internal Medicine</i> , 2015 , 30, 161-8 | 4 | 14 |
| 58 | Prevalence of detectable C-Peptide according to age at diagnosis and duration of type 1 diabetes. <i>Diabetes Care</i> , 2015 , 38, 476-81 | 14.6 | 132 |
| 57 | Long-term outcomes of a Web-based diabetes prevention program: 2-year results of a single-arm longitudinal study. <i>Journal of Medical Internet Research</i> , 2015 , 17, e92 | 7.6 | 117 |
| 56 | Response to comment on Wong et al. Real-time continuous glucose monitoring among participants in the T1D exchange clinic registry. Diabetes Care 2014;37:2702-2709. <i>Diabetes Care</i> , 2015 , 38, e61 | 14.6 | O |
| 55 | Durability of glycemic control with insulin lispro mix 75/25 versus insulin glargine for older patients with type 2 diabetes. <i>Aging Clinical and Experimental Research</i> , 2014 , 26, 115-21 | 4.8 | 7 |
| 54 | Translating the Diabetes Prevention Program into an Online Social Network: Validation against CDC Standards. <i>The Diabetes Educator</i> , 2014 , 40, 435-443 | 2.5 | 81 |
| 53 | Impact of intensive lifestyle intervention on depression and health-related quality of life in type 2 diabetes: the Look AHEAD Trial. <i>Diabetes Care</i> , 2014 , 37, 1544-53 | 14.6 | 129 |
| 52 | Diabetes Empowerment Council (DEC): Development and Pilot Testing of an Innovative Mind-Body Group Intervention for Young Adults with Type 1 Diabetes. <i>Journal of Alternative and Complementary Medicine</i> , 2014 , 20, A69-A69 | 2.4 | 3 |
| 51 | Impact of an intensive lifestyle intervention on use and cost of medical services among overweight and obese adults with type 2 diabetes: the action for health in diabetes. <i>Diabetes Care</i> , 2014 , 37, 2548- | 56 ^{4.6} | 123 |
| 50 | "We are all gonna get diabetic these days": the impact of a living legacy of type 2 diabetes on Hispanic young adultsRdiabetes care. <i>The Diabetes Educator</i> , 2014 , 40, 648-58 | 2.5 | 14 |
| 49 | Real-time continuous glucose monitoring among participants in the T1D Exchange clinic registry. <i>Diabetes Care</i> , 2014 , 37, 2702-9 | 14.6 | 232 |

| 48 | Trial to examine text message-based mHealth in emergency department patients with diabetes (TExT-MED): a randomized controlled trial. <i>Annals of Emergency Medicine</i> , 2014 , 63, 745-54.e6 | 2.1 | 156 |
|----|--|------|------|
| 47 | Healthcare costs and adherence associated with human regular U-500 versus high-dose U-100 insulin in patients with diabetes. <i>Endocrine Practice</i> , 2014 , 20, 663-70 | 3.2 | 25 |
| 46 | Depression in adults in the T1D Exchange Clinic Registry. <i>Diabetes Care</i> , 2014 , 37, 1563-72 | 14.6 | 55 |
| 45 | Type 1 diabetes through the life span: a position statement of the American Diabetes Association. <i>Diabetes Care</i> , 2014 , 37, 2034-54 | 14.6 | 547 |
| 44 | Do experiences consistent with a medical-home model improve diabetes care measures reported by adult Medicaid patients?. <i>Diabetes Care</i> , 2014 , 37, 2565-71 | 14.6 | 15 |
| 43 | The Look AHEAD Trial: bone loss at 4-year follow-up in type 2 diabetes. <i>Diabetes Care</i> , 2014 , 37, 2822-9 | 14.6 | 24 |
| 42 | GLP-1 provoked severe hypoglycemia in an individual with type 2 diabetes and a benign insulinoma. <i>Diabetes Care</i> , 2014 , 37, e177-8 | 14.6 | 7 |
| 41 | Cardiovascular health: associations with race-ethnicity, nativity, and education in a diverse, population-based sample of Californians. <i>Annals of Epidemiology</i> , 2013 , 23, 388-94 | 6.4 | 20 |
| 40 | Cost, healthcare resource utilization, and adherence of individuals with diabetes using U-500 or U-100 insulin: a retrospective database analysis. <i>Journal of Medical Economics</i> , 2013 , 16, 529-38 | 2.4 | 28 |
| 39 | Severe hypoglycemia and diabetic ketoacidosis in adults with type 1 diabetes: results from the T1D Exchange clinic registry. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 3411-9 | 5.6 | 211 |
| 38 | Cardiovascular effects of intensive lifestyle intervention in type 2 diabetes. <i>New England Journal of Medicine</i> , 2013 , 369, 145-54 | 59.2 | 1738 |
| 37 | Intensive weight loss intervention in older individuals: results from the Action for Health in Diabetes Type 2 diabetes mellitus trial. <i>Journal of the American Geriatrics Society</i> , 2013 , 61, 912-22 | 5.6 | 33 |
| 36 | Continuous glucose monitoring pilot in low-income type 1 diabetes patients. <i>Diabetes Technology and Therapeutics</i> , 2013 , 15, 855-8 | 8.1 | 22 |
| 35 | Recommendations for standardizing glucose reporting and analysis to optimize clinical decision making in diabetes: the ambulatory glucose profile. <i>Journal of Diabetes Science and Technology</i> , 2013 , 7, 562-78 | 4.1 | 81 |
| 34 | Immigration disparities in cardiovascular disease risk factor awareness. <i>Journal of Immigrant and Minority Health</i> , 2012 , 14, 918-25 | 2.2 | 31 |
| 33 | Exenatide therapy and the risk of pancreatitis and pancreatic cancer in a privately insured population. <i>Diabetes Technology and Therapeutics</i> , 2012 , 14, 904-11 | 8.1 | 64 |
| 32 | Trends in diabetes-related visits to US EDs from 1997 to 2007. <i>American Journal of Emergency Medicine</i> , 2012 , 30, 754-8 | 2.9 | 11 |
| 31 | Management of hyperglycemia in type 2 diabetes: a patient-centered approach: position statement of the American Diabetes Association (ADA) and the European Association for the Study of Diabetes (EASD). <i>Diabetes Care</i> , 2012 , 35, 1364-79 | 14.6 | 2713 |

| 30 | Effect of 1 year of an intentional weight loss intervention on bone mineral density in type 2 diabetes: results from the Look AHEAD randomized trial. <i>Journal of Bone and Mineral Research</i> , 2012 , 27, 619-27 | 6.3 | 58 |
|----|---|------------------|------|
| 29 | The role of farmersRmarkets in two low income, urban communities. <i>Journal of Community Health</i> , 2012 , 37, 554-62 | 4 | 57 |
| 28 | Intensification of insulin therapy in patients with type 2 diabetes mellitus: an algorithm for basal-bolus therapy. <i>Annals of Medicine</i> , 2012 , 44, 836-46 | 1.5 | 22 |
| 27 | A mobile health intervention for inner city patients with poorly controlled diabetes: proof-of-concept of the TExT-MED program. <i>Diabetes Technology and Therapeutics</i> , 2012 , 14, 492-6 | 8.1 | 106 |
| 26 | Managing diabetes in the middle-aged patient when loss of glycemic control occurs. <i>The Diabetes Educator</i> , 2012 , 38, 13S-21S; quiz 22S | 2.5 | |
| 25 | Diabetes management for low-income patients in Los Angeles: two strategies improved disease control in the short term. <i>Health Affairs</i> , 2012 , 31, 168-76 | 7 | 11 |
| 24 | Diabetes care for emerging adults: recommendations for transition from pediatric to adult diabetes care systems: a position statement of the American Diabetes Association, with representation by the American College of Osteopathic Family Physicians, the American Academy of Pediatrics, the American Association of Clinical Endocrinologists, the American Osteopathic | 14.6 | 373 |
| 23 | Beyond the monofilament for the insensate diabetic foot: a systematic review of randomized trials to prevent the occurrence of plantar foot ulcers in patients with diabetes. <i>Diabetes Care</i> , 2011 , 34, 1041 | 1 4.6 | 40 |
| 22 | Benefits of modest weight loss in improving cardiovascular risk factors in overweight and obese individuals with type 2 diabetes. <i>Diabetes Care</i> , 2011 , 34, 1481-6 | 14.6 | 1014 |
| 21 | Incretin-based therapies: review of current clinical trial data. <i>American Journal of Medicine</i> , 2010 , 123, S28-37 | 2.4 | 88 |
| 20 | Therapy of Type 1 Diabetes Mellitus 2010 , 709-729 | | |
| 19 | Clinical and behavioral correlates of achieving and maintaining glycemic targets in an underserved population with type 2 diabetes. <i>Diabetes Care</i> , 2009 , 32, 54-6 | 14.6 | 17 |
| 18 | Re-emergence of another vaccine-preventable disease?-Two cases of rubella in older adults. Journal of Clinical Virology, 2009 , 46, 98-100 | 14.5 | 4 |
| 17 | Patient and treatment perspectives: Revisiting the link between type 2 diabetes, weight gain, and cardiovascular risk. <i>Cleveland Clinic Journal of Medicine</i> , 2009 , 76 Suppl 5, S20-7 | 2.8 | 19 |
| 16 | Male anorgasmia treated with oxytocin. Journal of Sexual Medicine, 2008, 5, 1022-1024 | 1.1 | 57 |
| 15 | Clinical application of emerging sensor technologies in diabetes management: consensus guidelines for continuous glucose monitoring (CGM). <i>Diabetes Technology and Therapeutics</i> , 2008 , 10, 232-44; quiz 245-6 | 8.1 | 101 |
| 14 | Reduction in weight and cardiovascular disease risk factors in individuals with type 2 diabetes: one-year results of the look AHEAD trial. <i>Diabetes Care</i> , 2007 , 30, 1374-83 | 14.6 | 1154 |
| 13 | Case study 2: new insights: clinical pearls for using incretin mimetics in type 2 diabetes. <i>The Diabetes Educator</i> , 2007 , 33 Suppl 1, 14S-19S | 2.5 | 2 |

LIST OF PUBLICATIONS

| 12 | Food and park environments: neighborhood-level risks for childhood obesity in east Los Angeles. Journal of Adolescent Health, 2007 , 40, 325-33 | 5.8 | 126 |
|----|--|------|-----|
| 11 | Short and longer term outcomes of a diabetes disease management program in underserved Latino patients. <i>Current Medical Research and Opinion</i> , 2005 , 21, 1935-41 | 2.5 | 5 |
| 10 | Considerations for treating dyslipidemia in special diabetic populations. <i>Diabetes/Metabolism Research and Reviews</i> , 2002 , 18, 88-95 | 7.5 | O |
| 9 | Treating diabetes: cardiovascular benefits of antidiabetes drugs. <i>American Journal of Managed Care</i> , 2002 , 8, S219-28; quiz S229-32 | 2.1 | 3 |
| 8 | Diabetes Disease Management: Past, Present, and Future 2001 , 11, 86-93 | | 2 |
| 7 | Diagnosing diabetes in 2000. Current Opinion in Endocrinology, Diabetes and Obesity, 2000, 7, 31-37 | | |
| 6 | Diagnosing diabetes in 2000. Current Opinion in Endocrinology, Diabetes and Obesity, 2000, 7, 31-37 | | 2 |
| 5 | Revisiting the oral glucose tolerance test criterion for the diagnosis of diabetes. <i>Journal of General Internal Medicine</i> , 2000 , 15, 551-5 | 4 | 61 |
| 4 | Relationship between fasting plasma glucose and glycosylated hemoglobin: potential for false-positive diagnoses of type 2 diabetes using new diagnostic criteria. <i>JAMA - Journal of the American Medical Association</i> , 1999 , 281, 1203-10 | 27.4 | 125 |
| 3 | Antihypertensive agents in diabetic patients: great benefits, special risks. <i>Archives of Internal Medicine</i> , 1999 , 159, 541-2 | | 3 |
| 2 | An overview of metformin in the treatment of type 2 diabetes mellitus. <i>American Journal of Medicine</i> , 1997 , 102, 99-110 | 2.4 | 184 |
| 1 | Death and medicine: a personal account. <i>American Journal of Medicine</i> , 1990 , 89, 81-2 | 2.4 | 2 |