

# Julien Jardin

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7430093/publications.pdf>

Version: 2024-02-01

92  
papers

3,708  
citations

101384

36  
h-index

143772

57  
g-index

92  
all docs

92  
docs citations

92  
times ranked

3699  
citing authors

#	ARTICLE	IF	CITATIONS
1	Simulated dynamic digestion reveals different peptide releases from human milk processed by means of holder or high temperature-short time pasteurization. <i>Food Chemistry</i> , 2022, 369, 130998.	4.2	4
2	Protein structure in model infant milk formulas impacts their kinetics of hydrolysis under in vitro dynamic digestion. <i>Food Hydrocolloids</i> , 2022, 126, 107368.	5.6	20
3	The stressing life of <i>Lactobacillus delbrueckii</i> subsp. <i>bulgaricus</i> in soy milk. <i>Food Microbiology</i> , 2022, 106, 104042.	2.1	16
4	Environmental Conditions Modulate the Protein Content and Immunomodulatory Activity of Extracellular Vesicles Produced by the Probiotic <i>Propionibacterium freudenreichii</i> . <i>Applied and Environmental Microbiology</i> , 2021, 87, .	1.4	8
5	Identification of New Antimicrobial Peptides that Contribute to the Bactericidal Activity of Egg White against <i>Salmonella enterica</i> Serovar <i>Enteritidis</i> at 45 °C. <i>Journal of Agricultural and Food Chemistry</i> , 2021, 69, 2118-2128.	2.4	2
6	In vitro dynamic digestion of model infant formulae containing lactoferrin and medium chain triacylglycerols. <i>Food Hydrocolloids</i> , 2021, 118, 106787.	5.6	10
7	Statistical modeling of in vitro pepsin specificity. <i>Food Chemistry</i> , 2021, 362, 130098.	4.2	9
8	Positive Interactions Between Lactic Acid Bacteria Could Be Mediated by Peptides Containing Branched-Chain Amino Acids. <i>Frontiers in Microbiology</i> , 2021, 12, 793136.	1.5	1
9	Data from a proteomic analysis highlight different osmoadaptations in two strain of <i>Propionibacterium freudenreichii</i> . <i>Data in Brief</i> , 2020, 28, 104932.	0.5	2
10	The Influence of Peptidases in Intestinal Brush Border Membranes on the Absorption of Oligopeptides from Whey Protein Hydrolysate: An Ex Vivo Study Using an Ussing Chamber. <i>Foods</i> , 2020, 9, 1415.	1.9	39
11	Human gastrointestinal conditions affect in vitro digestibility of peanut and bread proteins. <i>Food and Function</i> , 2020, 11, 6921-6932.	2.1	13
12	Extracellular Vesicles Produced by the Probiotic <i>Propionibacterium freudenreichii</i> CIRM-BIA 129 Mitigate Inflammation by Modulating the NF- $\kappa$ B Pathway. <i>Frontiers in Microbiology</i> , 2020, 11, 1544.	1.5	45
13	Differential Adaptation of <i>Propionibacterium freudenreichii</i> CIRM-BIA129 to Cow's Milk Versus Soymilk Environments Modulates Its Stress Tolerance and Proteome. <i>Frontiers in Microbiology</i> , 2020, 11, 549027.	1.5	11
14	Effect of protein aggregation in wheat-legume mixed pasta diets on their in vitro digestion kinetics in comparison to rapid and slow animal proteins. <i>PLoS ONE</i> , 2020, 15, e0232425.	1.1	12
15	Extracellular vesicles produced by human and animal <i>Staphylococcus aureus</i> strains share a highly conserved core proteome. <i>Scientific Reports</i> , 2020, 10, 8467.	1.6	45
16	Gastrointestinal digestion enhances the endothelium-dependent vasodilation of a whey hydrolysate in rat aortic rings. <i>Food Research International</i> , 2020, 133, 109188.	2.9	3
17	Antifungal activity of fermented dairy ingredients: Identification of antifungal compounds. <i>International Journal of Food Microbiology</i> , 2020, 322, 108574.	2.1	36
18	The pattern of peptides released from dairy and egg proteins is highly dependent on the simulated digestion scenario. <i>Food and Function</i> , 2020, 11, 5240-5256.	2.1	21

#	ARTICLE	IF	CITATIONS
19	Propionibacterium freudenreichii CIRM-BIA 129 Osmoadaptation Coupled to Acid-Adaptation Increases Its Viability During Freeze-Drying. <i>Frontiers in Microbiology</i> , 2019, 10, 2324.	1.5	15
20	Benefits and drawbacks of osmotic adjustment in <i>Propionibacterium freudenreichii</i> . <i>Journal of Proteomics</i> , 2019, 204, 103400.	1.2	14
21	Antilisterial activity of dromedary lactoferrin peptic hydrolysates. <i>Journal of Dairy Science</i> , 2019, 102, 4844-4856.	1.4	13
22	Report on EFSA project OC/EFSA/GMO/2017/01 "In vitro protein digestibility" (Allergestion). EFSA Supporting Publications, 2019, 16, 1765E.	0.3	10
23	Impact of human milk pasteurization on the kinetics of peptide release during in vitro dynamic digestion at the preterm newborn stage. <i>Food Chemistry</i> , 2019, 281, 294-303.	4.2	36
24	A mixture of milk and vegetable lipids in infant formula changes gut digestion, mucosal immunity and microbiota composition in neonatal piglets. <i>European Journal of Nutrition</i> , 2018, 57, 463-476.	1.8	53
25	<i>Staphylococcus aureus</i> Extracellular Vesicles Elicit an Immunostimulatory Response in vivo on the Murine Mammary Gland. <i>Frontiers in Cellular and Infection Microbiology</i> , 2018, 8, 277.	1.8	54
26	Growth in Hyper-Concentrated Sweet Whey Triggers Multi Stress Tolerance and Spray Drying Survival in <i>Lactobacillus casei</i> BL23: From the Molecular Basis to New Perspectives for Sustainable Probiotic Production. <i>Frontiers in Microbiology</i> , 2018, 9, 2548.	1.5	30
27	Casesidin-like anti-bacterial peptides in peptic hydrolysate of camel milk $\beta$ -casein. <i>International Dairy Journal</i> , 2018, 86, 49-56.	1.5	14
28	Mutation of the Surface Layer Protein SlpB Has Pleiotropic Effects in the Probiotic <i>Propionibacterium freudenreichii</i> CIRM-BIA 129. <i>Frontiers in Microbiology</i> , 2018, 9, 1807.	1.5	10
29	The food matrix affects the anthocyanin profile of fortified egg and dairy matrices during processing and in vitro digestion. <i>Food Chemistry</i> , 2017, 214, 486-496.	4.2	50
30	Physico-chemical characterization of dairy gel obtained by a proteolytic extract from <i>Calotropis procera</i> "A comparison with chymosin. <i>Food Chemistry</i> , 2017, 232, 405-412.	4.2	6
31	Identification of proteins involved in the anti-inflammatory properties of <i>Propionibacterium freudenreichii</i> by means of a multi-strain study. <i>Scientific Reports</i> , 2017, 7, 46409.	1.6	57
32	Ser2 from <i>Serratia liquefaciens</i> L53: A new heat stable protease able to destabilize UHT milk during its storage. <i>Food Chemistry</i> , 2017, 229, 104-110.	4.2	18
33	Proteolysis of casein micelles by heat-stable protease secreted by <i>Serratia liquefaciens</i> leads to the destabilisation of UHT milk during its storage. <i>International Dairy Journal</i> , 2017, 68, 38-45.	1.5	16
34	Proteomic profiling of camel and cow milk proteins under heat treatment. <i>Food Chemistry</i> , 2017, 216, 161-169.	4.2	73
35	<i>Propionibacterium freudenreichii</i> Surface Protein SlpB Is Involved in Adhesion to Intestinal HT-29 Cells. <i>Frontiers in Microbiology</i> , 2017, 8, 1033.	1.5	45
36	Contribution of sortase SrtA2 to <i>Lactobacillus casei</i> BL23 inhibition of <i>Staphylococcus aureus</i> internalization into bovine mammary epithelial cells. <i>PLoS ONE</i> , 2017, 12, e0174060.	1.1	14

#	ARTICLE	IF	CITATIONS
37	Hyperconcentrated Sweet Whey, a New Culture Medium That Enhances <i>Propionibacterium freudenreichii</i> Stress Tolerance. <i>Applied and Environmental Microbiology</i> , 2016, 82, 4641-4651.	1.4	63
38	Investigating the impact of egg white gel structure on peptide kinetics profile during in vitro digestion. <i>Food Research International</i> , 2016, 88, 302-309.	2.9	31
39	Impact of human milk pasteurization on the kinetics of peptide release during in vitro dynamic term newborn digestion. <i>Electrophoresis</i> , 2016, 37, 1839-1850.	1.3	23
40	The structural properties of egg white gels impact the extent of in vitro protein digestion and the nature of peptides generated. <i>Food Hydrocolloids</i> , 2016, 54, 315-327.	5.6	91
41	Identification of bioactive peptides derived from caseins, glycosylation-dependent cell adhesion molecule-1 (GlyCAM-1), and peptidoglycan recognition protein-1 (PGRP-1) in fermented camel milk. <i>International Dairy Journal</i> , 2016, 56, 159-168.	1.5	30
42	Spatial Distribution of <i>Lactococcus lactis</i> Colonies Modulates the Production of Major Metabolites during the Ripening of a Model Cheese. <i>Applied and Environmental Microbiology</i> , 2016, 82, 202-210.	1.4	17
43	Preparation and characterisation of a milk polar lipids enriched ingredient from fresh industrial liquid butter serum: Combination of physico-chemical modifications and technological treatments. <i>International Dairy Journal</i> , 2016, 52, 26-34.	1.5	44
44	Emmental Cheese Environment Enhances <i>Propionibacterium freudenreichii</i> Stress Tolerance. <i>PLoS ONE</i> , 2015, 10, e0135780.	1.1	37
45	Phenol-soluble modulins induce G2/M phase transition delay in eukaryotic HeLa cells. <i>FASEB Journal</i> , 2015, 29, 1950-1959.	0.2	29
46	$\beta$ -Casein(94-123)-derived peptides differently modulate production of mucins in intestinal goblet cells. <i>Journal of Dairy Research</i> , 2015, 82, 36-46.	0.7	39
47	Proteolysis of milk proteins by AprX, an extracellular protease identified in <i>Pseudomonas</i> LBSA1 isolated from bulk raw milk, and implications for the stability of UHT milk. <i>International Dairy Journal</i> , 2015, 49, 78-88.	1.5	64
48	Single-strain starter experimental cheese reveals anti-inflammatory effect of <i>Propionibacterium freudenreichii</i> CIRM BIA 129 in TNBS-colitis model. <i>Journal of Functional Foods</i> , 2015, 18, 575-585.	1.6	47
49	Surface proteins of <i>Propionibacterium freudenreichii</i> are involved in its anti-inflammatory properties. <i>Journal of Proteomics</i> , 2015, 113, 447-461.	1.2	97
50	Fine-tuned characterization of <i>Staphylococcus aureus</i> Newbould 305, a strain associated with mild and chronic mastitis in bovines. <i>Veterinary Research</i> , 2014, 45, 106.	1.1	34
51	Ovotransferrin Plays a Major Role in the Strong Bactericidal Effect of Egg White against the <i>Bacillus cereus</i> Group. <i>Journal of Food Protection</i> , 2014, 77, 955-962.	0.8	29
52	Data from an integrative approach decipher the surface proteome of <i>Propionibacterium freudenreichii</i> . <i>Data in Brief</i> , 2014, 1, 46-50.	0.5	2
53	The naturally competent strain <i>Streptococcus thermophilus</i> LMD-9 as a new tool to anchor heterologous proteins on the cell surface. <i>Microbial Cell Factories</i> , 2014, 13, 82.	1.9	19
54	Use of a free form of the <i>Streptococcus thermophilus</i> cell envelope protease PrtS as a tool to produce bioactive peptides. <i>International Dairy Journal</i> , 2014, 38, 104-115.	1.5	30

#	ARTICLE	IF	CITATIONS
55	Effect of digestive enzymes on antimicrobial, radical scavenging and angiotensin I-converting enzyme inhibitory activities of camel colostrum and milk proteins. <i>Dairy Science and Technology</i> , 2014, 94, 205-224.	2.2	59
56	Serological proteome analysis of <i>Corynebacterium pseudotuberculosis</i> isolated from different hosts reveals novel candidates for prophylactics to control caseous lymphadenitis. <i>Veterinary Microbiology</i> , 2014, 174, 255-260.	0.8	13
57	Investigating the impact of ovalbumin aggregate morphology on in vitro ovalbumin digestion using label-free quantitative peptidomics and multivariate data analysis. <i>Food Research International</i> , 2014, 63, 192-202.	2.9	23
58	Tracking the in vivo release of bioactive peptides in the gut during digestion: Mass spectrometry peptidomic characterization of effluents collected in the gut of dairy matrix fed mini-pigs. <i>Food Research International</i> , 2014, 63, 147-156.	2.9	95
59	The extent of ovalbumin in vitro digestion and the nature of generated peptides are modulated by the morphology of protein aggregates. <i>Food Chemistry</i> , 2014, 157, 429-438.	4.2	78
60	Sequential release of milk protein-derived bioactive peptides in the jejunum in healthy humans. <i>American Journal of Clinical Nutrition</i> , 2013, 97, 1314-1323.	2.2	242
61	Structural consequences of dry heating on alpha-lactalbumin and beta-lactoglobulin at pH 6.5. <i>Food Research International</i> , 2013, 51, 899-906.	2.9	20
62	Proteolysis of ultra high temperature-treated casein micelles by AprX enzyme from <i>Pseudomonas fluorescens</i> F induces their destabilisation. <i>International Dairy Journal</i> , 2013, 31, 55-61.	1.5	52
63	Hydrolysis of milk-derived bioactive peptides by cell-associated extracellular peptidases of <i>Streptococcus thermophilus</i> . <i>Applied Microbiology and Biotechnology</i> , 2013, 97, 9787-9799.	1.7	28
64	<i>Staphylococcus aureus</i> proteins differentially produced in ewe gangrenous mastitis or ewe milk. <i>Veterinary Microbiology</i> , 2013, 164, 150-157.	0.8	5
65	<i>Lactobacillus helveticus</i> as a tool to change proteolysis and functionality in Swiss-type cheeses. <i>Journal of Dairy Science</i> , 2013, 96, 1455-1470.	1.4	39
66	Quantitative and qualitative variability of the caseinolytic potential of different strains of <i>Pseudomonas fluorescens</i> : Implications for the stability of casein micelles of UHT milks during their storage. <i>Food Chemistry</i> , 2012, 135, 2593-2603.	4.2	37
67	<i>In vivo</i> digestion of infant formula in piglets: protein digestion kinetics and release of bioactive peptides. <i>British Journal of Nutrition</i> , 2012, 108, 2105-2114.	1.2	79
68	A Temporal -omic Study of <i>Propionibacterium freudenreichii</i> CIRM-BIA1T Adaptation Strategies in Conditions Mimicking Cheese Ripening in the Cold. <i>PLoS ONE</i> , 2012, 7, e29083.	1.1	26
69	Quantitative proteomic analysis of bacterial enzymes released in cheese during ripening. <i>International Journal of Food Microbiology</i> , 2012, 155, 19-28.	2.1	47
70	<i>Staphylococcus aureus</i> proteins differentially recognized by the ovine immune response in mastitis or nasal carriage. <i>Veterinary Microbiology</i> , 2012, 157, 439-447.	0.8	7
71	Uncommonly Thorough Hydrolysis of Peptides during Ripening of Ragusano Cheese Revealed by Tandem Mass Spectrometry. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 12443-12452.	2.4	27
72	Human Dystrophin Rod 11-15 Sub-Domain: A Membrane Interacting Zone Modulated by Lipid Packing. <i>Biophysical Journal</i> , 2011, 100, 508a.	0.2	0

#	ARTICLE	IF	CITATIONS
73	Succinimidyl Residue Formation in Hen Egg-White Lysozyme Favors the Formation of Intermolecular Covalent Bonds without Affecting Its Tertiary Structure. <i>Biomacromolecules</i> , 2011, 12, 156-166.	2.6	36
74	<i>Staphylococcus aureus</i> seroproteomes discriminate ruminant isolates causing mild or severe mastitis. <i>Veterinary Research</i> , 2011, 42, 35.	1.1	43
75	Proteolysis of casein micelles by <i>Pseudomonas fluorescens</i> CNRZ 798 contributes to the destabilisation of UHT milk during its storage. <i>Dairy Science and Technology</i> , 2011, 91, 413-429.	2.2	39
76	Spectrin-like Repeats 11-15 of Human Dystrophin Show Adaptations to a Lipidic Environment. <i>Journal of Biological Chemistry</i> , 2011, 286, 30481-30491.	1.6	27
77	Simultaneous Presence of PrtH and PrtH2 Proteinases in <i>Lactobacillus helveticus</i> Strains Improves Breakdown of the Pure $\kappa$ -Casein. <i>Applied and Environmental Microbiology</i> , 2011, 77, 179-186.	1.4	60
78	Molecular Basis of Virulence in <i>Staphylococcus aureus</i> Mastitis. <i>PLoS ONE</i> , 2011, 6, e27354.	1.1	77
79	Heat Treatment of Milk During Powder Manufacture Increases Casein Resistance to Simulated Infant Digestion. <i>Food Digestion</i> , 2010, 1, 28-39.	0.9	38
80	Comparative resistance of food proteins to adult and infant <i>in vitro</i> digestion models. <i>Molecular Nutrition and Food Research</i> , 2010, 54, 767-780.	1.5	196
81	Food processing increases casein resistance to simulated infant digestion. <i>Molecular Nutrition and Food Research</i> , 2010, 54, 1677-1689.	1.5	131
82	Identification of a Secreted Lipolytic Esterase in <i>Propionibacterium freudenreichii</i> , a Ripening Process Bacterium Involved in Emmental Cheese Lipolysis. <i>Applied and Environmental Microbiology</i> , 2010, 76, 1181-1188.	1.4	27
83	The Complete Genome of <i>Propionibacterium freudenreichii</i> CIRM-BIA1T, a Hardy Actinobacterium with Food and Probiotic Applications. <i>PLoS ONE</i> , 2010, 5, e11748.	1.1	177
84	Phosphorylation and Coordination Bond of Mineral Inhibit the Hydrolysis of the $\kappa$ -Casein (1-25) Peptide by Intestinal Brush-Border Membrane Enzymes. <i>Journal of Agricultural and Food Chemistry</i> , 2010, 58, 7955-7961.	2.4	25
85	Development and Application of a $\lambda$ -Based Counterselective Gene Replacement System for the Study of the S-Layer Protein SlpX of <i>Lactobacillus acidophilus</i> NCFM. <i>Applied and Environmental Microbiology</i> , 2009, 75, 3093-3105.	1.4	141
86	Copper modulates the heat-induced sulfhydryl/disulfide interchange reactions of $\beta$ -Lactoglobulin. <i>Food Chemistry</i> , 2009, 116, 884-891.	4.2	24
87	Comparison of electrospray and matrix-assisted laser desorption ionization on the same hybrid quadrupole time-of-flight tandem mass spectrometer. <i>Journal of Chromatography A</i> , 2009, 1216, 2424-2432.	1.8	27
88	A chromatographic procedure for semi-quantitative evaluation of caseinphosphopeptides in cheese. <i>Dairy Science and Technology</i> , 2009, 89, 519-529.	2.2	16
89	Casein Micelle Dispersions under Osmotic Stress. <i>Biophysical Journal</i> , 2009, 96, 693-706.	0.2	93
90	Invited review: Proteomics of milk and bacteria used in fermented dairy products: From qualitative to quantitative advances. <i>Journal of Dairy Science</i> , 2009, 92, 811-825.	1.4	68

#	ARTICLE	IF	CITATIONS
91	Glycosylations of $\beta$ -Casein-Derived Caseinomacropeptide Reduce Its Accessibility to Endo- but Not Exointestinal Brush Border Membrane Peptidases. Journal of Agricultural and Food Chemistry, 2008, 56, 8166-8173.	2.4	34
92	Little Impact of NaCl Reduction in Swiss-Type Cheese. Frontiers in Nutrition, 0, 9, .	1.6	1