

Wei-Dong Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7430469/publications.pdf>

Version: 2024-02-01

56
papers

2,015
citations

257450

24
h-index

254184

43
g-index

61
all docs

61
docs citations

61
times ranked

3455
citing authors

#	ARTICLE	IF	CITATIONS
1	Association of coffee and genetic risk with incident dementia in middle-aged and elderly adults. <i>Nutritional Neuroscience</i> , 2022, 25, 2359-2368.	3.1	5
2	An early prediction model for chronic kidney disease. <i>Scientific Reports</i> , 2022, 12, 2765.	3.3	5
3	Deciphering Risperidone-Induced Lipogenesis by Network Pharmacology and Molecular Validation. <i>Frontiers in Psychiatry</i> , 2022, 13, 870742.	2.6	1
4	Healthy lifestyle counteracts the risk effect of genetic factors on incident gout: a large population-based longitudinal study. <i>BMC Medicine</i> , 2022, 20, 138.	5.5	12
5	A network analysis framework of genetic and nongenetic risks for type 2 diabetes. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2021, 22, 461-469.	5.7	4
6	Association analysis framework of genetic and exposure risks for COVID-19 in middle-aged and elderly adults. <i>Mechanisms of Ageing and Development</i> , 2021, 194, 111433.	4.6	18
7	Pathway Association Studies Reveal Gene Loci and Pathway Networks that Associated With Plasma Cystatin C Levels. <i>Frontiers in Genetics</i> , 2021, 12, 711155.	2.3	1
8	Consumption of coffee and tea and risk of developing stroke, dementia, and poststroke dementia: A cohort study in the UK Biobank. <i>PLoS Medicine</i> , 2021, 18, e1003830.	8.4	63
9	Association of hypertension and hypertriglyceridemia on incident hyperuricemia: an 8-year prospective cohort study. <i>Journal of Translational Medicine</i> , 2020, 18, 409.	4.4	24
10	From astrocytoma to glioblastoma: a clonal evolution study. <i>FEBS Open Bio</i> , 2020, 10, 744-751.	2.3	7
11	Higher Serum Uric Acid Level Predicts Non-alcoholic Fatty Liver Disease: A 4-Year Prospective Cohort Study. <i>Frontiers in Endocrinology</i> , 2020, 11, 179.	3.5	32
12	Genome-Wide Interaction and Pathway Association Studies for Body Mass Index. <i>Frontiers in Genetics</i> , 2019, 10, 404.	2.3	5
13	Triglyceride is an independent predictor of type 2 diabetes among middle-aged and older adults: a prospective study with 8-year follow-ups in two cohorts. <i>Journal of Translational Medicine</i> , 2019, 17, 403.	4.4	42
14	ABO blood types and postpartum depression among Chinese women: A prospective cohort study in Tianjin, China. <i>Women and Health</i> , 2018, 58, 685-698.	1.0	8
15	T4 and waist:hip ratio as biomarkers of antipsychotic-induced weight gain in Han Chinese inpatients with schizophrenia. <i>Psychoneuroendocrinology</i> , 2018, 88, 54-60.	2.7	10
16	Higher triglyceride level predicts hyperuricemia: A prospective study of 6-year follow-up. <i>Journal of Clinical Lipidology</i> , 2018, 12, 185-192.	1.5	21
17	TOX and ADIPOQ Gene Polymorphisms Are Associated with Antipsychotic-Induced Weight Gain in Han Chinese. <i>Scientific Reports</i> , 2017, 7, 45203.	3.3	13
18	Aberrant DNA methylation of acute myeloid leukemia and colorectal cancer in a Chinese pedigree with a MLL3 germline mutation. <i>Tumor Biology</i> , 2016, 37, 12609-12618.	1.8	3

#	ARTICLE	IF	CITATIONS
19	Comparative efficacy and safety of urate-lowering therapy for the treatment of hyperuricemia: a systematic review and network meta-analysis. Scientific Reports, 2016, 6, 33082.	3.3	56
20	Serum Uric Acid Levels were Dynamically Coupled with Hemoglobin A1c in the Development of Type 2 Diabetes. Scientific Reports, 2016, 6, 28549.	3.3	42
21	Associations between serum uric acid and the incidence of hypertension: a Chinese senior dynamic cohort study. Journal of Translational Medicine, 2016, 14, 110.	4.4	39
22	Risk of non-fatal cardiovascular diseases in early-onset versus late-onset type 2 diabetes in China: a cross-sectional study. Lancet Diabetes and Endocrinology, 2016, 4, 115-124.	11.4	173
23	TOX and CDKN2A/B Gene Polymorphisms Are Associated with Type 2 Diabetes in Han Chinese. Scientific Reports, 2015, 5, 11900.	3.3	15
24	Pathway-Based Genome-wide Association Studies Reveal That the Rac1 Pathway Is Associated with Plasma Adiponectin Levels. Scientific Reports, 2015, 5, 13422.	3.3	14
25	Blood group AB is protective factor for gestational diabetes mellitus: a prospective population-based study in Tianjin, China. Diabetes/Metabolism Research and Reviews, 2015, 31, 627-637.	4.0	24
26	Quantitative candidate gene association studies of metabolic traits in Han Chinese type 2 diabetes patients. Genetics and Molecular Research, 2015, 14, 15471-15481.	0.2	22
27	MYH9 gene polymorphisms may be associated with cerebrovascular blood flow in patients with type 2 diabetes. Genetics and Molecular Research, 2015, 14, 1008-1016.	0.2	7
28	Pathway-Based Genome-Wide Association Studies for Plasma Triglycerides in Obese Females and Normal-Weight Controls. PLoS ONE, 2015, 10, e0134923.	2.5	16
29	Han Chinese patients with dopa-responsive dystonia exhibit a low frequency of exonic deletion in the GCH1 gene. Genetics and Molecular Research, 2015, 14, 11185-11190.	0.2	3
30	A Pathway-Centric Survey of Somatic Mutations in Chinese Patients with Colorectal Carcinomas. PLoS ONE, 2015, 10, e0116753.	2.5	12
31	A Genome-Wide Association Study on Obesity and Obesity-Related Traits. , 2014, , 57-69.		0
32	Missense mutations of the proline-rich transmembrane protein 2 gene cosegregate with mild paroxysmal kinesigenic dyskinesia and infantile convulsions in a Chinese pedigree. Parkinsonism and Related Disorders, 2013, 19, 402-403.	2.2	7
33	A genome wide association study of plasma uric acid levels in obese cases and never-overweight controls. Obesity, 2013, 21, E490-4.	3.0	29
34	Exome sequencing identifies an MLL3 gene germ line mutation in a pedigree of colorectal cancer and acute myeloid leukemia. Blood, 2013, 121, 1478-1479.	1.4	41
35	A novel splicing site mutation of the GPR143 gene in a Chinese X-linked ocular albinism pedigree. Genetics and Molecular Research, 2013, 12, 5673-5679.	0.2	7
36	GTP Cyclohydrolase I and Tyrosine Hydroxylase Gene Mutations in Familial and Sporadic Dopa-Responsive Dystonia Patients. PLoS ONE, 2013, 8, e65215.	2.5	11

#	ARTICLE	IF	CITATIONS
37	A Genome-Wide Association Study on Obesity and Obesity-Related Traits. PLoS ONE, 2011, 6, e18939.	2.5	201
38	MTDH expression in invasive micropapillary carcinoma of the breast. Clinical Oncology and Cancer Research, 2011, 8, 114-119.	0.1	0
39	Large Copy-Number Variations Are Enriched in Cases With Moderate to Extreme Obesity. Diabetes, 2010, 59, 2690-2694.	0.6	60
40	FTO gene SNPs associated with extreme obesity in cases, controls and extremely discordant sister pairs. BMC Medical Genetics, 2008, 9, 4.	2.1	81
41	Imprinting detection by extending a regression-based QTL analysis method. Human Genetics, 2007, 122, 159-174.	3.8	9
42	Extreme obesity is associated with attempted suicides: results from a family study. International Journal of Obesity, 2006, 30, 388-390.	3.4	75
43	Interaction between obesity-susceptibility loci in chromosome regions 2p25-p24 and 13q13-q21. European Journal of Human Genetics, 2005, 13, 102-108.	2.8	40
44	Meta-analysis of genome-wide linkage studies for quantitative lipid traits in African Americans. Human Molecular Genetics, 2005, 14, 3955-3962.	2.9	12
45	Mutation analysis of the MCHR1 gene in human obesity. European Journal of Endocrinology, 2005, 152, 851-862.	3.7	34
46	A genome scan for serum triglyceride in obese nuclear families. Journal of Lipid Research, 2005, 46, 432-438.	4.2	33
47	Possible Genomic Imprinting of Three Human Obesity-Related Genetic Loci. American Journal of Human Genetics, 2005, 76, 427-437.	6.2	111
48	An Obesity-Related Locus in Chromosome Region 12q23-24. Diabetes, 2004, 53, 812-820.	0.6	42
49	A Quantitative Trait Locus Influencing Fasting Plasma Glucose in Chromosome Region 18q22-23. Diabetes, 2004, 53, 2487-2491.	0.6	18
50	Interacting Genetic Loci on Chromosomes 20 and 10 Influence Extreme Human Obesity. American Journal of Human Genetics, 2003, 72, 115-124.	6.2	86
51	Linkage and Linkage Disequilibrium Mapping of Genes Influencing Human Obesity in Chromosome Region 7q22.1-7q35. Diabetes, 2003, 52, 1557-1561.	0.6	38
52	An X-Chromosome Scan Reveals a Locus for Fat Distribution in Chromosome Region Xp21-22. Diabetes, 2002, 51, 1989-1991.	0.6	25
53	A locus affecting obesity in human chromosome region 10p12. Diabetologia, 2001, 44, 363-366.	6.3	61
54	Melanocortin 3 receptor (MC3R) gene variants in extremely obese women. International Journal of Obesity, 2000, 24, 206-210.	3.4	56

#	ARTICLE	IF	CITATIONS
55	The Peroxisome Proliferator-Activated Receptor β 2 Pro12Ala Mutation Is Associated with Early Onset Extreme Obesity and Reduced Fasting Glucose. Molecular Genetics and Metabolism, 2000, 70, 159-161.	1.1	19
56	Genome Scan for Human Obesity and Linkage to Markers in 20q13. American Journal of Human Genetics, 1999, 64, 196-209.	6.2	218