

Wei-Dong Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7430469/publications.pdf>

Version: 2024-02-01

56
papers

2,015
citations

257101

24
h-index

253896

43
g-index

61
all docs

61
docs citations

61
times ranked

3455
citing authors

#	ARTICLE	IF	CITATIONS
1	Association of coffee and genetic risk with incident dementia in middle-aged and elderly adults. <i>Nutritional Neuroscience</i> , 2022, 25, 2359-2368.	1.5	5
2	An early prediction model for chronic kidney disease. <i>Scientific Reports</i> , 2022, 12, 2765.	1.6	5
3	Deciphering Risperidone-Induced Lipogenesis by Network Pharmacology and Molecular Validation. <i>Frontiers in Psychiatry</i> , 2022, 13, 870742.	1.3	1
4	Healthy lifestyle counteracts the risk effect of genetic factors on incident gout: a large population-based longitudinal study. <i>BMC Medicine</i> , 2022, 20, 138.	2.3	12
5	A network analysis framework of genetic and nongenetic risks for type 2 diabetes. <i>Reviews in Endocrine and Metabolic Disorders</i> , 2021, 22, 461-469.	2.6	4
6	Association analysis framework of genetic and exposure risks for COVID-19 in middle-aged and elderly adults. <i>Mechanisms of Ageing and Development</i> , 2021, 194, 111433.	2.2	18
7	Pathway Association Studies Reveal Gene Loci and Pathway Networks that Associated With Plasma Cystatin C Levels. <i>Frontiers in Genetics</i> , 2021, 12, 711155.	1.1	1
8	Consumption of coffee and tea and risk of developing stroke, dementia, and poststroke dementia: A cohort study in the UK Biobank. <i>PLoS Medicine</i> , 2021, 18, e1003830.	3.9	63
9	Association of hypertension and hypertriglyceridemia on incident hyperuricemia: an 8-year prospective cohort study. <i>Journal of Translational Medicine</i> , 2020, 18, 409.	1.8	24
10	From astrocytoma to glioblastoma: a clonal evolution study. <i>FEBS Open Bio</i> , 2020, 10, 744-751.	1.0	7
11	Higher Serum Uric Acid Level Predicts Non-alcoholic Fatty Liver Disease: A 4-Year Prospective Cohort Study. <i>Frontiers in Endocrinology</i> , 2020, 11, 179.	1.5	32
12	Genome-Wide Interaction and Pathway Association Studies for Body Mass Index. <i>Frontiers in Genetics</i> , 2019, 10, 404.	1.1	5
13	Triglyceride is an independent predictor of type 2 diabetes among middle-aged and older adults: a prospective study with 8-year follow-ups in two cohorts. <i>Journal of Translational Medicine</i> , 2019, 17, 403.	1.8	42
14	ABO blood types and postpartum depression among Chinese women: A prospective cohort study in Tianjin, China. <i>Women and Health</i> , 2018, 58, 685-698.	0.4	8
15	T4 and waist:hip ratio as biomarkers of antipsychotic-induced weight gain in Han Chinese inpatients with schizophrenia. <i>Psychoneuroendocrinology</i> , 2018, 88, 54-60.	1.3	10
16	Higher triglyceride level predicts hyperuricemia: A prospective study of 6-year follow-up. <i>Journal of Clinical Lipidology</i> , 2018, 12, 185-192.	0.6	21
17	TOX and ADIPOQ Gene Polymorphisms Are Associated with Antipsychotic-Induced Weight Gain in Han Chinese. <i>Scientific Reports</i> , 2017, 7, 45203.	1.6	13
18	Aberrant DNA methylation of acute myeloid leukemia and colorectal cancer in a Chinese pedigree with a MLL3 germline mutation. <i>Tumor Biology</i> , 2016, 37, 12609-12618.	0.8	3

#	ARTICLE	IF	CITATIONS
19	Comparative efficacy and safety of urate-lowering therapy for the treatment of hyperuricemia: a systematic review and network meta-analysis. <i>Scientific Reports</i> , 2016, 6, 33082.	1.6	56
20	Serum Uric Acid Levels were Dynamically Coupled with Hemoglobin A1c in the Development of Type 2 Diabetes. <i>Scientific Reports</i> , 2016, 6, 28549.	1.6	42
21	Associations between serum uric acid and the incidence of hypertension: a Chinese senior dynamic cohort study. <i>Journal of Translational Medicine</i> , 2016, 14, 110.	1.8	39
22	Risk of non-fatal cardiovascular diseases in early-onset versus late-onset type 2 diabetes in China: a cross-sectional study. <i>Lancet Diabetes and Endocrinology</i> , 2016, 4, 115-124.	5.5	173
23	TOX and CDKN2A/B Gene Polymorphisms Are Associated with Type 2 Diabetes in Han Chinese. <i>Scientific Reports</i> , 2015, 5, 11900.	1.6	15
24	Pathway-Based Genome-wide Association Studies Reveal That the Rac1 Pathway Is Associated with Plasma Adiponectin Levels. <i>Scientific Reports</i> , 2015, 5, 13422.	1.6	14
25	Blood group AB is protective factor for gestational diabetes mellitus: a prospective population-based study in Tianjin, China. <i>Diabetes/Metabolism Research and Reviews</i> , 2015, 31, 627-637.	1.7	24
26	Quantitative candidate gene association studies of metabolic traits in Han Chinese type 2 diabetes patients. <i>Genetics and Molecular Research</i> , 2015, 14, 15471-15481.	0.3	22
27	MYH9 gene polymorphisms may be associated with cerebrovascular blood flow in patients with type 2 diabetes. <i>Genetics and Molecular Research</i> , 2015, 14, 1008-1016.	0.3	7
28	Pathway-Based Genome-Wide Association Studies for Plasma Triglycerides in Obese Females and Normal-Weight Controls. <i>PLoS ONE</i> , 2015, 10, e0134923.	1.1	16
29	Han Chinese patients with dopa-responsive dystonia exhibit a low frequency of exonic deletion in the GCH1 gene. <i>Genetics and Molecular Research</i> , 2015, 14, 11185-11190.	0.3	3
30	A Pathway-Centric Survey of Somatic Mutations in Chinese Patients with Colorectal Carcinomas. <i>PLoS ONE</i> , 2015, 10, e0116753.	1.1	12
31	A Genome-Wide Association Study on Obesity and Obesity-Related Traits. , 2014, , 57-69.		0
32	Missense mutations of the proline-rich transmembrane protein 2 gene cosegregate with mild paroxysmal kinesigenic dyskinesia and infantile convulsions in a Chinese pedigree. <i>Parkinsonism and Related Disorders</i> , 2013, 19, 402-403.	1.1	7
33	A genome wide association study of plasma uric acid levels in obese cases and never-overweight controls. <i>Obesity</i> , 2013, 21, E490-4.	1.5	29
34	Exome sequencing identifies an MLL3 gene germ line mutation in a pedigree of colorectal cancer and acute myeloid leukemia. <i>Blood</i> , 2013, 121, 1478-1479.	0.6	41
35	A novel splicing site mutation of the GPR143 gene in a Chinese X-linked ocular albinism pedigree. <i>Genetics and Molecular Research</i> , 2013, 12, 5673-5679.	0.3	7
36	GTP Cyclohydrolase I and Tyrosine Hydroxylase Gene Mutations in Familial and Sporadic Dopa-Responsive Dystonia Patients. <i>PLoS ONE</i> , 2013, 8, e65215.	1.1	11

#	ARTICLE	IF	CITATIONS
37	A Genome-Wide Association Study on Obesity and Obesity-Related Traits. PLoS ONE, 2011, 6, e18939.	1.1	201
38	MTDH expression in invasive micropapillary carcinoma of the breast. Clinical Oncology and Cancer Research, 2011, 8, 114-119.	0.1	0
39	Large Copy-Number Variations Are Enriched in Cases With Moderate to Extreme Obesity. Diabetes, 2010, 59, 2690-2694.	0.3	60
40	FTO gene SNPs associated with extreme obesity in cases, controls and extremely discordant sister pairs. BMC Medical Genetics, 2008, 9, 4.	2.1	81
41	Imprinting detection by extending a regression-based QTL analysis method. Human Genetics, 2007, 122, 159-174.	1.8	9
42	Extreme obesity is associated with attempted suicides: results from a family study. International Journal of Obesity, 2006, 30, 388-390.	1.6	75
43	Interaction between obesity-susceptibility loci in chromosome regions 2p25-p24 and 13q13-q21. European Journal of Human Genetics, 2005, 13, 102-108.	1.4	40
44	Meta-analysis of genome-wide linkage studies for quantitative lipid traits in African Americans. Human Molecular Genetics, 2005, 14, 3955-3962.	1.4	12
45	Mutation analysis of the MCHR1 gene in human obesity. European Journal of Endocrinology, 2005, 152, 851-862.	1.9	34
46	A genome scan for serum triglyceride in obese nuclear families. Journal of Lipid Research, 2005, 46, 432-438.	2.0	33
47	Possible Genomic Imprinting of Three Human Obesity-Related Genetic Loci. American Journal of Human Genetics, 2005, 76, 427-437.	2.6	111
48	An Obesity-Related Locus in Chromosome Region 12q23-24. Diabetes, 2004, 53, 812-820.	0.3	42
49	A Quantitative Trait Locus Influencing Fasting Plasma Glucose in Chromosome Region 18q22-23. Diabetes, 2004, 53, 2487-2491.	0.3	18
50	Interacting Genetic Loci on Chromosomes 20 and 10 Influence Extreme Human Obesity. American Journal of Human Genetics, 2003, 72, 115-124.	2.6	86
51	Linkage and Linkage Disequilibrium Mapping of Genes Influencing Human Obesity in Chromosome Region 7q22.1-7q35. Diabetes, 2003, 52, 1557-1561.	0.3	38
52	An X-Chromosome Scan Reveals a Locus for Fat Distribution in Chromosome Region Xp21-22. Diabetes, 2002, 51, 1989-1991.	0.3	25
53	A locus affecting obesity in human chromosome region 10p12. Diabetologia, 2001, 44, 363-366.	2.9	61
54	Melanocortin 3 receptor (MC3R) gene variants in extremely obese women. International Journal of Obesity, 2000, 24, 206-210.	1.6	56

#	ARTICLE	IF	CITATIONS
55	The Peroxisome Proliferator-Activated Receptor β 2 Pro12Ala Mutation Is Associated with Early Onset Extreme Obesity and Reduced Fasting Glucose. <i>Molecular Genetics and Metabolism</i> , 2000, 70, 159-161.	0.5	19
56	Genome Scan for Human Obesity and Linkage to Markers in 20q13. <i>American Journal of Human Genetics</i> , 1999, 64, 196-209.	2.6	218