

Takashi Taga

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7432267/publications.pdf>

Version: 2024-02-01

136
papers

1,777
citations

430442

18
h-index

315357

38
g-index

142
all docs

142
docs citations

142
times ranked

2364
citing authors

#	ARTICLE	IF	CITATIONS
1	Novel prognostic subgroups in childhood 11q23/MLL-rearranged acute myeloid leukemia: results of an international retrospective study. <i>Blood</i> , 2009, 114, 2489-2496.	0.6	383
2	Mechanisms of Progression of Myeloid Preleukemia to Transformed Myeloid Leukemia in Children with Down Syndrome. <i>Cancer Cell</i> , 2019, 36, 123-138.e10.	7.7	93
3	Down syndrome and GATA1 mutations in transient abnormal myeloproliferative disorder: mutation classes correlate with progression to myeloid leukemia. <i>Blood</i> , 2010, 116, 4631-4638.	0.6	77
4	Acute myeloid leukemia in children: Current status and future directions. <i>Pediatrics International</i> , 2016, 58, 71-80.	0.2	71
5	Heterogeneous cytogenetic subgroups and outcomes in childhood acute megakaryoblastic leukemia: a retrospective international study. <i>Blood</i> , 2015, 126, 1575-1584.	0.6	69
6	Whole-exome sequencing reveals the spectrum of gene mutations and the clonal evolution patterns in paediatric acute myeloid leukaemia. <i>British Journal of Haematology</i> , 2016, 175, 476-489.	1.2	60
7	Prognostic impact of specific molecular profiles in pediatric acute megakaryoblastic leukemia in non-Down syndrome. <i>Genes Chromosomes and Cancer</i> , 2017, 56, 394-404.	1.5	51
8	Transcriptome analysis offers a comprehensive illustration of the genetic background of pediatric acute myeloid leukemia. <i>Blood Advances</i> , 2019, 3, 3157-3169.	2.5	51
9	Appropriate dose reduction in induction therapy is essential for the treatment of infants with acute myeloid leukemia: a report from the Japanese Pediatric Leukemia/Lymphoma Study Group. <i>International Journal of Hematology</i> , 2013, 98, 578-588.	0.7	47
10	Clinical characteristics and outcome of refractory/relapsed myeloid leukemia in children with Down syndrome. <i>Blood</i> , 2012, 120, 1810-1815.	0.6	46
11	High <i>PRDM16</i> expression identifies a prognostic subgroup of pediatric acute myeloid leukaemia correlated to <i>FLT3</i> , <i>ITD</i> , <i>KMT2A</i> - <i>PTD</i> , and <i>NUP98</i> - <i>NSD1</i> : the results of the Japanese Paediatric Leukaemia/Lymphoma Study Group <i>AML</i> trial. <i>British Journal of Haematology</i> , 2016, 172, 581-591.	1.2	41
12	Severe hemolytic anemia following high-dose intravenous immunoglobulin administration in a patient with Kawasaki Disease. <i>Journal of Pediatric Hematology/Oncology</i> , 2000, 63, 160-161.		36
13	Continuous and high-dose cytarabine combined chemotherapy in children with down syndrome and acute myeloid leukemia: Report from the Japanese children's cancer and leukemia study group (JCCLSG) AML 9805 down study. <i>Pediatric Blood and Cancer</i> , 2011, 57, 36-40.	0.8	35
14	<i>EV11</i> overexpression is a poor prognostic factor in pediatric patients with mixed lineage leukemia-AF9 rearranged acute myeloid leukemia. <i>Haematologica</i> , 2014, 99, e225-e227.	1.7	35
15	Normal karyotype is a poor prognostic factor in myeloid leukemia of Down syndrome: a retrospective, international study. <i>Haematologica</i> , 2014, 99, 299-307.	1.7	34
16	Preserved High Probability of Overall Survival with Significant Reduction of Chemotherapy for Myeloid Leukemia in Down Syndrome: A Nationwide Prospective Study in Japan. <i>Pediatric Blood and Cancer</i> , 2016, 63, 248-254.	0.8	33
17	Outcome of children with relapsed acute myeloid leukemia following initial therapy under the AML99 protocol. <i>International Journal of Hematology</i> , 2014, 100, 171-179.	0.7	31
18	Allogeneic Hematopoietic Stem Cell Transplantation for Adolescents and Young Adults with Acute Myeloid Leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2017, 23, 1515-1522.	2.0	24

#	ARTICLE	IF	CITATIONS
19	Risk-stratified therapy for children with FLT3-ITD-positive acute myeloid leukemia: results from the JPLSG AML-05 study. <i>International Journal of Hematology</i> , 2018, 107, 586-595.	0.7	20
20	Patients aged less than 3 years with acute myeloid leukaemia characterize a molecularly and clinically distinct subgroup. <i>British Journal of Haematology</i> , 2020, 188, 528-539.	1.2	20
21	Outcome of Adolescent and Young Adults with Acute Myeloid Leukemia Treated with Pediatric Protocols: A Report from the 3 Japanese Cooperative Studies. <i>Blood</i> , 2014, 124, 374-374.	0.6	20
22	Acute myeloid leukaemia with myelodysplastic features in children: a report of Japanese Paediatric Leukaemia/Lymphoma Study Group. <i>British Journal of Haematology</i> , 2014, 167, 80-86.	1.2	19
23	Recurrent CCND3 mutations in MLL-rearranged acute myeloid leukemia. <i>Blood Advances</i> , 2018, 2, 2879-2889.	2.5	19
24	<i><sc>CSF</sc>3R</i> and <i><sc>CALR</sc></i> mutations in paediatric myeloid disorders and the association of <i><sc>CSF</sc>3R</i> mutations with translocations, including t(8; 21). <i>British Journal of Haematology</i> , 2015, 170, 391-397.	1.2	18
25	<i>ASXL2</i> mutations are frequently found in pediatric AML patients with t(8;21)/<i>RUNX1â€œRUNX1T1</i> and associated with a better prognosis. <i>Genes Chromosomes and Cancer</i> , 2017, 56, 382-393.	1.5	18
26	Evaluation of high-dose cytarabine in induction therapy for children with de novo acute myeloid leukemia: a study protocol of the Japan Childrenâ€™s Cancer Group Multi-Center Seamless Phase IIâ€œIII Randomized Trial (JPLSG AML-12). <i>Japanese Journal of Clinical Oncology</i> , 2018, 48, 587-593.	0.6	18
27	Outcome of adolescent patients with acute myeloid leukemia treated with pediatric protocols. <i>International Journal of Hematology</i> , 2015, 102, 318-326.	0.7	17
28	EVI1 triggers metabolic reprogramming associated with leukemogenesis and increases sensitivity to L-asparaginase. <i>Haematologica</i> , 2020, 105, 2118-2129.	1.7	17
29	High eventâ€™free survival rate with minimumâ€™doseâ€™anthracycline treatment in childhood acute promyelocytic leukaemia: a nationwide prospective study by the Japanese Paediatric Leukaemia/Lymphoma Study Group. <i>British Journal of Haematology</i> , 2016, 174, 437-443.	1.2	16
30	Prognostic value of genetic mutations in adolescent and young adults with acute myeloid leukemia. <i>International Journal of Hematology</i> , 2018, 107, 201-210.	0.7	15
31	RUNX1 mutations in pediatric acute myeloid leukemia are associated with distinct genetic features and an inferior prognosis. <i>Blood</i> , 2018, 131, 2266-2270.	0.6	15
32	Allogeneic hematopoietic stem cell transplantation for children and adolescents with high-risk cytogenetic AML: distinctly poor outcomes of FUS-ERG-positive cases. <i>Bone Marrow Transplantation</i> , 2019, 54, 393-401.	1.3	15
33	Hematopoietic Cell Transplantation Rescues Inflammatory Bowel Disease and Dysbiosis of Gut Microbiota in XIAP Deficiency. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2021, 9, 3767-3780.	2.0	15
34	The Autocrine Loop of Epidermal Growth Factor Receptor-Epidermal Growth Factor/Transforming Growth Factor-Î± in Malignant Rhabdoid Tumor Cell Lines: Heterogeneity of Autocrine Mechanism in TTC549. <i>Japanese Journal of Cancer Research</i> , 2001, 92, 269-278.	1.7	13
35	Monitoring of fusion gene transcripts to predict relapse in pediatric acute myeloid leukemia. <i>Pediatrics International</i> , 2018, 60, 41-46.	0.2	13
36	Nationwide survey of therapy-related leukemia in childhood in Japan. <i>International Journal of Hematology</i> , 2018, 108, 91-97.	0.7	12

#	ARTICLE	IF	CITATIONS
37	Multiplex fusion gene testing in pediatric acute myeloid leukemia. <i>Pediatrics International</i> , 2018, 60, 47-51.	0.2	12
38	Retrospective analysis of children with high-risk acute myeloid leukemia who underwent allogeneic hematopoietic stem cell transplantation following complete remission with initial induction chemotherapy in the AML05 clinical trial. <i>Pediatric Blood and Cancer</i> , 2019, 66, e27875.	0.8	12
39	Clinical and biological features of paediatric acute myeloid leukaemia (AML) with primary induction failure in the Japanese Paediatric Leukaemia/Lymphoma Study Group AML 05 study. <i>British Journal of Haematology</i> , 2019, 185, 284-288.	1.2	12
40	<i>CXCR4</i> Overexpression is a Poor Prognostic Factor in Pediatric Acute Myeloid Leukemia With Low Risk: A Report From the Japanese Pediatric Leukemia/Lymphoma Study Group. <i>Pediatric Blood and Cancer</i> , 2016, 63, 1394-1399.	0.8	11
41	The outcomes of relapsed acute myeloid leukemia in children: Results from the Japanese Pediatric Leukemia/Lymphoma Study Group AML05R study. <i>Pediatric Blood and Cancer</i> , 2021, 68, e28736.	0.8	11
42	Predictive factors for the development of leukemia in patients with transient abnormal myelopoiesis and Down syndrome. <i>Leukemia</i> , 2021, 35, 1480-1484.	3.3	11
43	Clinical significance of RAS pathway alterations in pediatric acute myeloid leukemia. <i>Haematologica</i> , 2021, , .	1.7	10
44	Prospective Study of 168 Infants with Transient Abnormal Myelopoiesis with Down Syndrome: Japan Pediatric Leukemia/Lymphoma Study Group, TAM-10 Study. <i>Blood</i> , 2015, 126, 1311-1311.	0.6	10
45	Epstein-Barr virus-related lymphoproliferative disorder, cytomegalovirus reactivation, and varicella zoster virus encephalitis during treatment of medulloblastoma. <i>Journal of Medical Virology</i> , 2011, 83, 1582-1584.	2.5	8
46	Whole-exome analysis to detect congenital hemolytic anemia mimicking congenital dyserythropoietic anemia. <i>International Journal of Hematology</i> , 2018, 108, 306-311.	0.7	8
47	Highly sensitive detection of <i>GATA1</i> mutations in patients with myeloid leukemia associated with Down syndrome by combining Sanger and targeted next generation sequencing. <i>Genes Chromosomes and Cancer</i> , 2020, 59, 160-167.	1.5	8
48	Attempts to optimize postinduction treatment in childhood acute myeloid leukemia without core-binding factors: A report from the Japanese Pediatric Leukemia/Lymphoma Study Group (JPLSG). <i>Pediatric Blood and Cancer</i> , 2020, 67, e28692.	0.8	8
49	Role of Second Transplantation for Children With Acute Myeloid Leukemia Following Posttransplantation Relapse. <i>Pediatric Blood and Cancer</i> , 2016, 63, 701-705.	0.8	7
50	Fludarabine, cytarabine, granulocyte colony-stimulating factor and idarubicin for relapsed childhood acute myeloid leukemia. <i>Pediatrics International</i> , 2017, 59, 1046-1052.	0.2	7
51	Fusion partner-specific mutation profiles and KRAS mutations as adverse prognostic factors in MLL-rearranged AML. <i>Blood Advances</i> , 2020, 4, 4623-4631.	2.5	7
52	Genome-wide DNA methylation analysis in pediatric acute myeloid leukemia. <i>Blood Advances</i> , 2022, 6, 3207-3219.	2.5	7
53	Contribution of UGT1A1 variations to chemotherapy-induced unconjugated hyperbilirubinemia in pediatric leukemia patients. <i>Pediatric Research</i> , 2016, 80, 252-257.	1.1	6
54	Clinical characteristics of pediatric patients with myeloid sarcoma without bone marrow involvement in Japan. <i>International Journal of Hematology</i> , 2018, 108, 438-442.	0.7	6

#	ARTICLE	IF	CITATIONS
55	Identification of Germline Non-coding Deletions in XIAP Gene Causing XIAP Deficiency Reveals a Key Promoter Sequence. <i>Journal of Clinical Immunology</i> , 2022, 42, 559-571.	2.0	6
56	Neuronal Differentiation of Ewing's Sarcoma Induced by Cholera Toxin B and Bromodeoxyuridine—Establishment of Ewing's Sarcoma Cell Line and Histochemical Study”. <i>Pediatrics International</i> , 1991, 33, 428-433.	0.2	5
57	Pediatric primary leptomeningeal lymphoma treated without cranial radiotherapy. <i>Pediatric Blood and Cancer</i> , 2007, 48, 477-478.	0.8	5
58	Respiratory syncytial virus infection in infants with acute leukemia: a retrospective survey of the Japanese Pediatric Leukemia/Lymphoma Study Group. <i>International Journal of Hematology</i> , 2015, 102, 697-701.	0.7	5
59	Outcome of relapsed core binding factor acute myeloid leukemia in children: A result from the Japanese Pediatric Leukemia/Lymphoma Study Group (JPLSG) AMLâ€05R study. <i>Pediatric Blood and Cancer</i> , 2017, 64, e26491.	0.8	5
60	Registrationâ€directed phase 1/2 trial of irinotecan for pediatric solid tumors. <i>Pediatrics International</i> , 2019, 61, 453-458.	0.2	5
61	Post-induction MRD by FCM and GATA1-PCR are significant prognostic factors for myeloid leukemia of Down syndrome. <i>Leukemia</i> , 2021, 35, 2508-2516.	3.3	5
62	Ponatinib in pediatric patients with Philadelphia chromosome-positive leukemia: a retrospective survey of the Japan Childrenâ€™s Cancer Group. <i>International Journal of Hematology</i> , 2022, 116, 131-138.	0.7	5
63	Restriction fragment length polymorphisms on the q24â€q28 region of X chromosome among Japanese population. <i>Japanese Journal of Human Genetics</i> , 1989, 34, 123-128.	0.8	4
64	Acute lymphoblastic leukemia in patients with Down syndrome with a previous history of acute myeloid leukemia. <i>Pediatric Blood and Cancer</i> , 2017, 64, e26411.	0.8	4
65	Effect of extramedullary disease on allogeneic hematopoietic cell transplantation for pediatric acute myeloid leukemia: a nationwide retrospective study. <i>Bone Marrow Transplantation</i> , 2021, 56, 1859-1865.	1.3	4
66	Advanced Childhood Testicular Yolk Sac Tumor With Bone Metastasis: A Case Report. <i>Urology</i> , 2015, 85, 671-673.	0.5	3
67	Clinical features of children with polycythemia vera, essential thrombocythemia, and primary myelofibrosis in Japan: A retrospective nationwide survey. <i>EJHaem</i> , 2020, 1, 86-93.	0.4	3
68	Hematopoietic stem cell transplantation for pediatric acute promyelocytic leukemia in Japan. <i>Pediatric Blood and Cancer</i> , 2020, 67, e28181.	0.8	3
69	Predisposition to prolonged neutropenia after chemotherapy for paediatric acute myeloid leukaemia is associated with better prognosis in the Japanese Paediatric Leukaemia/Lymphoma Study Group AMLâ€05 study. <i>British Journal of Haematology</i> , 2021, 193, 176-180.	1.2	3
70	Characteristics of genetic alterations of peripheral Tâ€cell lymphoma in childhood including identification of novel fusion genes: the Japan Childrenâ€™s Cancer Group (JCCG). <i>British Journal of Haematology</i> , 2021, 194, 718-729.	1.2	3
71	High BMP2 Expression Is a Poor Prognostic Factor and a Good Candidate to Identify CBFA2T3-GLIS2-like High-Risk Subgroup in Pediatric Acute Myeloid Leukemia. <i>Blood</i> , 2015, 126, 2583-2583.	0.6	3
72	Familial hemophagocytic lymphohistiocytosis syndrome due to lysinuric protein intolerance: a patient with a novel compound heterozygous pathogenic variant in SLC7A7. <i>International Journal of Hematology</i> , 2022, 116, 635-638.	0.7	3

#	ARTICLE	IF	CITATIONS
73	Flowcytometric Analysis of DNA Pattern of Cells Derived from Xeroderma Pigmentosum Aâ€“ Hypersensitivity to Vincristine, Etoposide and Methotrexateâ€“. <i>Pediatrics International</i> , 1990, 32, 262-268.	0.2	2
74	Characteristics and outcomes of children with acute myeloid leukemia and Down syndrome who are ineligible for clinical trials due to severe comorbidities. <i>Pediatric Blood and Cancer</i> , 2019, 66, e27942.	0.8	2
75	Droplet digital polymerase chain reaction assay for the detection of the minor clone of <i>KIT</i> D816V in paediatric acute myeloid leukaemia especially showing <i>RUNX1</i> â€“ <i>RUNX1T1</i> transcripts. <i>British Journal of Haematology</i> , 2021, 194, 414-422.	1.2	2
76	CSF3R Gene Mutations In Myeloid Malignancy Of Childhood. <i>Blood</i> , 2013, 122, 1352-1352.	0.6	2
77	Clinical Impact of Additional Cytogenetic Aberrations and Complex Karyotype In Pediatric 11q23/MLL-Rearranged AML: Results from an International Retrospective Study. <i>Blood</i> , 2010, 116, 762-762.	0.6	2
78	Using the inÂvitro drug sensitivity test to identify candidate treatments for transient abnormal myelopoiesis. <i>British Journal of Haematology</i> , 2021, , .	1.2	2
79	A phase III clinical trial evaluating efficacy and safety of minimal residual disease-based risk stratification for children with acute myeloid leukemia, incorporating a randomized study of gemtuzumab ozogamicin in combination with post-induction chemotherapy for non-low-risk patients (IPLSG-AML-20). <i>Japanese Journal of Clinical Oncology</i> , 0, .	0.6	2
80	Successful unrelated umbilical cord blood cell transplantation without conditioning for a neonate with severe combined immunodeficiency. <i>Pediatric Transplantation</i> , 2011, 15, E152-5.	0.5	1
81	Topoisomerase III ² immunoreactivity (IR) co-localizes with neuronal marker-IR but not glial fibrillary acidic protein-IR in GLI3-positive medulloblastomas: an immunohistochemical analysis of 124 medulloblastomas from the Japan Childrenâ€™s Cancer Group. <i>Brain Tumor Pathology</i> , 2021, 38, 109-121.	1.1	1
82	Post-Induction Minimal Residual Disease Measured By Flow Cytometry and Deep Sequencing of Mutant GATA1 Are Both Significant Prognostic Factors for Children with Myeloid Leukemia and Down Syndrome: A Nationwide Prospective Study of the Japanese Pediatric Leukemia/Lymphoma Study Group. <i>Blood</i> , 2019, 134, 3848-3848.	0.6	1
83	Clinical Features of Children with Polycythemia Vera, Essential Thrombocythemia, and Primary Myelofibrosis in Japan: Retrospective Nationwide Survey. <i>Blood</i> , 2019, 134, 2958-2958.	0.6	1
84	Coexistence and Prognostic Significance of EVI1 Expression and Driver Mutations in KMT2A-Rearranged Acute Myeloid Leukemia. <i>Blood</i> , 2019, 134, 1409-1409.	0.6	1
85	Predictive Factors of the Development of Leukemia in Patients with Transient Abnormal Myelopoiesis and Down Syndrome: The Jccg Study JPLSG TAM-10. <i>Blood</i> , 2019, 134, 3833-3833.	0.6	1
86	Augmented Consolidation Therapy Based on Minimal Residual Disease (MRD) and Analysis of the Measurement of Sequential MRD in Childhood Acute Lymphoblastic Leukemia : Children's Cancer and Leukemia Study Group of JAPAN (CCLSG), Cclsg ALL 2004 Protocol Study. <i>Blood</i> , 2015, 126, 3724-3724.	0.6	1
87	Clinical and Biological Features of Pediatric Acute Myeloid Leukemia with Primary Induction Failure in the Japanese Pediatric Leukemia/Lymphoma Study Group (JPLSG) AML-05 Study. <i>Blood</i> , 2016, 128, 1610-1610.	0.6	1
88	Sepsis in a 4-Month-Old Boy Due to Carbapenem-Resistant Characterized by AmpC ^Î -Lactamase with Porin Loss. <i>International Journal of Applied & Basic Medical Research</i> , 2018, 8, 263-265.	0.2	1
89	Restriction fragment length polymorphisms of X chromosome among Japanese population. <i>Japanese Journal of Human Genetics</i> , 1989, 34, 285-289.	0.8	0
90	Undifferentiated sarcoma arising at lower thoracic spine with neuroblastoma-like dumbbell-shaped radiographic appearance in a 1-year-old girl. <i>Spine Journal</i> , 2014, 14, 719-720.	0.6	0

#	ARTICLE	IF	CITATIONS
91	Purpura fulminans in congenital protein C deficiency successfully treated with fresh frozen plasma and thrombomodulin. <i>Journal of Dermatology</i> , 2018, 45, e165-e166.	0.6	0
92	Blast cells in acute megakaryoblastic leukaemia with Down syndrome are characterized by low CLEC12A expression. <i>British Journal of Haematology</i> , 2021, 192, e7-e11.	1.2	0
93	Inotuzumab ozogamicin following allogeneic hematopoietic stem cell transplantation successfully rescued relapse of CD19-negative acute lymphoblastic leukemia after CAR-T cell therapy. <i>Pediatric Blood and Cancer</i> , 2021, 68, e28980.	0.8	0
94	Low-Dose Cytosine Arabinoside Therapy for Neonates with Down Syndrome (DS) and Transient Leukemia (TL).. <i>Blood</i> , 2010, 116, 1074-1074.	0.6	0
95	Myeloid Leukemia of Down Syndrome: The Results of An International Retrospective Study. <i>Blood</i> , 2010, 116, 2718-2718.	0.6	0
96	A Rapid Approach for the Integrated Central Review of Acute Myeloid Leukemia Diagnosis In a Nationwide Clinical Trial for Children. <i>Blood</i> , 2010, 116, 4833-4833.	0.6	0
97	Heterogeneity in Infants with Acute Myeloid Leukemia: Retrospective Analysis of a Japanese Nationwide Survey. <i>Blood</i> , 2011, 118, 1477-1477.	0.6	0
98	Refractory / Relapsed Myeloid Leukemia of Down Syndrome Is Resistant to Second-Line Chemotherapy and Hardly Salvaged by Hematopoietic Stem Cell Transplantation: A Retrospective Study by the Japanese Pediatric Leukemia / Lymphoma Study Group (JPLSG). <i>Blood</i> , 2011, 118, 4276-4276.	0.6	0
99	Multicenter phase I/II trial of topotecan (T) and ifosfamide (I) combination as second-line therapy for pediatric solid cancer: Phase II results.. <i>Journal of Clinical Oncology</i> , 2013, 31, 10050-10050.	0.8	0
100	Low Frequency and Poor Prognosis Of MLL-Partial Tandem Duplications In Pediatric Acute Myeloid Leukemia Using MLPA Method: The Japanese Pediatric Leukemia/Lymphoma Study Group (JPLSG) AML-05 Trial. <i>Blood</i> , 2013, 122, 1374-1374.	0.6	0
101	Double CEBPA Mutations Are Not Associated With Favorable Clinical Outcome In Pediatric AML: A Report From The Japanese Pediatric Leukemia/Lymphoma Study Group (JPLSG). <i>Blood</i> , 2013, 122, 4942-4942.	0.6	0
102	Comprehensive Fusion Gene Analysis Of Pediatric Non-Down Syndrome Acute Megakaryoblastic Leukemia. <i>Blood</i> , 2013, 122, 2646-2646.	0.6	0
103	Poor Prognosis With Different Induction Rate Was Observed In Children With Acute Myeloid Leukemia and FLT3-ITD According To The ITD/WT Allelic Ratio: A Result From The Japanese Pediatric Leukemia/Lymphoma Study Group. <i>Blood</i> , 2013, 122, 3891-3891.	0.6	0
104	A combination chemotherapy, temozolomide (TMZ) with etoposide (VP), in relapsed or refractory pediatric solid cancer: Preliminary report of randomized phase II study of two different outpatient setting regimens (rPII).. <i>Journal of Clinical Oncology</i> , 2014, 32, 10055-10055.	0.8	0
105	Clinical Features of Patients with ASXL1 and ASXL2 Mutations in Pediatric Acute Myeloid Leukemia. <i>Blood</i> , 2014, 124, 1024-1024.	0.6	0
106	The Prognostic Impact of High MEL1 Gene Expression in Pediatric Acute Myeloid Leukemia. <i>Blood</i> , 2014, 124, 1009-1009.	0.6	0
107	High Event-Free Survival Rate with Minimum-Dose-Anthracycline Treatment in Childhood Acute Promyelocytic Leukemia: A Nationwide Prospective Study By the Japanese Pediatric Leukemia / Lymphoma Study Group (JPLSG). <i>Blood</i> , 2014, 124, 956-956.	0.6	0
108	Recombinant Thrombomodulin Safely Controls Disseminated Intravascular Coagulopathy in Acute Promyelocytic Leukemia - Results from the Japanese Pediatric Leukemia/Lymphoma Study Group AML-P05 Study. <i>Blood</i> , 2014, 124, 5097-5097.	0.6	0

#	ARTICLE	IF	CITATIONS
109	Clinical Impact of Additional Cytogenetic Aberrations, cKIT- and RAS Mutations and Other Factors in Pediatric t(8;21)-AML. <i>Blood</i> , 2014, 124, 481-481.	0.6	0
110	Pediatric Acute Megakaryoblastic Leukemia without Down Syndrome: A Retrospective Study by the International Berlin-Frankfurt-Munster Study Group (I-BFMMSG). <i>Blood</i> , 2014, 124, 3670-3670.	0.6	0
111	Poor Prognosis Associated with FAB Subtypes M4 and M5 in Japanese Pediatric Acute Myeloid Leukemia Patients with FLT3-ITD. <i>Blood</i> , 2014, 124, 1002-1002.	0.6	0
112	The Outcome of Relapsed Childhood Core Binding Factor Acute Myeloid Leukemia: A Report from the JPLSG AML-05R Study. <i>Blood</i> , 2015, 126, 2516-2516.	0.6	0
113	A Combination of EVI1 and PRDM16 Expression Clarified the Clinical Features of Intermediate/High Risk Patients in Pediatric Acute Myeloid Leukemia. <i>Blood</i> , 2015, 126, 1380-1380.	0.6	0
114	Prognostic Significance of CXCR4 Overexpression in Pediatric Acute Myeloid Leukemia with Low-Risk: A Report from the Japanese Pediatric Leukemia/Lymphoma Study Group. <i>Blood</i> , 2015, 126, 3814-3814.	0.6	0
115	Distinct Clinical and Cytogenetic Characteristics and Poor Prognosis in Children with Acute Erythroid Leukemia: A Report from the JPLSG AML-05 Study. <i>Blood</i> , 2015, 126, 4945-4945.	0.6	0
116	Detection of Novel Pathogenic Gene Rearrangements in Pediatric Acute Myeloid Leukemia By RNA Sequencing. <i>Blood</i> , 2015, 126, 2575-2575.	0.6	0
117	Final report of randomized phase II study of two different outpatient setting regimens, vinorelbine (VNR) with cyclophosphamide (CPA) and temozolomide (TMZ) with etoposide (VP).. <i>Journal of Clinical Oncology</i> , 2016, 34, 10550-10550.	0.8	0
118	Identification of Two Distinct Poor Prognostic Subgroups Related to High Expression of BMP2 or PRDM16 in Pediatric AML. <i>Blood</i> , 2016, 128, 2854-2854.	0.6	0
119	Transcriptome Analysis Revealed the Entire Genetic Understanding of Pediatric Acute Myeloid Leukemia with a Normal Karyotype. <i>Blood</i> , 2016, 128, 2850-2850.	0.6	0
120	Adolescents and Young Adults with Acute Myeloid Leukemia Are Associated with Higher Treatment-Related Mortality and Inferior Overall Survival after Allogeneic Hematopoietic Cell Transplantation Compared with Children. <i>Blood</i> , 2016, 128, 4702-4702.	0.6	0
121	Analysis of GATA1 Mutations in Down Syndrome Infants with Transient Abnormal Myelopoiesis and Clinical Impacts of GATA1 Mutation Types: A Report from the JPLSG TAM-10 Study. <i>Blood</i> , 2016, 128, 2865-2865.	0.6	0
122	Retrospective Evaluation of Correlations Between Genetic Backgrounds and Stem Cell Transplantation for De Novo Pediatric Acute Myeloid Leukemia: A Study from the Japan Pediatric Leukemia/Lymphoma Study Group (JPLSG) AML-05 Clinical Trial. <i>Blood</i> , 2016, 128, 2904-2904.	0.6	0
123	Acute Myeloid Leukemia. , 2017, , 61-85.		0
124	Hematopoietic Stem-Cell Transplantation in Children with Refractory Acute Myeloid Leukemia. <i>Blood</i> , 2018, 132, 4632-4632.	0.6	0
125	Comprehensive Analysis of 343 Genes Using Targeted Sequencing Panel By Next-Generation Sequencer in 77 Pediatric AML Patients with Normal and Complex Karyotypes: Jccg Study, JPLSG AML-05. <i>Blood</i> , 2018, 132, 1530-1530.	0.6	0
126	Recurrent Genomic Aberrations of D-Type Cyclins Are Therapeutic Targets of CDK4/6 Inhibitors in t(8;21) and MLL-Rearranged Acute Myeloid Leukemia. <i>Blood</i> , 2018, 132, 2797-2797.	0.6	0

#	ARTICLE	IF	CITATIONS
127	Negative CD19 Expression Is Associated with Inferior Relapse-Free Survival in RUNX1-RUNX1T1-Positive Acute Myeloid Leukemia; The Japanese Pediatric Leukemia/Lymphoma Study Group Experience from the AML-05 Study. <i>Blood</i> , 2018, 132, 2810-2810.	0.6	0
128	Effect of Age on the Prognosis of Molecular Abnormalities in Pediatric Acute Myeloid Leukemia. <i>Blood</i> , 2018, 132, 1506-1506.	0.6	0
129	Significant Features of DNA Methylation at Bivalent Promotor and Repressed Polycomb Regions in Pediatric AML-the Jccg Study, JPLSG AML-05-. <i>Blood</i> , 2019, 134, 2739-2739.	0.6	0
130	Clinical Features of Pediatric Acute Myeloid Leukemia with TP53 and CDKN2A/2B copy Number Alterations. <i>Blood</i> , 2019, 134, 2727-2727.	0.6	0
131	Recurrent Gene Mutations in Pediatric Patients with AML By Targeted Sequencing â€•the Jccg Study, JPLSG AML-05â€•. <i>Blood</i> , 2019, 134, 2697-2697.	0.6	0
132	The Detection of Minor Clones with Somatic KIT D816V Mutations Using Droplet Digital PCR in Pediatric De Novo AML: AML-05 Trial from the Japanese Pediatric Leukemia/Lymphoma Study Group. <i>Blood</i> , 2019, 134, 1419-1419.	0.6	0
133	Clonal Evolution Pattern and Prognostic Significance of Clonal Architecture in KMT2A-Rearranged Acute Myeloid Leukemia. <i>Blood</i> , 2021, 138, 2358-2358.	0.6	0
134	Comprehensive Genetic Analysis Revealed Myeloid/Natural Killer (NK) Cell Precursor Acute Leukemia As a Novel Distinctive Leukemia Entity. <i>Blood</i> , 2020, 136, 14-15.	0.6	0
135	Etoposide, Cytarabine and Mitoxantrone- or Fludarabine, Cytarabine and Granulocyte Colony-Stimulating Factor-Based Intensive Reinduction Chemotherapy Is Recommended for Children with Relapsed Acute Myeloid Leukemia: The Results from the Japanese Pediatric Leukemia/Lymphoma Study Group (JPLSG) AML-05R Study. <i>Blood</i> , 2020, 136, 6-6.	0.6	0
136	<i>KRAS</i> mutations Frequently Coexist with High-Risk <i>MLL</i> Fusions and Are Independent Adverse Prognostic Factors in <i>MLL</i>-Rearranged Acute Myeloid Leukemia. <i>Blood</i> , 2020, 136, 28-29.	0.6	0