

Helle Terkildsen Maindal

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7432388/helle-terkildsen-maindal-publications-by-citations.pdf>
Version: 2024-03-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

114 papers	1,537 citations	20 h-index	35 g-index
130 ext. papers	2,127 ext. citations	3 avg, IF	5.16 L-index

#	Paper	IF	Citations
114	Health literacy is associated with health behaviour and self-reported health: A large population-based study in individuals with cardiovascular disease. <i>European Journal of Preventive Cardiology</i> , 2017 , 24, 1880-1888	3.9	112
113	National indicators of health literacy: ability to understand health information and to engage actively with healthcare providers - a population-based survey among Danish adults. <i>BMC Public Health</i> , 2014 , 14, 1095	4.1	108
112	Cultural adaptation and validation of the Health Literacy Questionnaire (HLQ): robust nine-dimension Danish language confirmatory factor model. <i>SpringerPlus</i> , 2016 , 5, 1232		94
111	Gaps in understanding health and engagement with healthcare providers across common long-term conditions: a population survey of health literacy in 29,473 Danish citizens. <i>BMJ Open</i> , 2016 , 6, e009627	3	86
110	Translation, adaptation and validation of the American short form Patient Activation Measure (PAM13) in a Danish version. <i>BMC Public Health</i> , 2009 , 9, 209	4.1	75
109	Health Literacy Mediates the Relationship Between Educational Attainment and Health Behavior: A Danish Population-Based Study. <i>Journal of Health Communication</i> , 2016 , 21, 54-60	2.5	69
108	Associations of health literacy with socioeconomic position, health risk behavior, and health status: a large national population-based survey among Danish adults. <i>BMC Public Health</i> , 2020 , 20, 565	4.1	50
107	The Relationship between Health Literacy and Health Behaviour in People with Diabetes: A Danish Population-Based Study. <i>Journal of Diabetes Research</i> , 2016 , 2016, 7823130	3.9	46
106	Higher health literacy is associated with better glycemic control in adults with type 1 diabetes: a cohort study among 1399 Danes. <i>BMJ Open Diabetes Research and Care</i> , 2017 , 5, e000437	4.5	34
105	Interacting with relatives in intensive care unit. Nurses' perceptions of a challenging task. <i>Nursing in Critical Care</i> , 2009 , 14, 264-72	2.7	31
104	Adaptation, data quality and confirmatory factor analysis of the Danish version of the PACIC questionnaire. <i>European Journal of Public Health</i> , 2012 , 22, 31-6	2.1	31
103	National study of the prevalence of gestational diabetes mellitus among Danish women from 2004 to 2012. <i>Scandinavian Journal of Public Health</i> , 2017 , 45, 811-817	3	30
102	A multifaceted implementation strategy versus passive implementation of low back pain guidelines in general practice: a cluster randomised controlled trial. <i>Implementation Science</i> , 2016 , 11, 143	8.4	29
101	How to prevent type 2 diabetes in women with previous gestational diabetes? A systematic review of behavioural interventions. <i>Primary Care Diabetes</i> , 2017 , 11, 403-413	2.4	27
100	Psychological distress, cardiovascular complications and mortality among people with screen-detected type 2 diabetes: follow-up of the ADDITION-Denmark trial. <i>Diabetologia</i> , 2014 , 57, 710-7	10.3	26
99	The forgotten risk? A systematic review of the effect of reminder systems for postpartum screening for type 2 diabetes in women with previous gestational diabetes. <i>BMC Research Notes</i> , 2015 , 8, 373	2.3	23
98	Relationships between health literacy, motivation and diet and physical activity in people with type 2 diabetes participating in peer-led support groups. <i>Primary Care Diabetes</i> , 2018 , 12, 331-337	2.4	23

97	Patient activation in Europe: an international comparison of psychometric properties and patients' scores on the short form Patient Activation Measure (PAM-13). <i>BMC Health Services Research</i> , 2016 , 16, 570	2.9	21
96	Early-onset type 2 diabetes: Age gradient in clinical and behavioural risk factors in 5115 persons with newly diagnosed type 2 diabetes-Results from the DD2 study. <i>Diabetes/Metabolism Research and Reviews</i> , 2018 , 34, e2968	7.5	20
95	Prevention of Type 2 diabetes after gestational diabetes directed at the family context: a narrative review from the Danish Diabetes Academy symposium. <i>Diabetic Medicine</i> , 2018 , 35, 714-720	3.5	20
94	Effect on motivation, perceived competence, and activation after participation in the "Ready to Act" programme for people with screen-detected dysglycaemia: a 1-year randomised controlled trial, Addition-DK. <i>Scandinavian Journal of Public Health</i> , 2011 , 39, 262-71	3	19
93	Patterns of attendance to health checks in a municipality setting: the Danish 'Check Your Health Preventive Program'. <i>Preventive Medicine Reports</i> , 2017 , 5, 175-182	2.6	18
92	Sexual behaviour among young Danes aged 15-29 years: a cross-sectional study of core indicators. <i>Sexually Transmitted Infections</i> , 2015 , 91, 171-7	2.8	18
91	The impact of health literacy on diabetes self-management education. <i>Health Education Journal</i> , 2018 , 77, 349-362	1.5	18
90	What is the postpartum experience of Danish women following gestational diabetes? A qualitative exploration. <i>Scandinavian Journal of Caring Sciences</i> , 2018 , 32, 756-764	2.3	18
89	Effectiveness of the population-based Check your health preventive programme conducted in primary care with 4 years follow-up [the CORE trial]: study protocol for a randomised controlled trial. <i>Trials</i> , 2014 , 15, 341	2.8	18
88	Quality of type 2 diabetes management in general practice is associated with involvement of general practice nurses. <i>Primary Care Diabetes</i> , 2012 , 6, 221-8	2.4	18
87	Effectiveness of a training course for general practice nurses in motivation support in type 2 diabetes care: a cluster-randomised trial. <i>PLoS ONE</i> , 2014 , 9, e96683	3.7	17
86	Health Literacy is Associated with Health Behaviors in Students from Vocational Education and Training Schools: A Danish Population-Based Survey. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	16
85	Effectiveness of a brief theory-based health promotion intervention among adults at high risk of type 2 diabetes: One-year results from a randomised trial in a community setting. <i>Primary Care Diabetes</i> , 2016 , 10, 111-20	2.4	15
84	Health literacy, multimorbidity, and patient-perceived treatment burden in individuals with cardiovascular disease. A Danish population-based study. <i>Patient Education and Counseling</i> , 2019 , 102, 1932-1938	3.1	15
83	Achieving penetration and participation in diabetes after pregnancy prevention interventions following gestational diabetes: A health promotion challenge. <i>Diabetes Research and Clinical Practice</i> , 2018 , 145, 200-213	7.4	15
82	Association between self-reported and objectively measured physical fitness level in a middle-aged population in primary care. <i>Preventive Medicine Reports</i> , 2015 , 2, 462-6	2.6	14
81	A qualitative study about the experiences of ethnic minority pregnant women with gestational diabetes. <i>Scandinavian Journal of Caring Sciences</i> , 2019 , 33, 621-631	2.3	13
80	Social relations, depressive symptoms, and incident type 2 diabetes mellitus: The English Longitudinal Study of Ageing. <i>Diabetes Research and Clinical Practice</i> , 2017 , 126, 86-94	7.4	12

79	Enhanced implementation of low back pain guidelines in general practice: study protocol of a cluster randomised controlled trial. <i>Implementation Science</i> , 2013 , 8, 124	8.4	12
78	Experience of Being Young With Psoriasis: Self-Management Support Needs. <i>Qualitative Health Research</i> , 2018 , 28, 73-86	3.9	12
77	Initiation and cessation of mental healthcare after mental health screening in primary care: a prospective cohort study. <i>BMC Family Practice</i> , 2018 , 19, 176	2.6	12
76	Improving Organizational Health Literacy Responsiveness in Cardiac Rehabilitation Using a Co-Design Methodology: Results From The Heart Skills Study. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	10
75	'He should feel your pain': Patient insights on patient-provider communication in Rwanda. <i>African Journal of Primary Health Care and Family Medicine</i> , 2018 , 10, e1-e11	1.9	10
74	Contact to the out-of-hours service among Danish parents of small children - a qualitative interview study. <i>Scandinavian Journal of Primary Health Care</i> , 2018 , 36, 216-223	2.7	10
73	Large diversity in Danish health literacy profiles: perspectives for care of long-term illness and multimorbidity. <i>European Journal of Public Health</i> , 2020 , 30, 75-80	2.1	10
72	Lifting the lid of the "black intervention box" - the systematic development of an action competence programme for people with screen-detected dysglycaemia. <i>BMC Health Services Research</i> , 2010 , 10, 114	2.9	10
71	Low Health Literacy and Mortality in Individuals with Cardiovascular Disease, Chronic Obstructive Pulmonary Disease, Diabetes, and Mental Illness: A 6-Year Population-Based Follow-Up Study. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	10
70	What are the public health implications of the life course perspective?. <i>Global Health Action</i> , 2019 , 12, 1603491	3	9
69	Effect of a participant-driven health education programme in primary care for people with hyperglycaemia detected by screening: 3-year results from the Ready to Act randomized controlled trial (nested within the ADDITION-Denmark study). <i>Diabetic Medicine</i> , 2014 , 31, 976-86	3.5	9
68	Exercise more or sit less? A randomized trial assessing the feasibility of two advice-based interventions in obese inactive adults. <i>Journal of Science and Medicine in Sport</i> , 2018 , 21, 708-713	4.4	9
67	Development of a core outcome set for diabetes after pregnancy prevention interventions (COS-DAP): a study protocol. <i>Trials</i> , 2018 , 19, 708	2.8	9
66	Protocol for a randomised controlled trial of a co-produced, complex, health promotion intervention for women with prior gestational diabetes and their families: the Face-it study. <i>Trials</i> , 2020 , 21, 146	2.8	8
65	Patients' perception of noise in the operating room--a descriptive and analytic cross-sectional study. <i>Journal of Perianesthesia Nursing</i> , 2014 , 29, 410-7	1.3	8
64	A cluster randomised pragmatic trial applying Self-determination theory to type 2 diabetes care in general practice. <i>BMC Family Practice</i> , 2011 , 12, 130	2.6	8
63	Self-management in daily life with psoriasis: an integrative review of patient needs for structured education. <i>Nursing Research and Practice</i> , 2012 , 2012, 890860	1.9	8
62	Tele-rehabilitation and hospital-based cardiac rehabilitation are comparable in increasing patient activation and health literacy: A pilot study. <i>European Journal of Cardiovascular Nursing</i> , 2020 , 19, 376-383	3.3	8

61	Impact of low health literacy on healthcare utilization in individuals with cardiovascular disease, chronic obstructive pulmonary disease, diabetes and mental disorders. A Danish population-based 4-year follow-up study. <i>European Journal of Public Health</i> , 2020 , 30, 866-872	2.1	7
60	The Sano study: justification and detailed description of a multidisciplinary biopsychosocial rehabilitation programme in patients with chronic low back pain. <i>Clinical Rehabilitation</i> , 2018 , 32, 1431-1439	3.3	7
59	The impact of intensive multifactorial treatment on perceptions of chronic care among individuals with screen-detected diabetes: results from the ADDITION-Denmark trial. <i>International Journal of Clinical Practice</i> , 2015 , 69, 466-73	2.9	7
58	Diabetes after pregnancy prevention trials: Systematic review for core outcome set development. <i>Maternal and Child Nutrition</i> , 2020 , 16, e12947	3.4	6
57	Action research led to a feasible lifestyle intervention in general practice for people with prediabetes. <i>Primary Care Diabetes</i> , 2014 , 8, 23-9	2.4	6
56	Patient-initiated versus fixed-interval patient-reported outcome-based follow-up in outpatients with epilepsy: a pragmatic randomized controlled trial. <i>Journal of Patient-Reported Outcomes</i> , 2019 , 3, 61	2.6	6
55	Recruitment of general practices: Is a standardised approach helpful in the involvement of healthcare professionals in research?. <i>SAGE Open Medicine</i> , 2016 , 4, 2050312116662802	2.4	6
54	Process evaluation of implementation fidelity in a Danish health-promoting school intervention. <i>BMC Public Health</i> , 2018 , 18, 1407	4.1	6
53	State of Diabetes Self-Management Education in the European Union Member States and Non-EU Countries: The Diabetes Literacy Project. <i>Journal of Diabetes Research</i> , 2018 , 2018, 1467171	3.9	6
52	Health Literacy among People in Cardiac Rehabilitation: Associations with Participation and Health-Related Quality of Life in the Heart Skills Study in Denmark. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	5
51	Three-year effects on dietary quality of health education: a randomized controlled trial of people with screen-detected dysglycaemia (The ADDITION study, Denmark). <i>European Journal of Public Health</i> , 2013 , 23, 393-8	2.1	5
50	The MILE study: a motivational, individual and locally anchored exercise intervention among 30-49 year-olds with low levels of cardiorespiratory fitness: a randomised controlled study in primary care. <i>BMC Public Health</i> , 2013 , 13, 1224	4.1	5
49	Comorbidity and lack of education countered participation in a diabetes prevention self-management program. <i>Journal of Nursing and Healthcare of Chronic Illness</i> , 2011 , 3, 293-301		5
48	Fit for Diversity: A Staff-Driven Organizational Development Process Based on the Organizational Health Literacy Responsiveness Framework. <i>Health Literacy Research and Practice</i> , 2020 , 4, e79-e83	2.6	5
47	Psychosocial factors impacting on life transitions among young adults with type 2 diabetes: an Australian - Danish qualitative study. <i>Scandinavian Journal of Caring Sciences</i> , 2016 , 30, 320-9	2.3	5
46	Building school-based social capital through 'We Act - Together for Health' - a quasi-experimental study. <i>BMC Public Health</i> , 2018 , 18, 1141	4.1	5
45	The effect of cardiorespiratory fitness assessment in preventive health checks: a randomised controlled trial. <i>European Journal of Public Health</i> , 2018 , 28, 173-179	2.1	4
44	Smoke-free-school-hours at vocational education and training schools in Denmark: attitudes among managers and teaching staff - a national cross-sectional study. <i>BMC Public Health</i> , 2019 , 19, 813	4.1	4

43	Chlamydia trachomatis infection in young adults - association with concurrent partnerships and short gap length between partners. <i>Infectious Diseases</i> , 2015 , 47, 838-45	3.1	4
42	Diversity and ambivalence in general practitioners' attitudes towards preventive health checks - a qualitative study. <i>BMC Family Practice</i> , 2012 , 13, 53	2.6	4
41	Health literacy meets the life-course perspective: towards a conceptual framework. <i>Global Health Action</i> , 2020 , 13, 1775063	3	3
40	Mental health assessment in health checks of participants aged 30-49 years: A large-scale cohort study. <i>Preventive Medicine Reports</i> , 2018 , 9, 72-79	2.6	3
39	Could the patient have been seen by a nurse; a questionnaire based survey of GP and patient views in Danish general practice. <i>BMC Family Practice</i> , 2013 , 14, 171	2.6	3
38	Effect of including fitness testing in preventive health checks on cardiorespiratory fitness and motivation: study protocol of a randomized controlled trial. <i>BMC Public Health</i> , 2014 , 14, 1057	4.1	3
37	Sundhedskompetence (Health literacy) & teori, forskning og praksis - Health Literacy & Theory, Research and Practice. <i>Klinisk Sygepleje</i> , 2016 , 43, 3-16	0.2	3
36	Sociodemographic, personal, and disease-related determinants of referral to patient-reported outcome-based follow-up of remote outpatients: a prospective cohort study. <i>Quality of Life Research</i> , 2020 , 29, 1335-1347	3.7	3
35	Healthcare Professionals' Perspectives on the Cross-Sectoral Treatment Pathway for Women with Gestational Diabetes during and after Pregnancy-A Qualitative Study. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	3
34	Structured supervised exercise training or motivational counselling during pregnancy on physical activity level and health of mother and offspring: FitMum study protocol. <i>BMJ Open</i> , 2021 , 11, e043671	3	3
33	Effects of a motivational, individual and locally anchored exercise intervention (MILE) on cardiorespiratory fitness: a community-based randomised controlled trial. <i>BMC Public Health</i> , 2019 , 19, 239	4.1	2
32	Higher patient assessed quality of chronic care is associated with lower diabetes distress among adults with early-onset type 2 diabetes: Cross-sectional survey results from the Danish DD2-study. <i>Primary Care Diabetes</i> , 2020 , 14, 522-528	2.4	2
31	Effect on attendance by including focused information on spirometry in preventive health checks: study protocol for a randomized controlled trial. <i>Trials</i> , 2016 , 17, 571	2.8	2
30	Patient level cost of diabetes self-management education programmes: an international evaluation. <i>BMJ Open</i> , 2017 , 7, e013805	3	2
29	Cardiac rehabilitation with a nurse case manager (GoHeart) across local and regional health authorities improves risk factors, self-care and psychosocial outcomes. A one-year follow-up study. <i>JRSM Cardiovascular Disease</i> , 2014 , 3, 2048004014555922	1.1	2
28	P3.391 Concurrent Partners. A Predictor of Chlamydia. <i>Sexually Transmitted Infections</i> , 2013 , 89, A271.3-A271	3.7	2
27	Core outcome set for diabetes after pregnancy prevention across the life span: international Delphi study. <i>BMJ Open Diabetes Research and Care</i> , 2020 , 8,	4.5	2
26	Caring for young people with moderate to severe psoriasis: an interpretive description of parental perspectives. <i>Journal of Dermatological Treatment</i> , 2020 , 31, 227-234	2.8	2

25	Diabetes prevention interventions for women after gestational diabetes mellitus: an overview of reviews. <i>Endocrinology, Diabetes and Metabolism</i> , 2021 , 4, e00230	2.7	2
24	Young Danes' experiences with unsafe sex. <i>Danish Medical Journal</i> , 2013 , 60, A4566	3.8	2
23	Work in Progress: A Report on Health Literacy in Denmark and the Netherlands. <i>Studies in Health Technology and Informatics</i> , 2020 , 269, 202-211	0.5	1
22	The effect of training GPs in motivational interviewing on incident cardiovascular disease and mortality in people with screen-detected diabetes. Results from the ADDITION-Denmark randomised trial. <i>BJGP Open</i> , 2020 , 4,	3.1	1
21	To Tell or Not to Tell: Disclosure and Self-Management among Adults with Early-Onset Type 2 Diabetes: A Qualitative Study. <i>The Open Diabetes Journal</i> , 2020 , 10, 11-19	0.3	1
20	A CHAT about health literacy - a qualitative feasibility study of the Conversational Health Literacy Assessment Tool (CHAT) in a Danish municipal healthcare centre. <i>Scandinavian Journal of Caring Sciences</i> , 2021 , 35, 1250-1258	2.3	1
19	"I Wanted to Be There as a Father, but I Couldn't": A Qualitative Study of Fathers' Experiences of Postpartum Depression and Their Help-Seeking Behavior. <i>American Journal of Men's Health</i> , 2021 , 15, 15579883211024375	2.2	1
18	Bump2Baby and Me: protocol for a randomised trial of mHealth coaching for healthy gestational weight gain and improved postnatal outcomes in high-risk women and their children.. <i>Trials</i> , 2021 , 22, 963	2.8	1
17	The effect on participation rates of including focused spirometry information in a health check invitation: a cluster-randomised trial in Denmark. <i>BMC Public Health</i> , 2019 , 19, 1183	4.1	0
16	The experience of women with recent gestational diabetes during the COVID-19 lockdown: a qualitative study from Denmark.. <i>BMC Pregnancy and Childbirth</i> , 2022 , 22, 84	3.2	0
15	Strategies to promote health behaviors in parents with small children-A systematic review and realist synthesis of behavioral interventions. <i>Obesity Reviews</i> , 2022 , 23, e13359	10.6	0
14	Factors associated with non-initiation of mental healthcare after detection of poor mental health at a scheduled health check: a cohort study. <i>BMJ Open</i> , 2020 , 10, e037731	3	0
13	Tackling physical inactivity in Scandinavia: a narrative review of reviews supplemented by expert interviews. <i>Scandinavian Journal of Public Health</i> , 2021 , 14034948211042956	3	0
12	Patients' assessment of care for type 2 diabetes: Results of the Patient Assessment of Chronic Illness Care scale in a Danish population. <i>BMC Health Services Research</i> , 2021 , 21, 1069	2.9	0
11	Multimorbidity and health literacy: A population-based survey among 28,627 Danish adults. <i>Scandinavian Journal of Public Health</i> , 2021 , 14034948211045921	3	0
10	Effectiveness of the population-based 'check your health preventive programme' conducted in a primary care setting: a pragmatic randomised controlled trial. <i>Journal of Epidemiology and Community Health</i> , 2022 , 76, 24-31	5.1	0
9	High prevalence of poor fitness among Danish adults, especially among those with high cardiovascular mortality risk. <i>European Journal of Public Health</i> , 2017 , 27, 569-574	2.1	0
8	Unprompted vigorous physical activity is associated with higher levels of subsequent sedentary behaviour in participants with low cardiorespiratory fitness: a cross-sectional study. <i>European Journal of Sport Science</i> , 2019 , 19, 1004-1013	3.9	0

7	Systematically developing a family-based health promotion intervention for women with prior gestational diabetes based on evidence, theory and co-production: the Face-it study. <i>BMC Public Health</i> , 2021 , 21, 1616	4.1	○
6	Perceptions of risk and motivation for healthy living among immigrants from non-western countries with prior gestational diabetes mellitus living in Denmark. <i>Health Psychology and Behavioral Medicine</i> , 2021 , 9, 761-777	2.2	○
5	Children's agency in building social capital and collective actions. <i>Health Education</i> , 2019 , 119, 35-50	1	
4	P2-S1.10 Identifying key elements describing sexual behaviour in the Danish Population: a Qualitative Study. <i>Sexually Transmitted Infections</i> , 2011 , 87, A223-A223	2.8	
3	Factors associated with non-initiation of mental healthcare after detection of poor mental health at a scheduled health check: a cohort study. <i>BMJ Open</i> , 2020 , 10, e037731	3	
2	Development of a Complex Intervention for Health Care Professionals' Care of Patients With African Background and HIV Infection Using the Behavior Change Wheel Method.. <i>Journal of Transcultural Nursing</i> , 2022 , 10436596221075989	2.2	
1	Is patient activation a mediator of the effect of a health promoting intervention in adults at high risk of type 2 diabetes? A longitudinal path model analysis within a randomised trial.. <i>BMC Public Health</i> , 2022 , 22, 439	4.1	