

Alessandro Cucchi

List of Publications by Citations

Source: <https://exaly.com/author-pdf/74326/alessandro-cucchi-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

48
papers

585
citations

15
h-index

21
g-index

49
ext. papers

801
ext. citations

2.6
avg, IF

3.99
L-index

#	Paper	IF	Citations
48	Evaluation of complication rates and vertical bone gain after guided bone regeneration with non-resorbable membranes versus titanium meshes and resorbable membranes. A randomized clinical trial. <i>Clinical Implant Dentistry and Related Research</i> , 2017 , 19, 821-832	3.9	54
47	The influence of implant-abutment connection to peri-implant bone loss: A systematic review and meta-analysis. <i>Clinical Implant Dentistry and Related Research</i> , 2018 , 20, 653-664	3.9	52
46	Influence of crown-implant ratio on implant success rates and crestal bone levels: a 36-month follow-up prospective study. <i>Clinical Oral Implants Research</i> , 2014 , 25, 240-51	4.8	50
45	Clinical and Histological changes after ridge preservation with two xenografts: preliminary results from a multicentre randomized controlled clinical trial. <i>Journal of Clinical Periodontology</i> , 2017 , 44, 204-214	7.7	37
44	Vertical Guided Bone Regeneration using Titanium-reinforced d-PTFE Membrane and Prehydrated Corticocancellous Bone Graft. <i>Open Dentistry Journal</i> , 2014 , 8, 194-200	0.8	26
43	Evaluation of the esthetic results of 64 nonfunctional immediately loaded postextraction implants in the maxilla: correlation between interproximal alveolar crest and soft tissues at 3 years of follow-up. <i>Clinical Implant Dentistry and Related Research</i> , 2013 , 15, 130-42	3.9	23
42	Volumetric analysis of remodelling pattern after ridge preservation comparing use of two types of xenografts. A multicentre randomized clinical trial. <i>Clinical Oral Implants Research</i> , 2016 , 27, e105-e115	4.8	21
41	Histological and histomorphometric analysis of bone tissue after guided bone regeneration with non-resorbable membranes vs resorbable membranes and titanium mesh. <i>Clinical Implant Dentistry and Related Research</i> , 2019 , 21, 693-701	3.9	20
40	Effect of Oral Administration of Bromelain on Postoperative Discomfort After Third Molar Surgery. <i>Journal of Craniofacial Surgery</i> , 2017 , 28, e191-e197	1.2	17
39	A comparative retrospective study of immediately loaded implants in postextraction sites versus healed sites: results after 6 to 7 years in the maxilla. <i>International Journal of Oral and Maxillofacial Implants</i> , 2011 , 26, 373-84	2.8	17
38	Zygomatic and maxillary implants inserted by means of computer-assisted surgery in a patient with a cleft palate. <i>Journal of Craniofacial Surgery</i> , 2010 , 21, 858-62	1.2	16
37	Primary and Secondary Stability of Implants in Postextraction and Healed Sites: A Randomized Controlled Clinical Trial. <i>International Journal of Oral and Maxillofacial Implants</i> , 2016 , 31, 1435-1443	2.8	16
36	Guided bone regeneration with autogenous block grafts applied to Le Fort I osteotomy for treatment of severely resorbed maxillae: a 4- to 6-year prospective study. <i>Clinical Oral Implants Research</i> , 2012 , 23, 60-9	4.8	15
35	Computer-assisted surgery in the lower jaw: double surgical guide for immediately loaded implants in postextractive sites-technical notes and a case report. <i>Journal of Oral Implantology</i> , 2010 , 36, 61-8	1.2	15
34	Statements and Recommendations for Guided Bone Regeneration: Consensus Report of the Guided Bone Regeneration Symposium Held in Bologna, October 15 to 16, 2016. <i>Implant Dentistry</i> , 2019 , 28, 388-399	2.4	15
33	Short implants with oxidized surface in posterior areas of atrophic jaws: 3- to 5-year results of a multicenter study. <i>Clinical Implant Dentistry and Related Research</i> , 2015 , 17, 442-52	3.9	14
32	Computer-assisted surgery: double surgical guides for immediate loading of implants in maxillary postextractive sites. <i>Journal of Craniofacial Surgery</i> , 2010 , 21, 1781-5	1.2	13

31	Short threaded implants with an oxidized surface to restore posterior teeth: 1- to 3-year results of a prospective study. <i>International Journal of Oral and Maxillofacial Implants</i> , 2011 , 26, 393-403	2.8	13
30	Peri-implant conditions around sintered porous-surfaced (SPS) implants. A 36-month prospective cohort study. <i>Clinical Oral Implants Research</i> , 2015 , 26, 212-9	4.8	12
29	Evaluation of Ultrashort and Longer Implants with Microrough Surfaces: Results of a 24- to 36-Month Prospective Study. <i>International Journal of Oral and Maxillofacial Implants</i> , 2017 , 32, 171-179	2.8	11
28	Relationship Between Crestal Bone Levels and Crown-to-Implant Ratio of Ultra-Short Implants With a Microrough Surface: A Prospective Study With 48 Months of Follow-Up. <i>Journal of Oral Implantology</i> , 2019 , 45, 18-28	1.2	11
27	Long-term results of immediately loaded fast bone regeneration-coated implants placed in fresh extraction sites in the upper jaw. <i>Journal of Oral Implantology</i> , 2010 , 36, 251-61	1.2	11
26	Clinical and volumetric outcomes after vertical ridge augmentation using computer-aided-design/computer-aided manufacturing (CAD/CAM) customized titanium meshes: a pilot study. <i>BMC Oral Health</i> , 2020 , 20, 219	3.7	10
25	A Proposal of Pseudo-periosteum Classification After GBR by Means of Titanium-Reinforced d-PTFE Membranes or Titanium Meshes Plus Cross-Linked Collagen Membranes. <i>International Journal of Periodontics and Restorative Dentistry</i> , 2019 , 39, e157-e165	2.1	9
24	Relationship Between Primary Stability and Crestal Bone Loss of Implants Placed with High Insertion Torque: A 3-Year Prospective Study. <i>International Journal of Oral and Maxillofacial Implants</i> , 2016 , 31, 1126-34	2.8	9
23	Clinical evaluation of satisfaction in patients rehabilitated with an immediately loaded implant-supported prosthesis: a controlled prospective study. <i>International Journal of Oral and Maxillofacial Implants</i> , 2012 , 27, 911-9	2.8	9
22	Custom-Made Titanium Mesh for Maxillary Bone Augmentation With Immediate Implants and Delayed Loading. <i>Journal of Oral Implantology</i> , 2019 , 45, 59-64	1.2	8
21	Influence of crown-implant ratio on implant success rate of ultra-short dental implants: results of a 8- to 10-year retrospective study. <i>Clinical Oral Investigations</i> , 2020 , 24, 3213-3222	4.2	7
20	The Efficacy of an Anatase-Coated Collar Surface in Inhibiting the Bacterial Colonization of Oral Implants: A Pilot Prospective Study in Humans. <i>International Journal of Oral and Maxillofacial Implants</i> , 2018 , 33, 395-404	2.8	6
19	Evaluation of Crestal Bone Loss Around Straight and Tilted Implants in Patients Rehabilitated by Immediate-Loaded Full-Arch All-on-4 or All-on-6: A Prospective Study. <i>Journal of Oral Implantology</i> , 2019 , 45, 434-443	1.2	6
18	New collagen matrix to avoid the reduction of keratinized tissue during guided bone regeneration in postextraction sites. <i>Journal of Craniofacial Surgery</i> , 2012 , 23, e186-9	1.2	6
17	Implant rehabilitation of the edentulous jaws: Does tilting of posterior implants at an angle greater than 45° affect bone resorption and implant success?: A retrospective study. <i>Clinical Implant Dentistry and Related Research</i> , 2018 , 20, 867-874	3.9	5
16	Minimally Invasive Approach Based on Pterygoid and Short Implants for Rehabilitation of an Extremely Atrophic Maxilla: Case Report. <i>Implant Dentistry</i> , 2017 , 26, 639-644	2.4	4
15	Tapered, Double-Lead Threads Single Implants Placed in Fresh Extraction Sockets and Healed Sites of the Posterior Jaws: A Multicenter Randomized Controlled Trial with 1 to 3 Years of Follow-Up. <i>BioMed Research International</i> , 2017 , 2017, 8017175	3	4
14	The Accuracy of Computer-Assisted Implant Surgery Performed Using Fully Guided Templates versus Pilot-Drill Guided Templates. <i>BioMed Research International</i> , 2019 , 2019, 1-10	3	3

13	Cleaning and decompression of inferior alveolar canal to treat dysesthesia and paresthesia following endodontic treatment of a third molar. <i>Indian Journal of Dental Research</i> , 2014 , 25, 413-5	0.8	3
12	The Alternating Osteotome Technique—a surgical approach for combined ridge expansion and sinus floor elevation. A multicentre prospective study with a three-year follow-up. <i>Biotechnology and Biotechnological Equipment</i> , 2016 , 30, 762-769	1.6	3
11	Postextraction implant placement with immediate provisionalisation and finalisation, using a simplified technique: technical notes and a case report. <i>Open Dentistry Journal</i> , 2012 , 6, 164-9	0.8	2
10	Vertical ridge augmentation (VRA) with Ti-reinforced d-PTFE membranes or Ti meshes and collagen membranes: 1-year results of a randomized clinical trial. <i>Clinical Oral Implants Research</i> , 2021 , 32, 1-14	4.8	2
9	A case of rapidly progressive peri-implantitis around a short sintered porous-surfaced implant. <i>The Journal of the Indiana Dental Association</i> , 2009 , 88, 33-5		2
8	Solid index impression protocol: a hybrid workflow for high accuracy and passive fit of full-arch implant-supported restorations. <i>International Journal of Computerized Dentistry</i> , 2020 , 23, 161-181	4.5	2
7	A Proposal of Pseudo-periosteum Classification After GBR by Means of Titanium-Reinforced d-PTFE Membranes or Titanium Meshes Plus Cross-Linked Collagen Membranes. <i>International Journal of Periodontics and Restorative Dentistry</i> , 2019 , 39, e157-e165	2.1	2
6	Prevention of BRONJ Using PRGF in a Totally Edentulous Patient Restored With Postextraction Implants: A Case Report. <i>Journal of Oral Implantology</i> , 2016 , 42, 299-303	1.2	1
5	In Vitro Effect of Bromelain on the Regenerative Properties of Mesenchymal Stem Cells. <i>Journal of Craniofacial Surgery</i> , 2019 , 30, 1064-1067	1.2	1
4	Patient-reported outcomes and complication rates after lateral maxillary sinus floor elevation: a prospective study. <i>Clinical Oral Investigations</i> , 2021 , 25, 4431-4444	4.2	1
3	Vertical and horizontal ridge augmentation using customized CAD/CAM titanium mesh with versus without resorbable membranes. A randomized clinical trial. <i>Clinical Oral Implants Research</i> , 2021 , 32, 1411-1424	4.8	1
2	One-stage surgical approach to rehabilitate severely injured anterior teeth in a young woman. <i>Journal of Craniofacial Surgery</i> , 2010 , 21, 1184-8	1.2	
1	Strengths and Limitations of the Evidence-Based Movement Aimed to Improve Clinical Outcomes in Dentistry and Oral Surgery 2010 , 149-171		