

Baptiste Pignon

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7432662/baptiste-pignon-publications-by-citations.pdf>
Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

63 papers	964 citations	14 h-index	30 g-index
80 ext. papers	1,307 ext. citations	4.3 avg, IF	3.89 L-index

#	Paper	IF	Citations
63	The contribution of cannabis use to variation in the incidence of psychotic disorder across Europe (EU-GEI): a multicentre case-control study. <i>Lancet Psychiatry</i> , 2019, 6, 427-436	23.3	322
62	T132. ASSESSMENT OF CROSS-NATIONAL EQUIVALENCE OF THE COMMUNITY ASSESSMENT OF PSYCHIC EXPERIENCES (CAPE). <i>Schizophrenia Bulletin</i> , 2018, 44, S166-S167	1.3	78
61	Influence of comorbid alcohol use disorders on the clinical patterns of major depressive disorder: A general population-based study. <i>Drug and Alcohol Dependence</i> , 2018, 187, 40-47	4.9	73
60	Experimental study of crystallization of PolyEtherEtherKetone (PEEK) over a large temperature range using a nano-calorimeter. <i>Polymer Testing</i> , 2014, 36, 10-19	4.5	73
59	Dramatic reduction of psychiatric emergency consultations during lockdown linked to COVID-19 in Paris and suburbs. <i>Psychiatry and Clinical Neurosciences</i> , 2020, 74, 557-559	6.2	47
58	Baclofen for alcohol dependence: Relationships between baclofen and alcohol dosing and the occurrence of major sedation. <i>European Neuropsychopharmacology</i> , 2015, 25, 1631-6	1.2	42
57	Sociodemographic and clinical correlates of psychotic symptoms in the general population: Findings from the MHGP survey. <i>Schizophrenia Research</i> , 2018, 193, 336-342	3.6	25
56	Prevalence and clinical severity of mood disorders among first-, second- and third-generation migrants. <i>Journal of Affective Disorders</i> , 2017, 210, 174-180	6.6	21
55	A study in the general population about sadness to disentangle the continuum from well-being to depressive disorders. <i>Journal of Affective Disorders</i> , 2018, 226, 66-71	6.6	20
54	Prevalence and predictors of no lifetime utilization of mental health treatment among people with mental disorders in France: findings from the 'Mental Health in General Population' (MHGP) survey. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2018, 53, 567-576	4.5	17
53	The Place of Antipsychotics in the Therapy of Anxiety Disorders and Obsessive-Compulsive Disorders. <i>Current Psychiatry Reports</i> , 2017, 19, 103	9.1	17
52	Obsessive-Compulsive Symptoms in Schizophrenia: an Up-To-Date Review of Literature. <i>Current Psychiatry Reports</i> , 2019, 21, 64	9.1	16
51	Increased prevalence of anxiety disorders in third-generation migrants in comparison to natives and to first-generation migrants. <i>Journal of Psychiatric Research</i> , 2018, 102, 38-43	5.2	15
50	A latent class analysis of psychotic symptoms in the general population. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 573-584	2.6	14
49	Alcohol Use Disorders and Immigration up to the Third Generation in France: Findings from a 39,617-Subject Survey in the General Population. <i>Alcoholism: Clinical and Experimental Research</i> , 2017, 41, 1137-1143	3.7	13
48	Subclinical psychosis in adult migrants and ethnic minorities: systematic review and meta-analysis. <i>BJPsych Open</i> , 2018, 4, 510-518	5	12
47	Treatment of acute myeloblastic leukemia in adults. The GOELAM experience. <i>Hematology and Cell Therapy</i> , 1996, 38, 381-91		11

46	Prevalence of psychotic disorders in an urban area of France. <i>BMC Psychiatry</i> , 2015 , 15, 204	4.2	10
45	Premorbid Adjustment and IQ in Patients With First-Episode Psychosis: A Multisite Case-Control Study of Their Relationship With Cannabis Use. <i>Schizophrenia Bulletin</i> , 2020 , 46, 517-529	1.3	10
44	The dose-effect relationship of baclofen in alcohol dependence: A 1-year cohort study. <i>Human Psychopharmacology</i> , 2017 , 32, e2593	2.3	9
43	Very early hallucinatory experiences: a school-based study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2018 , 59, 68-75	7.9	9
42	Depression with and without a history of psychotic symptoms in the general population: sociodemographic and clinical characteristics. <i>Journal of Affective Disorders</i> , 2020 , 273, 247-251	6.6	7
41	Psychotic, Mood, and Anxiety Disorders and Venous Thromboembolism: A Systematic Review and Meta-Analysis. <i>Psychosomatic Medicine</i> , 2020 , 82, 838-849	3.7	6
40	Schizophrenia risk factors in exceptional achievers: a re-analysis of a 60-year-old database. <i>Scientific Reports</i> , 2019 , 9, 1294	4.9	5
39	Modeling the Longitudinal Effects of Insight on Depression, Quality of Life and Suicidality in Schizophrenia Spectrum Disorders: Results from the FACE-SZ Cohort. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	5
38	Small area-level variation in the incidence of psychotic disorders in an urban area in France: an ecological study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016 , 51, 951-60	4.5	5
37	Assessing cross-national invariance of the Community Assessment of Psychic Experiences (CAPE). <i>Psychological Medicine</i> , 2019 , 49, 2600-2607	6.9	5
36	Relationship between childhood trauma and level of insight in schizophrenia: A path-analysis in the national FACE-SZ dataset. <i>Schizophrenia Research</i> , 2019 , 208, 90-96	3.6	4
35	Confirmations, advances and recommendations for the daily care of schizophrenia based on the French national FACE-SZ cohort. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020 , 101, 109927	5.5	4
34	Dependence on Internet-Purchased Ethylphenidate. <i>Journal of Clinical Psychopharmacology</i> , 2015 , 35, 472-3	1.7	4
33	Dramatic reduction of psychiatric emergency consultations during lockdown linked to COVID-19 in Paris and suburbs		4
32	Spatial distribution of psychotic disorders in an urban area of France: an ecological study. <i>Scientific Reports</i> , 2016 , 6, 26190	4.9	4
31	Residential social drift in the two years following a first episode of psychosis. <i>Schizophrenia Research</i> , 2019 , 210, 323-325	3.6	3
30	Major depression, sleep, hostility and body mass index are associated with impaired quality of life in schizophrenia. Results from the FACE-SZ cohort. <i>Journal of Affective Disorders</i> , 2020 , 274, 617-623	6.6	3
29	A Latent Class Analysis of Manic and Psychotic Symptoms. <i>Journal of Nervous and Mental Disease</i> , 2020 , 208, 721-728	1.8	3

28	Temporal variation in the incidence of treated psychotic disorders in young people. <i>Schizophrenia Research</i> , 2021 , 231, 221-226	3.6	3
27	The Independent Effects of Psychosocial Stressors on Subclinical Psychosis: Findings From the Multinational EU-GEI Study. <i>Schizophrenia Bulletin</i> , 2021 , 47, 1674-1684	1.3	3
26	Religiosity and prevalence of suicide, psychiatric disorders and psychotic symptoms in the French general population. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 271, 1547-1557	5.1	3
25	Relationship between incidence and prevalence in psychotic disorders: An incidence-prevalence-mortality model. <i>International Journal of Methods in Psychiatric Research</i> , 2018 , 27, e1719	4.3	3
24	Immune Signatures of Treatment-Resistant Schizophrenia: A FondaMental Academic Centers of Expertise for Schizophrenia (FACE-SZ) Study.. <i>Schizophrenia Bulletin Open</i> , 2021 , 2, sgab012	2.2	3
23	De « Psychose maniaco-dépressive » ^ « Troubles bipolaires » : une histoire des représentations sociales et de la stigmatisation en rapport avec la nosographie. <i>Annales Medico-Psychologiques</i> , 2017 , 175, 514-521	0.2	2
22	Psychotic Experiences Are Associated With Paternal Age But Not With Delayed Fatherhood in a Large, Multinational, Community Sample. <i>Schizophrenia Bulletin</i> , 2020 ,	1.3	2
21	Environment risk factors have different impact on bipolar and psychotic disorders: an analysis of MHGP survey. <i>Psychological Medicine</i> , 2019 , 49, 1229-1232	6.9	2
20	Redefining peripheral inflammation signature in schizophrenia based on the real-world FACE-SZ cohort. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 111, 110335	5.5	2
19	Different Associations Between Alcohol Use Disorders and Psychotic Symptoms According to Underlying Psychiatric Disorders: The Need for Replication Studies. <i>Alcohol and Alcoholism</i> , 2020 , 55, 455	3.5	1
18	Air pollution and psychiatric disorders: Current and future challenges. <i>Bipolar Disorders</i> , 2020 , 22, 437-439	3.8	1
17	Alcohol Use Disorder Is Differently Associated With Psychotic Symptoms According To Underlying Psychiatric Disorders: A General Population Study. <i>Alcohol and Alcoholism</i> , 2020 , 55, 112-120	3.5	1
16	Effect of inclined columnar defects on flux lines pinning in Pb-substituted Bi2Sr2Ca1Cu2O8 single crystals. <i>Solid State Communications</i> , 2002 , 124, 29-34	1.6	1
15	Schizophrenia: Developmental Variability Interacts with Risk Factors to Cause the Disorder: Nonspecific Variability-Enhancing Factors Combine with Specific Risk Factors to Cause Schizophrenia. <i>BioEssays</i> , 2020 , 42, e2000038	4.1	1
14	The puzzle of quality of life in schizophrenia: putting the pieces together with the FACE-SZ cohort. <i>Psychological Medicine</i> , 2020 , 1-8	6.9	1
13	No alteration of leukocyte telomere length in first episode psychosis. <i>Psychiatry Research</i> , 2021 , 301, 113941	9.9	1
12	Recommendations of the schizophrenia expert center network for the screening prevention and treatment of sleep disorders based on the results from the real-world schizophrenia FACE-SZ national cohort. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2021 , 110, 110275	5.5	1
11	Research Letter: Auto-activation deficit in schizophrenia: a case report. <i>Psychological Medicine</i> , 2018 , 48, 525-527	6.9	0

10	Comparison of three scales (BIS, SUMD and BCIS) for measuring insight dimensions and their evolution after one-year of follow-up: Findings from the FACE-SZ Cohort. <i>Psychiatry Research</i> , 2021 , 303, 114044	9.9	o
9	Early-life factors associated with increased risk of disability pension in the national real-world schizophrenia FACE-SZ cohort study.. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022 , 1	5.1	o
8	Immuno-metabolic profile of patients with psychotic disorders and metabolic syndrome. Results from the FACE-SZ cohort.. <i>Brain, Behavior, & Immunity - Health</i> , 2022 , 22, 100436	5.1	o
7	Recommendations of the Schizophrenia Expert Center network for adequate physical activity in real-world schizophrenia (FACE-SZ).. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022 , 1	5.1	o
6	Effet des saisons sur la séméiologie des troubles bipolaires. <i>Annales Medico-Psychologiques</i> , 2015 , 173, 731-737	0.2	
5	La clinique du consentement. <i>European Psychiatry</i> , 2014 , 29, 632-632	6	
4	Incidence et prévalence des troubles psychotiques en France et en Europe : facteurs de variations. <i>French Journal of Psychiatry</i> , 2018 , 1, S35	0.1	
3	Théorie de l'esprit : un médiateur entre symptômes et fonctionnement dans la schizophrénie?. <i>Annales Medico-Psychologiques</i> , 2021 , 179, 338-340	0.2	
2	Le milieu urbain : un facteur de risque pour les troubles psychotiques?. <i>Annales Medico-Psychologiques</i> , 2021 , 179, 349-352	0.2	
1	Shortening telomere is associated with psychotic dimensions in the general population.. <i>Schizophrenia Research</i> , 2022 , 243, 470-470	3.6	