

Edwin Hang Tong Teo

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7433573/edwin-hang-tong-teo-publications-by-citations.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

123 papers	5,609 citations	28 h-index	73 g-index
136 ext. papers	6,520 ext. citations	7.6 avg, IF	5.61 L-index

#	Paper	IF	Citations
123	From Bulk to Monolayer MoS ₂ : Evolution of Raman Scattering. <i>Advanced Functional Materials</i> , 2012 , 22, 1385-1390	15.6	2710
122	Growth of large single-crystalline two-dimensional boron nitride hexagons on electropolished copper. <i>Nano Letters</i> , 2014 , 14, 839-46	11.5	226
121	High-quality monolayer superconductor NbSe grown by chemical vapour deposition. <i>Nature Communications</i> , 2017 , 8, 394	17.4	199
120	Biocompatible Hydroxylated Boron Nitride Nanosheets/Poly(vinyl alcohol) Interpenetrating Hydrogels with Enhanced Mechanical and Thermal Responses. <i>ACS Nano</i> , 2017 , 11, 3742-3751	16.7	136
119	Hexagonal Boron Nitride Thin Film for Flexible Resistive Memory Applications. <i>Advanced Functional Materials</i> , 2016 , 26, 2176-2184	15.6	119
118	Controllable Synthesis of Highly Luminescent Boron Nitride Quantum Dots. <i>Small</i> , 2015 , 11, 6491-9	11	113
117	High-Density 3D-Boron Nitride and 3D-Graphene for High-Performance Nano-Thermal Interface Material. <i>ACS Nano</i> , 2017 , 11, 2033-2044	16.7	107
116	Scalable Production of Few-Layer Boron Sheets by Liquid-Phase Exfoliation and Their Superior Supercapacitive Performance. <i>ACS Nano</i> , 2018 , 12, 1262-1272	16.7	99
115	Abrupt stress induced transformation in amorphous carbon films with a highly conductive transition phase. <i>Physical Review Letters</i> , 2008 , 100, 176101	7.4	75
114	Direct Observation of Indium Conductive Filaments in Transparent, Flexible, and Transferable Resistive Switching Memory. <i>ACS Nano</i> , 2017 , 11, 1712-1718	16.7	71
113	Synthesis of aligned symmetrical multifaceted monolayer hexagonal boron nitride single crystals on resolidified copper. <i>Nanoscale</i> , 2016 , 8, 2434-44	7.7	65
112	A systematic study of the atmospheric pressure growth of large-area hexagonal crystalline boron nitride film. <i>Journal of Materials Chemistry C</i> , 2014 , 2, 1650	7.1	60
111	Band gap effects of hexagonal boron nitride using oxygen plasma. <i>Applied Physics Letters</i> , 2014 , 104, 163101	3.4	59
110	Low-Temperature in Situ Growth of Graphene on Metallic Substrates and Its Application in Anticorrosion. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 502-10	9.5	56
109	Lightweight, Superelastic Boron Nitride/Polydimethylsiloxane Foam as Air Dielectric Substitute for Multifunctional Capacitive Sensor Applications. <i>Advanced Functional Materials</i> , 2020 , 30, 1909604	15.6	55
108	Reduced Graphene Oxide/Boron Nitride Composite Film as a Novel Binder-Free Anode for Lithium Ion Batteries with Enhanced Performances. <i>Electrochimica Acta</i> , 2015 , 166, 197-205	6.7	53
107	Trimethylamine Borane: A New Single-Source Precursor for Monolayer h-BN Single Crystals and h-BCN Thin Films. <i>Chemistry of Materials</i> , 2016 , 28, 2180-2190	9.6	52

106	Direct growth of nanocrystalline hexagonal boron nitride films on dielectric substrates. <i>Applied Physics Letters</i> , 2015 , 106, 101901	3.4	47
105	3D Graphene-Infused Polyimide with Enhanced Electrothermal Performance for Long-Term Flexible Space Applications. <i>Small</i> , 2015 , 11, 6425-34	11	45
104	Phonon Polaritons in Monolayers of Hexagonal Boron Nitride. <i>Advanced Materials</i> , 2019 , 31, e1806603	24	44
103	Large-Area Atomic Layers of the Charge-Density-Wave Conductor TiSe. <i>Advanced Materials</i> , 2018 , 30, 1704382	24	43
102	Configurable three-dimensional boron nitride-carbon architecture and its tunable electronic behavior with stable thermal performances. <i>Small</i> , 2014 , 10, 2992-9	11	43
101	A Carbon Nanomattress: A New Nanosystem with Intrinsic, Tunable, Damping Properties. <i>Advanced Materials</i> , 2007 , 19, 2941-2945	24	41
100	Core-shell CNT@NiSi nanowires as a high performance anode material for lithium ion batteries. <i>Carbon</i> , 2013 , 63, 54-60	10.4	38
99	Localized emission from laser-irradiated defects in 2D hexagonal boron nitride. <i>2D Materials</i> , 2018 , 5, 015010	5.9	37
98	Engineering of High-Density Thin-Layer Graphite Foam-Based Composite Architectures with Superior Compressibility and Excellent Electromagnetic Interference Shielding Performance. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 41707-41716	9.5	34
97	Facile Synthesis of Millimeter-Scale Vertically Aligned Boron Nitride Nanotube Forests by Template-Assisted Chemical Vapor Deposition. <i>Chemistry of Materials</i> , 2015 , 27, 7156-7163	9.6	32
96	Plasma density induced formation of nanocrystals in physical vapor deposited carbon films. <i>Carbon</i> , 2011 , 49, 1733-1744	10.4	30
95	Thermal Conductivity Enhancement of Coaxial Carbon@Boron Nitride Nanotube Arrays. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 14555-14560	9.5	27
94	Concurrent Inhibition and Redistribution of Spontaneous Emission from All Inorganic Perovskite Photonic Crystals. <i>ACS Photonics</i> , 2019 , 6, 1331-1337	6.3	27
93	Manipulating Coherent Light-Matter Interaction: Continuous Transition between Strong Coupling and Weak Coupling in MoS ₂ Monolayer Coupled with Plasmonic Nanocavities. <i>Advanced Optical Materials</i> , 2019 , 7, 1900857	8.1	27
92	Field emission enhancement and microstructural changes of carbon films by single pulse laser irradiation. <i>Carbon</i> , 2011 , 49, 1018-1024	10.4	26
91	Human Rett-derived neuronal progenitor cells in 3D graphene scaffold as an in vitro platform to study the effect of electrical stimulation on neuronal differentiation. <i>Biomedical Materials (Bristol)</i> , 2018 , 13, 034111	3.5	25
90	Coaxial carbon@boron nitride nanotube arrays with enhanced thermal stability and compressive mechanical properties. <i>Nanoscale</i> , 2016 , 8, 11114-22	7.7	25
89	Flexible Ultra-Wideband Terahertz Absorber Based on Vertically Aligned Carbon Nanotubes. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 43671-43680	9.5	24

88	Re-ordering chaotic carbon: origins and application of textured carbon. <i>Advanced Materials</i> , 2012 , 24, 4112-23	24	24
87	Three-Dimensional Graphene: A Biocompatible and Biodegradable Scaffold with Enhanced Oxygenation. <i>Advanced Healthcare Materials</i> , 2016 , 5, 1177-91	10.1	24
86	Vertically self-ordered orientation of nanocrystalline hexagonal boron nitride thin films for enhanced thermal characteristics. <i>Nanoscale</i> , 2015 , 7, 18984-91	7.7	23
85	Phonon localization around vacancies in graphene nanoribbons. <i>Diamond and Related Materials</i> , 2012 , 23, 88-92	3.5	23
84	A wafer-scale graphene and ferroelectric multilayer for flexible and fast-switched modulation applications. <i>Nanoscale</i> , 2015 , 7, 14730-7	7.7	22
83	Multifunctional and highly compressive cross-linker-free sponge based on reduced graphene oxide and boron nitride nanosheets. <i>Chemical Engineering Journal</i> , 2017 , 328, 825-833	14.7	22
82	Elastic Properties of 2D Ultrathin Tungsten Nitride Crystals Grown by Chemical Vapor Deposition. <i>Advanced Functional Materials</i> , 2019 , 29, 1902663	15.6	21
81	Mechanical properties of alternating high-low sp ³ content thick non-hydrogenated diamond-like amorphous carbon films. <i>Diamond and Related Materials</i> , 2007 , 16, 1882-1886	3.5	21
80	Optical and electro-optic anisotropy of epitaxial PZT thin films. <i>Applied Physics Letters</i> , 2015 , 107, 031903	3.4	20
79	Quantitative, nanoscale mapping of sp ² percentage and crystal orientation in carbon multilayers. <i>Carbon</i> , 2009 , 47, 94-101	10.4	20
78	Superhydrophobic carbon nanotube/amorphous carbon nanosphere hybrid film. <i>Diamond and Related Materials</i> , 2009 , 18, 1235-1238	3.5	20
77	One-dimensional hexagonal boron nitride conducting channel. <i>Science Advances</i> , 2020 , 6, eaay4958	14.3	19
76	Carbon nanotube bumps for the flip chip packaging system. <i>Nanoscale Research Letters</i> , 2012 , 7, 105	5	17
75	The Electrochemical Response of Single Crystalline Copper Nanowires to Atmospheric Air and Aqueous Solution. <i>Small</i> , 2017 , 13, 1603411	11	15
74	POSS enhanced 3D graphene - Polyimide film for atomic oxygen endurance in Low Earth Orbit space environment. <i>Polymer</i> , 2020 , 191, 122270	3.9	15
73	Morphology-tunable assembly of periodically aligned Si nanowire and radial pn junction arrays for solar cell applications. <i>Applied Surface Science</i> , 2012 , 258, 6169-6176	6.7	15
72	Thermal conductivity of nanocrystalline carbon films studied by pulsed photothermal reflectance. <i>Carbon</i> , 2012 , 50, 1428-1431	10.4	14
71	Flux-mediated diffuse mismatch model. <i>Applied Physics Letters</i> , 2010 , 97, 121917	3.4	14

70	Interpillar phononics in pillared-graphene hybrid nanostructures. <i>Journal of Applied Physics</i> , 2011 , 110, 083502	2.5	14
69	Concentric and Spiral Few-Layer Graphene: Growth Driven by Interfacial Nucleation vs Screw Dislocation. <i>Chemistry of Materials</i> , 2018 , 30, 6858-6866	9.6	14
68	Wafer-scale vertically aligned carbon nanotubes for broadband terahertz wave absorption. <i>Carbon</i> , 2019 , 154, 503-509	10.4	13
67	Nano-patterning of through-film conductivity in anisotropic amorphous carbon induced using conductive atomic force microscopy. <i>Carbon</i> , 2011 , 49, 2679-2682	10.4	13
66	The origin of preferred orientation during carbon film growth. <i>Journal of Physics Condensed Matter</i> , 2009 , 21, 225003	1.8	13
65	Light emission from localised point defects induced in GaN crystal by a femtosecond-pulsed laser. <i>Optical Materials Express</i> , 2018 , 8, 2703	2.6	13
64	Monochromatic photoluminescence obtained from embedded ZnO nanodots in an ultrahard diamond-like carbon matrix. <i>Diamond and Related Materials</i> , 2008 , 17, 167-170	3.5	12
63	Microstructure and through-film electrical characteristics of vertically aligned amorphous carbon films. <i>Diamond and Related Materials</i> , 2011 , 20, 290-293	3.5	11
62	Ultra-long wavelength Dirac plasmons in graphene capacitors. <i>JPhys Materials</i> , 2018 , 1, 01LT02	4.2	11
61	Novel timed and self-resistive heating shape memory polymer hybrid for large area and energy efficient application. <i>Carbon</i> , 2018 , 139, 626-634	10.4	10
60	Electrical properties of textured carbon film formed by pulsed laser annealing. <i>Diamond and Related Materials</i> , 2012 , 23, 135-139	3.5	10
59	Effect of initial sp ³ content on bonding structure evolution of amorphous carbon upon pulsed laser annealing. <i>Diamond and Related Materials</i> , 2012 , 30, 48-52	3.5	10
58	Nanostructured carbon films with oriented graphitic planes. <i>Applied Physics Letters</i> , 2011 , 98, 123104	3.4	10
57	Tuning the Kapitza resistance in pillared-graphene nanostructures. <i>Journal of Applied Physics</i> , 2012 , 111, 013515	2.5	10
56	Phononic and structural response to strain in wurtzite-gallium nitride nanowires. <i>Journal of Applied Physics</i> , 2012 , 111, 103506	2.5	10
55	Control of Nanoplane Orientation in voBN for High Thermal Anisotropy in a Dielectric Thin Film: A New Solution for Thermal Hotspot Mitigation in Electronics. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 7456-7464	9.5	9
54	Double-Spiral Hexagonal Boron Nitride and Shear Strained Coalescence Boundary. <i>Nano Letters</i> , 2019 , 19, 4229-4236	11.5	9
53	A flexible and ultra-broadband terahertz wave absorber based on graphene/vertically aligned carbon nanotube hybrids. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 7244-7252	7.1	9

52	Flexible thermal rectifier based on macroscopic PDMS@graphite composite film with asymmetric cone-shape interfaces. <i>Carbon</i> , 2018 , 126, 464-471	10.4	9
51	Synthesis of Atomically Thin 1T-TaSe ₂ with a Strongly Enhanced Charge-Density-Wave Order. <i>Advanced Functional Materials</i> , 2020 , 30, 2001903	15.6	8
50	Supercompressible Coaxial Carbon Nanotube@Graphene Arrays with Invariant Viscoelasticity over -100 to 500 °C in Ambient Air. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 9688-9695	9.5	8
49	Composition-controlled synthesis and tunable optical properties of ternary boron carbonitride nanotubes. <i>RSC Advances</i> , 2017 , 7, 12511-12517	3.7	7
48	Three-dimensional graphene based passively mode-locked fiber laser. <i>Optics Express</i> , 2014 , 22, 31458-65	3.3	7
47	Impact of the CNT growth process on gold metallization dedicated to RF interconnect applications. <i>International Journal of Microwave and Wireless Technologies</i> , 2010 , 2, 463-469	0.8	7
46	Ferroelectric BiFeO ₃ thin-film optical modulators. <i>Applied Physics Letters</i> , 2016 , 108, 233502	3.4	7
45	Boron nanosheets induced microstructure and charge transfer tailoring in carbon nanofibrous mats towards highly efficient water splitting. <i>Nano Energy</i> , 2021 , 88, 106246	17.1	7
44	Smoothing of wrinkles in CVD-grown hexagonal boron nitride films. <i>Nanoscale</i> , 2018 , 10, 16243-16251	7.7	6
43	A corner reflector of graphene Dirac fermions as a phonon-scattering sensor. <i>Nature Communications</i> , 2019 , 10, 2428	17.4	6
42	Thickness dependency of field emission in amorphous and nanostructured carbon thin films. <i>Nanoscale Research Letters</i> , 2012 , 7, 286	5	6
41	Gate voltage and temperature dependent Ti-graphene junction resistance toward straightforward p-n junction formation. <i>Journal of Applied Physics</i> , 2018 , 124, 215302	2.5	6
40	Tuning electro-optic susceptibility via strain engineering in artificial PZT multilayer films for high-performance broadband modulator. <i>Applied Surface Science</i> , 2017 , 425, 1059-1065	6.7	5
39	Identifying the mechanisms of p-to-n conversion in unipolar graphene field-effect transistors. <i>Nanotechnology</i> , 2013 , 24, 195202	3.4	5
38	Compounded effect of vacancy on interfacial thermal transport in diamond/graphene nanostructures. <i>Diamond and Related Materials</i> , 2011 , 20, 1137-1142	3.5	5
37	Thermal rectification reversal in carbon nanotubes. <i>Journal of Applied Physics</i> , 2012 , 112, 103515	2.5	5
36	Landau Velocity for Collective Quantum Hall Breakdown in Bilayer Graphene. <i>Physical Review Letters</i> , 2018 , 121, 136804	7.4	5
35	On the recovery of 2DEG properties in vertically ordered h-BN deposited AlGa _N /Ga _N heterostructures on Si substrate. <i>Applied Physics Express</i> , 2020 , 13, 065508	2.4	4

34	A thermal study of amorphous and textured carbon and carbon nitride thin films via transient grating spectroscopy. <i>Carbon</i> , 2018 , 130, 355-361	10.4	4
33	Mechanical properties of gradient pulse biased amorphous carbon film. <i>Thin Solid Films</i> , 2008 , 516, 5364-5367	5.67	4
32	Vibratory response of diamond-like amorphous carbon cantilevers under different temperatures. <i>Diamond and Related Materials</i> , 2004 , 13, 1980-1983	3.5	4
31	Strong electro-optically active Ni-substituted Pb(Zr _{0.35} Ti _{0.65})O ₃ thin films: toward integrated active and durable photonic devices. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 12919-12927	7.1	4
30	Wafer-Scale Vertically Aligned Carbon Nanotubes Locked by In Situ Hydrogelation toward Strengthening Static and Dynamic Compressive Responses. <i>Macromolecular Materials and Engineering</i> , 2018 , 303, 1800024	3.9	4
29	An effective thermal conductivity model for architected phase change material enhancer: Theoretical and experimental investigations. <i>International Journal of Heat and Mass Transfer</i> , 2021 , 176, 121364	4.9	4
28	Imaging the defect distribution in 2D hexagonal boron nitride by tracing photogenerated electron dynamics. <i>Journal Physics D: Applied Physics</i> , 2020 , 53, 405106	3	3
27	Nitrogen-mediated aligned growth of hexagonal BN films for reliable high-performance InSe transistors. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 4421-4431	7.1	3
26	Effect of annealing temperature on physical properties of nanostructured TiN/3DG composite. <i>Materials and Design</i> , 2016 , 90, 524-531	8.1	3
25	Investigation of electronic band structure and charge transfer mechanism of oxidized three-dimensional graphene as metal-free anodes material for dye sensitized solar cell application. <i>Chemical Physics Letters</i> , 2017 , 685, 442-450	2.5	3
24	Characterization of CNT interconnection bumps implemented for 1st level flip chip packaging 2011 ,		3
23	Thermal transport around tears in graphene. <i>Journal of Applied Physics</i> , 2011 , 109, 043508-043508-6	2.5	3
22	Fabrication and Characterization of Multilayer Amorphous Carbon Films for Microcantilever Devices. <i>IEEE Sensors Journal</i> , 2008 , 8, 616-620	4	3
21	Self-assembled Ni nanoclusters in a diamond-like carbon matrix. <i>International Journal of Nanotechnology</i> , 2007 , 4, 424	1.5	3
20	Enhancement of polyimide and 3D graphene-polyimide through thermoforming and its effect on mechanical properties and associated creep phenomenon. <i>Polymer Degradation and Stability</i> , 2016 , 134, 237-244	4.7	3
19	Concentric dopant segregation in CVD-grown N-doped graphene single crystals. <i>Applied Surface Science</i> , 2018 , 454, 121-129	6.7	3
18	Effect of titanium nitride coating on physical properties of three-dimensional graphene. <i>Applied Surface Science</i> , 2015 , 356, 399-407	6.7	2
17	Dielectric dispersion and superior thermal characteristics in isotope-enriched hexagonal boron nitride thin films: evaluation as thermally self-dissipating dielectrics for GaN transistors. <i>Journal of Materials Chemistry C</i> , 2020 , 8, 9558-9568	7.1	2

16	Versatile and scalable chemical vapor deposition of vertically aligned MoTe ₂ on reusable Mo foils. <i>Nano Research</i> , 2020 , 13, 2371-2377	10	2
15	Heat Dissipation Enhancement of 2.5D Package with 3D Graphene and 3D Boron Nitride Networks as Thermal Interface Material (TIM) 2016 ,		2
14	A BairyPolymer/3D-foam hybrid for flexible high performance thermal gap filling applications in harsh environments. <i>RSC Advances</i> , 2017 , 7, 39292-39298	3.7	2
13	Probing the Atomic Structures of Synthetic Monolayer and Bilayer Hexagonal Boron Nitride Using Electron Microscopy. <i>Applied Microscopy</i> , 2016 , 46, 217-226	1.1	2
12	Experimental characterization of three-dimensional Graphene's thermoacoustic response and its theoretical modelling. <i>Carbon</i> , 2020 , 169, 382-394	10.4	2
11	. <i>IEEE Transactions on Device and Materials Reliability</i> , 2018 , 18, 273-278	1.6	1
10	Microwave and Millimeter Wave Properties of Vertically-Aligned Single Wall Carbon Nanotubes Films. <i>Journal of Electronic Materials</i> , 2016 , 45, 2433-2441	1.9	1
9	Boron Nitride Coated Three-Dimensional Graphene as an Electrically Insulating Electromagnetic Interference Shield 2019 ,		1
8	Thermal stability of nonhydrogenated multilayer amorphous carbon prepared by the filtered cathodic vacuum arc technique. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2007 , 25, 421-424	2.9	1
7	A Flexible and Ultra-Wideband Terahertz Wave Absorber Based on Pyramid-Shaped Carbon Nanotube Array via Femtosecond-Laser Microprocessing and Two-Step Transfer Technique. <i>Advanced Materials Interfaces</i> , 2102414	4.6	1
6	Effect of loading fraction of three-dimensional graphene foam (3D-C) on thermal, mechanical, and shape memory properties of 3D-C/SMP composite. <i>Materials Research Bulletin</i> , 2021 , 142, 111378	5.1	1
5	3D Porous Graphene Films with Large-Area In-Plane Exterior Skins. <i>Advanced Materials Interfaces</i> , 21019386	13.6	0
4	Electrostatic Coupling in MoS ₂ /CuInP ₂ S ₆ Ferroelectric vdW Heterostructures. <i>Advanced Functional Materials</i> , 2201359	15.6	0
3	Foams: Configurable Three-Dimensional Boron NitrideCarbon Architecture and Its Tunable Electronic Behavior with Stable Thermal Performances (Small 15/2014). <i>Small</i> , 2014 , 10, 2966-2966	11	
2	Growth of Carbon Nanotubes on Carbon/Cobalt Films with Different sp ² /sp ³ Ratios. <i>Journal of Nanomaterials</i> , 2013 , 2013, 1-5	3.2	
1	Guest Editorial Special Section on the Second Electron Devices Technology and Manufacturing (EDTM) Conference 2019. <i>IEEE Journal of the Electron Devices Society</i> , 2019 , 7, 1200-1200	2.3	