Mats Geijer

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7434316/publications.pdf

Version: 2024-02-01

| | | 172207 | 233125 |
|----------|----------------|--------------|----------------|
| 103 | 2,447 | 29 | 45 |
| papers | citations | h-index | g-index |
| | | | |
| | | | |
| 107 | 107 | 107 | 2548 |
| all docs | docs citations | times ranked | citing authors |
| | | | |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Osteoporosis in ankylosing spondylitis - prevalence, risk factors and methods of assessment. Arthritis Research and Therapy, 2012, 14, R108. | 1.6 | 150 |
| 2 | Early psoriatic arthritis: short symptom duration, male gender and preserved physical functioning at presentation predict favourable outcome at 5-year follow-up. Results from the Swedish Early Psoriatic Arthritis Register (SwePsA). Annals of the Rheumatic Diseases, 2014, 73, 407-413. | 0.5 | 148 |
| 3 | Vertebral Fractures in Ankylosing Spondylitis Are Associated with Lower Bone Mineral Density in Both Central and Peripheral Skeleton. Journal of Rheumatology, 2012, 39, 1987-1995. | 1.0 | 99 |
| 4 | Bone microarchitecture in ankylosing spondylitis and the association with bone mineral density, fractures, and syndesmophytes. Arthritis Research and Therapy, 2013, 15, R179. | 1.6 | 89 |
| 5 | The Natural Course of Traumatic Triangular Fibrocartilage Complex Tears in Distal Radial Fractures: A 13–15 Year Follow-up of Arthroscopically Diagnosed but Untreated Injuries. Journal of Hand Surgery, 2012, 37, 1555-1560. | 0.7 | 76 |
| 6 | Open reduction and internal fixation compared to closed reduction and external fixation in distal radial fractures. Monthly Notices of the Royal Astronomical Society: Letters, 2009, 80, 478-485. | 1.2 | 68 |
| 7 | MDCT in the evaluation of skeletal trauma: principles, protocols, and clinical applications. Emergency Radiology, 2006, 13, 7-18. | 1.0 | 67 |
| 8 | Hemi-hamate osteochondral transplantation in proximal interphalangeal dorsal fracture dislocations: a minimum 4 year follow-up in eight patients. Journal of Hand Surgery: European Volume, 2010, 35, 627-631. | 0.5 | 66 |
| 9 | Osteotomy of distal radius fracture malunion using a fast remodeling bone substitute consisting of calcium sulphate and calcium phosphate. Journal of Biomedical Materials Research - Part B Applied Biomaterials, 2010, 92B, 281-286. | 1.6 | 63 |
| 10 | Added value of double reading in diagnostic radiology,a systematic review. Insights Into Imaging, 2018, 9, 287-301. | 1.6 | 63 |
| 11 | A five-year prospective study of spinal radiographic progression and its predictors in men and women with ankylosing spondylitis. Arthritis Research and Therapy, 2018, 20, 162. | 1.6 | 60 |
| 12 | The Swedish Early Psoriatic Arthritis Registry 5-year Followup: Substantial Radiographic Progression Mainly in Men with High Disease Activity and Development of Dactylitis. Journal of Rheumatology, 2015, 42, 2110-2117. | 1.0 | 57 |
| 13 | Clinical utility of tomosynthesis in suspected scaphoid fracture. A pilot study. Skeletal Radiology, 2011, 40, 863-867. | 1.2 | 55 |
| 14 | Treatment of spontaneous osteonecrosis of the knee (SPONK) by a bisphosphonate. Monthly Notices of the Royal Astronomical Society: Letters, 2012, 83, 511-514. | 1.2 | 51 |
| 15 | The Artelon CMC spacer compared with tendon interposition arthroplasty. Monthly Notices of the Royal Astronomical Society: Letters, 2010, 81, 237-244. | 1.2 | 49 |
| 16 | Arthroscopically Diagnosed Scapholunate Ligament Injuries Associated With Distal Radial Fractures: A 13- to 15-Year Follow-Up. Journal of Hand Surgery, 2015, 40, 1077-1082. | 0.7 | 48 |
| 17 | Diagnostic accuracy of low-dose CT compared with abdominal radiography in non-traumatic acute abdominal pain: prospective study and systematic review. European Radiology, 2016, 26, 1766-1774. | 2.3 | 47 |
| 18 | The natural course of spontaneous osteonecrosis of the knee (SPONK). Monthly Notices of the Royal Astronomical Society: Letters, 2013, 84, 410-414. | 1.2 | 46 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 19 | Fragment-Specific Fixation Versus VolarÂLocking Plates in Primarily Nonreducible or Secondarily RedisplacedÂDistal Radius Fractures: AÂRandomized Controlled Study. Journal of Hand Surgery, 2017, 42, 156-165.e1. | 0.7 | 40 |
| 20 | Ten years' experience with a pyrocarbon prosthesis replacing the proximal interphalangeal joint. A prospective clinical and radiographic follow-up. Journal of Hand Surgery: European Volume, 2014, 39, 587-595. | 0.5 | 39 |
| 21 | Comparison of Color LCD and Medical-grade Monochrome LCD Displays in Diagnostic Radiology. Journal of Digital Imaging, 2007, 20, 114-121. | 1.6 | 37 |
| 22 | Description and validation of a scoring system for tomosynthesis in pulmonary cystic fibrosis. European Radiology, 2012, 22, 2718-2728. | 2.3 | 35 |
| 23 | Computed tomography compared to magnetic resonance imaging in occult or suspect hip fractures. A retrospective study in 44 patients. European Radiology, 2016, 26, 3932-3938. | 2.3 | 35 |
| 24 | Which measuring site in ankylosing spondylitis is best to detect bone loss and what predicts the decline: results from a 5-year prospective study. Arthritis Research and Therapy, 2017, 19, 273. | 1.6 | 34 |
| 25 | The clinical utility of computed tomography compared to conventional radiography in diagnosing sacroiliitis. A retrospective study on 910 patients and literature review. Journal of Rheumatology, 2007, 34, 1561-5. | 1.0 | 33 |
| 26 | Positive Experience of a Mobile Radiography Service in Nursing Homes. Gerontology, 2012, 58, 107-111. | 1.4 | 32 |
| 27 | Imaging of the acetabulum in the era of multidetector computed tomography. Emergency Radiology, 2007, 14, 271-287. | 1.0 | 31 |
| 28 | Bone bruise, lipohemarthrosis, and joint effusion in CT of non-displaced hip fracture. Acta Radiologica, 2012, 53, 197-202. | 0.5 | 31 |
| 29 | High clinical utility of computed tomography compared to radiography in elderly patients with occult hip fracture after low-energy trauma. Emergency Radiology, 2012, 19, 135-139. | 1.0 | 30 |
| 30 | Tomosynthesis in pulmonary cystic fibrosis with comparison to radiography and computed tomography: a pictorial review. Insights Into Imaging, 2012, 3, 81-89. | 1.6 | 30 |
| 31 | Clinical and imaging observations of desmoid tumors left without treatment. Monthly Notices of the Royal Astronomical Society: Letters, 2006, 77, 932-937. | 1.2 | 29 |
| 32 | The Utility of Digital Linear Tomosynthesis Imaging of Total Hip Joint Arthroplasty with Suspicion of Loosening: A Prospective Study in 40 Patients. BioMed Research International, 2013, 2013, 1-6. | 0.9 | 29 |
| 33 | Osteotomy of dorsally displaced malunited fractures of the distal radius: No loss of radiographic correction during healing with a minimally invasive fixation technique and an injectable bone substitute. Monthly Notices of the Royal Astronomical Society: Letters, 2008, 79, 262-268. | 1.2 | 28 |
| 34 | Visual grading evaluation of commercially available metal artefact reduction techniques in hip prosthesis computed tomography. British Journal of Radiology, 2016, 89, 20150993. | 1.0 | 28 |
| 35 | Osseointegrated silicone implants: 18 patients with 57 MCP joints followed for 2 years. Acta Orthopaedica, 1999, 70, 109-115. | 1.4 | 27 |
| 36 | Early results with osseointegrated proximal interphalangeal joint prostheses. Journal of Hand Surgery, 1999, 24, 267-274. | 0.7 | 26 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | A single bisphosphonate infusion does not accelerate fracture healing in high tibial osteotomies. Monthly Notices of the Royal Astronomical Society: Letters, 2011, 82, 465-470. | 1.2 | 24 |
| 38 | Infliximab Dose Reduction Sustains the Clinical Treatment Effect in Active HLAB27 Positive Ankylosing Spondylitis: A Two-Year Pilot Study. Mediators of Inflammation, 2013, 2013, 1-9. | 1.4 | 24 |
| 39 | Low dose CT of the lumbar spine compared with radiography: a study on image quality with implications for clinical practice. Acta Radiologica, 2016, 57, 602-611. | 0.5 | 24 |
| 40 | Radiographic evaluation of osseointegration and loosening of titanium implants in the MCP and PIP joints. Journal of Hand Surgery, 2004, 29, 32-38. | 0.7 | 22 |
| 41 | External or internal fixation in the treatment of non-reducible distal radial fractures?. Monthly Notices of the Royal Astronomical Society: Letters, 2011, 82, 610-613. | 1.2 | 22 |
| 42 | Observer variation for radiography, computed tomography, and magnetic resonance imaging of occult hip fractures. Acta Radiologica, 2011, 52, 871-874. | 0.5 | 21 |
| 43 | Polyurethane Versus Silicons for Endoprosthetic Replacement of the Metacarpophalangeal Joints in Rheumatoid Arthritis. Scandinavian Journal of Plastic and Reconstructive Surgery and Hand Surgery, 1996, 30, 145-150. | 0.6 | 20 |
| 44 | Radiography, tomosynthesis, CT and MRI in the evaluation of pulmonary cystic fibrosis: an untangling review of the multitude of scoring systems. Insights Into Imaging, 2013, 4, 787-798. | 1.6 | 19 |
| 45 | Similar 1-year subjective outcome after a distal radius fracture during the 10-year-period 2003–2012. Monthly Notices of the Royal Astronomical Society: Letters, 2017, 88, 451-456. | 1.2 | 19 |
| 46 | Low-dose computed tomography of the lumbar spine: a phantom study on imaging parameters and image quality. Acta Radiologica, 2014, 55, 824-832. | 0.5 | 18 |
| 47 | Radiography on wheels arrives to nursing homes – an economic assessment of a new health care technology in southern Sweden. Journal of Evaluation in Clinical Practice, 2016, 22, 994-1001. | 0.9 | 18 |
| 48 | Effective dose in low-dose CT compared with radiography for templating of total hip arthroplasty. Acta Radiologica, 2017, 58, 1276-1282. | 0.5 | 18 |
| 49 | Elevated faecal calprotectin is linked to worse disease status in axial spondyloarthritis: results from the SPARTAKUS cohort. Rheumatology, 2019, 58, 1176-1187. | 0.9 | 18 |
| 50 | Impact of iterative reconstructions on image noise and low-contrast object detection in low kVp simulated abdominal CT: a phantom study. Acta Radiologica, 2016, 57, 1079-1088. | 0.5 | 17 |
| 51 | Traumatic and non-traumatic bone marrow edema in ankle MRI: a pictorial essay. Insights Into Imaging, 2020, 11, 97. | 1.6 | 17 |
| 52 | Intermediate-Term Outcome After Distal Radius Fracture in Patients With Poor Outcome at 1 Year: A Register Study With a 2- to 12-Year Follow-Up. Journal of Hand Surgery, 2019, 44, 39-45. | 0.7 | 15 |
| 53 | Irritable bowel syndrome symptoms in axial spondyloarthritis more common than among healthy controls: is it an overlooked comorbidity?. Annals of the Rheumatic Diseases, 2020, 79, 159-161. | 0.5 | 15 |
| 54 | Loss of supervillin causes myopathy with myofibrillar disorganization and autophagic vacuoles. Brain, 2020, 143, 2406-2420. | 3.7 | 15 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Impact of iterative reconstruction on image quality of low-dose CT of the lumbar spine. Acta Radiologica, 2017, 58, 702-709. | 0.5 | 13 |
| 56 | Gut dysbiosis associated with worse disease activity and physical function in axial spondyloarthritis. Arthritis Research and Therapy, 2022, 24, 42. | 1.6 | 12 |
| 57 | Vascular evaluation after cervical hip fractures in children. Journal of Pediatric Orthopaedics Part B, 2016, 25, 17-23. | 0.3 | 11 |
| 58 | Diagnostic accuracy of 3D color volume-rendered CT images for peroneal tendon dislocation in patients with acute calcaneal fractures. Acta Radiologica, 2015, 56, 190-195. | 0.5 | 10 |
| 59 | Preoperative CT of cardiac veins for planning left ventricular lead placement in cardiac resynchronization therapy. Acta Radiologica, 2019, 60, 859-865. | 0.5 | 10 |
| 60 | Health-related quality of life in early psoriatic arthritis compared with early rheumatoid arthritis and a general population. Seminars in Arthritis and Rheumatism, 2021, 51, 246-252. | 1.6 | 10 |
| 61 | Prevalence of exclusively and concomitant pelvic fractures at magnetic resonance imaging of suspect and occult hip fractures. Emergency Radiology, 2016, 23, 17-21. | 1.0 | 9 |
| 62 | Tomosynthesis of the thoracic spine: added value in diagnosing vertebral fractures in the elderly. European Radiology, 2017, 27, 491-497. | 2.3 | 9 |
| 63 | Immediate Full Weight-Bearing Versus Partial Weight-Bearing After Plate Fixation of Distal Femur Fractures in Elderly Patients. A Randomized Controlled Trial. Geriatric Orthopaedic Surgery and Rehabilitation, 2021, 12, 215145932110558. | 0.6 | 9 |
| 64 | Anti-CD74 IgA autoantibodies in radiographic axial spondyloarthritis: a longitudinal Swedish study. Rheumatology, 2021, 60, 4085-4093. | 0.9 | 8 |
| 65 | Magnetic resonance imaging of the brachial plexus. Part 1: Anatomical considerations, magnetic resonance techniques, and non-traumatic lesions. European Journal of Radiology Open, 2022, 9, 100392. | 0.7 | 8 |
| 66 | Ectopic metaplastic ossification after sternotomy. Annals of Thoracic Surgery, 2000, 70, 1716-1718. | 0.7 | 7 |
| 67 | Effective dose from chest tomosynthesis in children. Radiation Protection Dosimetry, 2014, 158, 290-298. | 0.4 | 7 |
| 68 | Imaging of the Lungs in Organ Donors and its Clinical Relevance. Journal of Thoracic Imaging, 2017, 32, 107-114. | 0.8 | 7 |
| 69 | Association between muscle strength, histopathology, and magnetic resonance imaging in sporadic inclusion body myositis. Acta Neurologica Scandinavica, 2019, 139, 177-182. | 1.0 | 7 |
| 70 | Pre- and postoperative offset and femoral neck version measurements and validation using 3D computed tomography in total hip arthroplasty. Acta Radiologica Open, 2020, 9, 205846012096491. | 0.3 | 7 |
| 71 | Visualization of wrist anatomy—a comparison between 7T and 3T MRI. European Radiology, 2022, 32, 1362-1370. | 2.3 | 7 |
| 72 | Effect of symmetrical restoration for the migration of uncemented total hip arthroplasty: a randomized RSA study with 75 patients and 5-year follow-up. Journal of Orthopaedic Surgery and Research, 2020, 15, 225. | 0.9 | 6 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 73 | Biomechanical Properties of Common Carotid Arteries Assessed by Circumferential 2D Strain and \hat{l}^2 Stiffness Index in Patients With Ankylosing Spondylitis. Journal of Rheumatology, 2021, 48, 352-360. | 1.0 | 6 |
| 74 | Diagnosis and Progression of Sacroiliitis in Repeated Sacroiliac Joint Computed Tomography. Arthritis, 2013, 2013, 1-7. | 2.0 | 5 |
| 75 | Comparative analysis of the oropharyngeal airway in patients aged over 40 years: A cone beam computed tomography study. European Journal of General Dentistry, 2019, 8, 76. | 0.1 | 5 |
| 76 | The development of musculoskeletal radiology for 100 years as presented in the pages of <i>Acta Radiologica</i> . Acta Radiologica, 2021, 62, 1460-1472. | 0.5 | 5 |
| 77 | Symptoms or no symptoms: Effectiveness of chest radiography. Academic Radiology, 1998, 5, S333-S335. | 1.3 | 4 |
| 78 | MR appearance of the temporal evolution and resolution of spontaneous osteonecrosis of the knee: a case report. Acta Radiologica Open, 2017, 6, 205846011668871. | 0.3 | 4 |
| 79 | Visualization of wrist ligaments with 3D and 2D magnetic resonance imaging at 3 Tesla. Acta Radiologica, 2021, , 028418512199404. | 0.5 | 4 |
| 80 | DAPSA, DAS28 and MDA predict long-term treatment regime in psoriatic arthritis. The Swedish Early Psoriatic Arthritis Cohort. Clinical and Experimental Rheumatology, 2017, 35, 936-942. | 0.4 | 4 |
| 81 | Conversion factors for estimation of effective dose in paediatric chest tomosynthesis. Radiation Protection Dosimetry, 2013, 157, 206-213. | 0.4 | 3 |
| 82 | 80-kV sub>p hepatic CT to reduce contrast medium dose in azotemic patients: a feasibility study. Acta Radiologica, 2020, 61, 441-449. | 0.5 | 3 |
| 83 | Elevated serum level of hepatocyte growth factor predicts development of new syndesmophytes in men with ankylosing spondylitis. Rheumatology, 2021, 60, 1804-1813. | 0.9 | 3 |
| 84 | Prevalence and factors related to sleep apnoea in ankylosing spondylitis. Clinical Rheumatology, 2021, , 1. | 1.0 | 3 |
| 85 | Selective archiving of radiologic images. European Journal of Radiology, 1992, 14, 159-163. | 1.2 | 2 |
| 86 | Diagnosis of scaphoid fracture: optimal imaging techniques. Reports in Medical Imaging, 2013, , 57. | 0.8 | 2 |
| 87 | Added value of interpreter experience in occult and suspect hip fractures: a retrospective analysis of 254 patients. Emergency Radiology, 2016, 23, 229-234. | 1.0 | 2 |
| 88 | The diagnostic value of ultrasound-guided percutaneous core needle biopsy of musculoskeletal soft tissue lesions. Journal of Ultrasonography: Official Publication of Polish Ultrasound Society / Red Nacz Iwona SudoÅ,-SzopiÅ,,ska, 2021, 21, e22-e33. | 0.7 | 2 |
| 89 | Magnetic resonance imaging of the brachial plexus. Part 2: Traumatic injuries. European Journal of Radiology Open, 2022, 9, 100397. | 0.7 | 2 |
| 90 | Splenomegaly versus pathological lung volume during COVID-19 infection with or without cytokine storm; a linear regression analysis using CT volumetry. Egyptian Journal of Radiology and Nuclear Medicine, 2022, 53, . | 0.3 | 2 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 91 | Imaging of Acetabular Fractures. Contemporary Diagnostic Radiology, 2007, 30, 1-5. | 0.1 | 1 |
| 92 | A Retrospective Analysis of the Clinical Impact of 939 Chest Radiographs Using the Medical Records. Radiology Research and Practice, 2012, 2012, 1-5. | 0.6 | 1 |
| 93 | No long-term risk of wrist osteoarthritis due to subchondral haematomas in distal radial fractures. Journal of Plastic Surgery and Hand Surgery, 2018, 52, 163-165. | 0.4 | 1 |
| 94 | SAT0336â€CLINICAL DIAGNOSES OF AXIAL SPONDYLOARTHRITIS SHOW A HIGH OVERALL CONCORDANCE W CLASSIFICATION CRITERIA FULFILMENT, BUT ARE LESS CONSISTENT FOR DIFFERENTIATION BETWEEN SUBTYPES IN ESTABLISHED AXIAL DISEASE: RESULTS FROM THE SPARTAKUS COHORT. , 2019, , . | ITH | 1 |
| 95 | Response to: â€response to: irritable bowel syndrome symptoms in axial spondyloarthritis more common than among healthy controls: is it an overlooked comorbidity?' by Proft et al Annals of the Rheumatic Diseases, 2019, , annrheumdis-2019-216752. | 0.5 | 1 |
| 96 | Can iterative reconstruction algorithms replace tube loading compensation in low kVp hepatic CT? Subjective versus objective image quality. Acta Radiologica Open, 2020, 9, 205846012091057. | 0.3 | 1 |
| 97 | How good is the agreement between clinical diagnoses and classification criteria fulfilment in axial spondyloarthritis? Results from the SPARTAKUS cohort. Scandinavian Journal of Rheumatology, 2023, 52, 364-373. | 0.6 | 1 |
| 98 | A Prospective Randomized Trial Comparing Fragment-Specific Fixation and Volar Locking Plates in Displaced and Unstable Distal Radial Fractures. Journal of Hand Surgery, 2014, 39, e10-e11. | 0.7 | 0 |
| 99 | A computer-assisted systematic quality monitoring method for cervical hip fracture radiography. Acta Radiologica Open, 2016, 5, 205846011667474. | 0.3 | 0 |
| 100 | Impact of donor chest radiography on clinical outcome after lung transplantation. Acta Radiologica Open, 2018, 7, 205846011878141. | 0.3 | 0 |
| 101 | SAT0355 IRRITABLE BOWEL SYNDROME SYMPTOMS IN AXIAL SPONDYLOARTHRITIS AND HEALTHY CONTRO AND THEIR RELATION TO DISEASE CHARACTERISTICS – IS IT AN OVERLOOKED COMORBIDITY?., 2019, , . | LS, | 0 |
| 102 | Change and consistency in <i>Acta Radiologica</i> over 100 years. Acta Radiologica, 2021, 62, 1435-1442. | 0.5 | 0 |
| 103 | Image-Guided Fine-Needle Aspiration Cytology. , 2014, , 35-46. | | 0 |