

Laura Lasagni

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/743442/publications.pdf>

Version: 2024-02-01

73
papers

7,302
citations

81743

39
h-index

106150

65
g-index

76
all docs

76
docs citations

76
times ranked

7471
citing authors

#	ARTICLE	IF	CITATIONS
1	Glomerular stem cells. , 2022, , 321-330.		0
2	The Pathology Lesion Patterns of Podocytopathies: How and why?. <i>Frontiers in Cell and Developmental Biology</i> , 2022, 10, 838272.	1.8	4
3	Particulate kidney extracellular matrix: bioactivity and proteomic analysis of a novel scaffold from porcine origin. <i>Biomaterials Science</i> , 2021, 9, 186-198.	2.6	11
4	Retinoic Acid Benefits Glomerular Organotypic Differentiation from Adult Renal Progenitor Cells In Vitro. <i>Stem Cell Reviews and Reports</i> , 2021, 17, 1406-1419.	1.7	2
5	Molecular Mechanisms of Renal Progenitor Regulation: How Many Pieces in the Puzzle?. <i>Cells</i> , 2021, 10, 59.	1.8	5
6	Co-cultures of renal progenitors and endothelial cells on kidney decellularized matrices replicate the renal tubular environment in vitro. <i>Acta Physiologica</i> , 2020, 230, e13491.	1.8	11
7	Acute kidney injury promotes development of papillary renal cell adenoma and carcinoma from renal progenitor cells. <i>Science Translational Medicine</i> , 2020, 12, .	5.8	46
8	Bioengineering strategies for nephrologists: kidney was not built in a day. <i>Expert Opinion on Biological Therapy</i> , 2020, 20, 467-480.	1.4	26
9	Substrate Stiffness Modulates Renal Progenitor Cell Properties via a ROCK-Mediated Mechanotransduction Mechanism. <i>Cells</i> , 2019, 8, 1561.	1.8	23
10	Endocycle-related tubular cell hypertrophy and progenitor proliferation recover renal function after acute kidney injury. <i>Nature Communications</i> , 2018, 9, 1344.	5.8	185
11	CXCL12 blockade preferentially regenerates lost podocytes in cortical nephrons by targeting an intrinsic podocyte-progenitor feedback mechanism. <i>Kidney International</i> , 2018, 94, 1111-1126.	2.6	69
12	Modeling the Glomerular Filtration Barrier: Are You Kidney-ing Me?. <i>Cell Stem Cell</i> , 2017, 21, 7-9.	5.2	8
13	Evidence for Renal Progenitors in the Human Kidney. , 2016, , 395-406.		0
14	Transgenic Strategies to Study Podocyte Loss and Regeneration. <i>Stem Cells International</i> , 2015, 2015, 1-13.	1.2	9
15	Renal Stem Cells, Tissue Regeneration, and Stem Cell Therapies for Renal Diseases. <i>Stem Cells International</i> , 2015, 2015, 1-2.	1.2	7
16	Human Urine-Derived Renal Progenitors for Personalized Modeling of Genetic Kidney Disorders. <i>Journal of the American Society of Nephrology: JASN</i> , 2015, 26, 1961-1974.	3.0	74
17	Heterogeneous Genetic Alterations in Sporadic Nephrotic Syndrome Associate with Resistance to Immunosuppression. <i>Journal of the American Society of Nephrology: JASN</i> , 2015, 26, 230-236.	3.0	84
18	Stem cell therapy for kidney disease. <i>Expert Opinion on Biological Therapy</i> , 2015, 15, 1455-1468.	1.4	17

#	ARTICLE	IF	CITATIONS
19	Podocyte Regeneration Driven by Renal Progenitors Determines Glomerular Disease Remission and Can Be Pharmacologically Enhanced. <i>Stem Cell Reports</i> , 2015, 5, 248-263.	2.3	112
20	Glomerular Regeneration: When Can the Kidney Regenerate from Injury and What Turns Failure into Success. <i>Nephron Experimental Nephrology</i> , 2014, 126, 70-75.	2.4	17
21	Renal progenitors and childhood: from development to disorders. <i>Pediatric Nephrology</i> , 2014, 29, 711-719.	0.9	10
22	Nephrons are generated via a series of committed progenitors. <i>Nature Reviews Nephrology</i> , 2014, 10, 491-491.	4.1	0
23	Retinoids and Glomerular Regeneration. <i>Seminars in Nephrology</i> , 2014, 34, 429-436.	0.6	15
24	Podocyte progenitors and ectopic podocytes. <i>Nature Reviews Nephrology</i> , 2013, 9, 715-716.	4.1	14
25	Renal progenitors: an evolutionary conserved strategy for kidney regeneration. <i>Nature Reviews Nephrology</i> , 2013, 9, 137-146.	4.1	170
26	Podocyte loss involves <sc>MDM2</sc>-driven mitotic catastrophe. <i>Journal of Pathology</i> , 2013, 230, 322-335.	2.1	57
27	Proteinuria Impairs Podocyte Regeneration by Sequestering Retinoic Acid. <i>Journal of the American Society of Nephrology: JASN</i> , 2013, 24, 1756-1768.	3.0	116
28	Podocyte Mitosis - A Catastrophe. <i>Current Molecular Medicine</i> , 2013, 13, 13-23.	0.6	112
29	Adult Stem Cells in Tissue Homeostasis and Disease. , 2012, , .		2
30	Characterization of Renal Progenitors Committed Toward Tubular Lineage and Their Regenerative Potential in Renal Tubular Injury. <i>Stem Cells</i> , 2012, 30, 1714-1725.	1.4	280
31	Stem Cell Niche in the Kidney. , 2011, , 233-243.		0
32	Notch Activation Differentially Regulates Renal Progenitors Proliferation and Differentiation Toward the Podocyte Lineage in Glomerular Disorders. <i>Stem Cells</i> , 2010, 28, 1674-1685.	1.4	152
33	Novel Strategies of Regenerative Medicine Using Chemical Compounds. <i>Current Medicinal Chemistry</i> , 2010, 17, 4134-4149.	1.2	2
34	Only anti-CD133 antibodies recognizing the CD133/1 or the CD133/2 epitopes can identify human renal progenitors. <i>Kidney International</i> , 2010, 78, 620-621.	2.6	22
35	Glomerular Epithelial Stem Cells. <i>Journal of the American Society of Nephrology: JASN</i> , 2010, 21, 1612-1619.	3.0	113
36	Renal Progenitor Cells Contribute to Hyperplastic Lesions of Podocytopathies and Crescentic Glomerulonephritis. <i>Journal of the American Society of Nephrology: JASN</i> , 2009, 20, 2593-2603.	3.0	173

#	ARTICLE	IF	CITATIONS
37	Regeneration of Glomerular Podocytes by Human Renal Progenitors. <i>Journal of the American Society of Nephrology: JASN</i> , 2009, 20, 322-332.	3.0	483
38	The Role of Endothelial Progenitor Cells in Acute Kidney Injury. <i>Blood Purification</i> , 2009, 27, 261-270.	0.9	36
39	Human immature myeloid dendritic cells trigger a TH2-polarizing program via Jagged-1/Notch interaction. <i>Journal of Allergy and Clinical Immunology</i> , 2008, 121, 1000-1005.e8.	1.5	66
40	Stem-cell approaches for kidney repair: choosing the right cells. <i>Trends in Molecular Medicine</i> , 2008, 14, 277-285.	3.5	87
41	Activation of p38MAPK mediates the angiostatic effect of the chemokine receptor CXCR3-B. <i>International Journal of Biochemistry and Cell Biology</i> , 2008, 40, 1764-1774.	1.2	60
42	Essential but differential role for CXCR4 and CXCR7 in the therapeutic homing of human renal progenitor cells. <i>Journal of Experimental Medicine</i> , 2008, 205, 479-490.	4.2	245
43	Pharmacological Modulation of Stem Cell Function. <i>Current Medicinal Chemistry</i> , 2007, 14, 1129-1139.	1.2	45
44	Regenerative Potential of Embryonic Renal Multipotent Progenitors in Acute Renal Failure. <i>Journal of the American Society of Nephrology: JASN</i> , 2007, 18, 3128-3138.	3.0	194
45	PF-4/CXCL4 and CXCL4L1 exhibit distinct subcellular localization and a differentially regulated mechanism of secretion. <i>Blood</i> , 2007, 109, 4127-4134.	0.6	62
46	Expression of the DNAM-1 ligands, Nectin-2 (CD112) and poliovirus receptor (CD155), on dendritic cells: relevance for natural killer-dendritic cell interaction. <i>Blood</i> , 2006, 107, 2030-2036.	0.6	234
47	Peripheral blood as a source of stem cells for regenerative medicine. <i>Expert Opinion on Biological Therapy</i> , 2006, 6, 193-202.	1.4	15
48	CXCR3 and $\alpha 7$ integrin identify a subset of CD8 ⁺ mature thymocytes that share phenotypic and functional properties with CD8 ⁺ gut intraepithelial lymphocytes. <i>Gut</i> , 2006, 55, 961-968.	6.1	27
49	Isolation and Characterization of Multipotent Progenitor Cells from the Bowman's Capsule of Adult Human Kidneys. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, 2443-2456.	3.0	648
50	CXCR3 and its binding chemokines in myeloma cells: expression of isoforms and potential relationships with myeloma cell proliferation and survival. <i>Haematologica</i> , 2006, 91, 1489-97.	1.7	59
51	High CXCL10 Expression in Rejected Kidneys and Predictive Role of Pretransplant Serum CXCL10 for Acute Rejection And Chronic Allograft Nephropathy. <i>Transplantation</i> , 2005, 79, 1215-1220.	0.5	86
52	Nephrotic Syndrome and Renal Failure After Allogeneic Stem Cell Transplantation: Novel Molecular Diagnostic Tools for a Challenging Differential Diagnosis. <i>American Journal of Kidney Diseases</i> , 2005, 46, 550-556.	2.1	35
53	CXCR3-mediated opposite effects of CXCL10 and CXCL4 on T1 or T2 cytokine production. <i>Journal of Allergy and Clinical Immunology</i> , 2005, 116, 1372-1379.	1.5	106
54	CD14 ⁺ CD34 ^{low} Cells With Stem Cell Phenotypic and Functional Features Are the Major Source of Circulating Endothelial Progenitors. <i>Circulation Research</i> , 2005, 97, 314-322.	2.0	245

#	ARTICLE	IF	CITATIONS
55	High Pretransplant Serum Levels of CXCL10/IP-10 Are Related to Increased Risk of Renal Allograft Failure. <i>American Journal of Transplantation</i> , 2004, 4, 1466-1474.	2.6	84
56	CXC chemokines: the regulatory link between inflammation and angiogenesis. <i>Trends in Immunology</i> , 2004, 25, 201-209.	2.9	369
57	Th2 cells are less susceptible than Th1 cells to the suppressive activity of CD25+ regulatory thymocytes because of their responsiveness to different cytokines. <i>Blood</i> , 2004, 103, 3117-3121.	0.6	158
58	An Alternatively Spliced Variant of CXCR3 Mediates the Inhibition of Endothelial Cell Growth Induced by IP-10, Mig, and I-TAC, and Acts as Functional Receptor for Platelet Factor 4. <i>Journal of Experimental Medicine</i> , 2003, 197, 1537-1549.	4.2	655
59	Expression of IP-10/CXCL10 and MIG/CXCL9 in the Thyroid and Increased Levels of IP-10/CXCL10 in the Serum of Patients with Recent-Onset Graves' Disease. <i>American Journal of Pathology</i> , 2002, 161, 195-206.	1.9	151
60	IP-10 and Mig Production by Glomerular Cells in Human Proliferative Glomerulonephritis and Regulation by Nitric Oxide. <i>Journal of the American Society of Nephrology: JASN</i> , 2002, 13, 53-64.	3.0	91
61	Interferon-inducible protein 10, monokine induced by interferon gamma, and interferon-inducible T-cell alpha chemoattractant are produced by thymic epithelial cells and attract T-cell receptor (TCR) $\alpha\beta$ ⁺ CD8 ⁺ single-positive T cells, TCR β ⁺ T cells, and natural killer ⁺ type cells in human thymus. <i>Blood</i> , 2001, 97, 601-607.	0.6	111
62	Signal Transduction by the Chemokine Receptor CXCR3. <i>Journal of Biological Chemistry</i> , 2001, 276, 9945-9954.	1.6	272
63	Cell cycle ⁺ dependent expression of CXC chemokine receptor 3 by endothelial cells mediates angiostatic activity. <i>Journal of Clinical Investigation</i> , 2001, 107, 53-63.	3.9	340
64	Inducible nitric oxide synthase expression in vascular and glomerular structures of human chronic allograft nephropathy. , 1999, 187, 345-350.		24
65	Role for Interactions Between IP-10/Mig and CXCR3 in Proliferative Glomerulonephritis. <i>Journal of the American Society of Nephrology: JASN</i> , 1999, 10, 2518-2526.	3.0	103
66	Angiotensin II Stimulates the Synthesis and Secretion of Vascular Permeability Factor/Vascular Endothelial Growth Factor in Human Mesangial Cells. <i>Journal of the American Society of Nephrology: JASN</i> , 1999, 10, 245-255.	3.0	131
67	High CD30 Ligand Expression by Epithelial Cells and Hassal's Corpuscles in the Medulla of Human Thymus. <i>Blood</i> , 1998, 91, 3323-3332.	0.6	72
68	Catecholamines modulate growth and differentiation of human preosteoclastic cells. <i>Osteoporosis International</i> , 1996, 6, 14-21.	1.3	22
69	Functional and structural interactions between osteoblastic and preosteoclastic cells in vitro. <i>Cell and Tissue Research</i> , 1995, 281, 33-42.	1.5	22
70	Functional and structural interactions between osteoblastic and preosteoclastic cells in vitro. , 1995, 281, 33.		1
71	Comparison of immuno- and HPLC-assays for the measurement of urinary collagen cross-links. <i>Journal of Endocrinological Investigation</i> , 1994, 17, 625-629.	1.8	12
72	Protective effect of gangliosides on myocardial hypoxic damage in the rat. <i>European Journal of Pharmacology</i> , 1991, 198, 43-49.	1.7	2

#	ARTICLE	IF	CITATIONS
73	Reply: Nephrons are generated via a series of committed progenitors. Nature Reviews Nephrology, 0, , .	4.1	0