Ana Cristina Miranda Brasileiro

List of Publications by Citations

Source:

https://exaly.com/author-pdf/7434440/ana-cristina-miranda-brasileiro-publications-by-citations.pdf **Version:** 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

51 1,698 24 40 g-index

55 1,944 3.6 avg, IF 3.93 L-index

#	Paper	IF	Citations
51	Transgenic poplars: expression of chimeric genes using four different constructs. <i>Plant Cell Reports</i> , 1992 , 11, 137-41	5.1	216
50	Inheritance of foreign genes in transgenic bean (Phaseolus vulgaris L.) co-transformed via particle bombardment. <i>Theoretical and Applied Genetics</i> , 1996 , 93, 142-50	6	118
49	Characterization of WRKY co-regulatory networks in rice and Arabidopsis. <i>BMC Plant Biology</i> , 2009 , 9, 120	5.3	112
48	Plant-pathogen interactions: what is proteomics telling us?. FEBS Journal, 2008, 275, 3731-46	5.7	109
47	Identification of drought-responsive genes in roots of upland rice (Oryza sativa L). <i>BMC Genomics</i> , 2008 , 9, 485	4.5	88
46	Global transcriptome analysis of two wild relatives of peanut under drought and fungi infection. <i>BMC Genomics</i> , 2012 , 13, 387	4.5	72
45	Transgenic beans (Phaseolus vulgaris L.) engineered to express viral antisense RNAs show delayed and attenuated symptoms to bean golden mosaic geminivirus. <i>Molecular Breeding</i> , 1998 , 4, 491-499	3.4	72
44	Plant regeneration from seedling explants of Eucalyptus grandis Œ. urophylla. <i>Plant Cell, Tissue and Organ Culture</i> , 1999 , 56, 17-23	2.7	62
43	An alternative approach for gene transfer in trees using wild-type Agrobacterium strains. <i>Plant Molecular Biology</i> , 1991 , 17, 441-52	4.6	57
42	Expression of the mutantArabidopsis thaliana acetolactate synthase gene confers chlorsulfuron resistance to transgenic poplar plants. <i>Transgenic Research</i> , 1992 , 1, 133-141	3.3	55
41	Reference genes for quantitative reverse transcription-polymerase chain reaction expression studies in wild and cultivated peanut. <i>BMC Research Notes</i> , 2011 , 4, 339	2.3	48
40	Transcriptome Profiling of Wild from Water-Limited Environments Uncovers Drought Tolerance Candidate Genes. <i>Plant Molecular Biology Reporter</i> , 2015 , 33, 1876-1892	1.7	45
39	Root Transcriptome Analysis of Wild Peanut Reveals Candidate Genes for Nematode Resistance. <i>PLoS ONE</i> , 2015 , 10, e0140937	3.7	42
38	The effect of tetraploidization of wild Arachis on leaf morphology and other drought-related traits. <i>Environmental and Experimental Botany</i> , 2012 , 84, 17-24	5.9	40
37	Identification of different agrobacterium strains isolated from the same forest nursery. <i>Applied and Environmental Microbiology</i> , 1990 , 56, 3537-45	4.8	36
36	Factors influencing transient gene expression in bean (Phaseolus vulgaris L.) using an electrical particle acceleration device. <i>Plant Cell Reports</i> , 1993 , 12, 483-90	5.1	35
35	Analysis of the leaf transcriptome of Musa acuminata during interaction with Mycosphaerella musicola: gene assembly, annotation and marker development. <i>BMC Genomics</i> , 2013 , 14, 78	4.5	34

(2019-2015)

34	Arachis batizocoi: a study of its relationship to cultivated peanut (A. hypogaea) and its potential for introgression of wild genes into the peanut crop using induced allotetraploids. <i>Annals of Botany</i> , 2015 , 115, 237-49	4.1	34	
33	Reference Gene Selection for qPCR Analysis in Tomato-Bipartite Begomovirus Interaction and Validation in Additional Tomato-Virus Pathosystems. <i>PLoS ONE</i> , 2015 , 10, e0136820	3.7	30	
32	Genetic transformation: a short review of methods and their applications, results and perspectives for forest trees. <i>Annales Des Sciences Forestilles</i> , 1993 , 50, 325-336		29	
31	A Study of Gene Expression in the Nematode Resistant Wild Peanut Relative, Arachis stenosperma, in Response to Challenge with Meloidogyne arenaria. <i>Tropical Plant Biology</i> , 2010 , 3, 183-192	1.6	28	
30	Genome-wide analysis of expansin superfamily in wild Arachis discloses a stress-responsive expansin-like B gene. <i>Plant Molecular Biology</i> , 2017 , 94, 79-96	4.6	27	
29	Susceptibility of Common and Tepary Beans to Agrobacterium spp. Strains and Improvement of Agrobacterium-mediated Transformation Using Microprojectile Bombardment. <i>Journal of the American Society for Horticultural Science</i> , 1996 , 121, 810-815	2.3	25	
28	A survey of genes involved in Arachis stenosperma resistance to Meloidogyne arenaria race 1. <i>Functional Plant Biology</i> , 2013 , 40, 1298-1309	2.7	24	
27	Phenotypic effects of allotetraploidization of wild and their implications for peanut domestication. <i>American Journal of Botany</i> , 2017 , 104, 379-388	2.7	23	
26	Ultrastructure of the Initial Interaction of Puccinia arachidis and Cercosporidium personatum with Leaves of Arachis hypogaea and Arachis stenosperma. <i>Journal of Phytopathology</i> , 2010 , 158, 792-796	1.8	20	
25	Ex vitro hairy root induction in detached peanut leaves for plant-nematode interaction studies. <i>Plant Methods</i> , 2017 , 13, 25	5.8	19	
24	Oncogene arrangement in a shooty strain of Agrobacterium tumefaciens. <i>Plant Molecular Biology</i> , 1994 , 25, 83-90	4.6	18	
23	Comparative root transcriptome of wild Arachis reveals NBS-LRR genes related to nematode resistance. <i>BMC Plant Biology</i> , 2018 , 18, 159	5.3	17	
22	Comparative proteomics and gene expression analysis in Arachis duranensis reveal stress response proteins associated to drought tolerance. <i>Journal of Proteomics</i> , 2019 , 192, 299-310	3.9	17	
21	Positive, negative and marker-free strategies for transgenic plant selection. <i>Brazilian Journal of Plant Physiology</i> , 2002 , 14, 01-10		16	
20	Biolistic transformation of Eucalyptus grandis x E. urophylla callus. <i>Functional Plant Biology</i> , 2002 , 29, 917-924	2.7	16	
19	Agrobacterium strain specificity and shooty tumour formation in eucalypt (Eucalyptus grandis Œ. urophylla). <i>Plant Cell Reports</i> , 1997 , 16, 299-303	5.1	14	
18	Early responses to dehydration in contrasting wild Arachis species. <i>PLoS ONE</i> , 2018 , 13, e0198191	3.7	13	
17	Contrasting Effects of Wild Dehydrin Under Abiotic and Biotic Stresses. <i>Frontiers in Plant Science</i> , 2019 , 10, 497	6.2	12	

16	Cowpea-Meloidogyne incognita interaction: Root proteomic analysis during early stages of nematode infection. <i>Proteomics</i> , 2015 , 15, 1746-59	4.8	12
15	Characterization of raffinose metabolism genes uncovers a wild Arachis galactinol synthase conferring tolerance to abiotic stresses. <i>Scientific Reports</i> , 2020 , 10, 15258	4.9	9
14	Comparative Genomics Reveals Novel Target Genes towards Specific Control of Plant-Parasitic Nematodes. <i>Genes</i> , 2020 , 11,	4.2	9
13	The genome structure of (Linnaeus, 1753) and an induced allotetraploid revealed by molecular cytogenetics. <i>Comparative Cytogenetics</i> , 2018 , 12, 111-140	1	8
12	Proteomics unravels new candidate genes for Meloidogyne resistance in wild Arachis. <i>Journal of Proteomics</i> , 2020 , 217, 103690	3.9	6
11	Evaluation of heterologous promoters in transgenic Populus tremula IP. alba plants. <i>Biologia Plantarum</i> , 2006 , 50, 15-20	2.1	5
10	Biologia molecular do processo de infecB por Agrobacterium spp <i>Tropical Plant Pathology</i> , 2003 , 28, 465-476		5
9	Evolutionarily conserved plant genes responsive to root-knot nematodes identified by comparative genomics. <i>Molecular Genetics and Genomics</i> , 2020 , 295, 1063-1078	3.1	4
8	Overexpression of Wild Arachis Lipocalin Enhances Root-Knot Nematode Resistance in Peanut Hairy Roots. <i>Plant Molecular Biology Reporter</i> , 2019 , 37, 74-86	1.7	3
7	Defining the combined stress response in wild Arachis. Scientific Reports, 2021, 11, 11097	4.9	3
6	Crown gall caused by Agrobacterium tumefaciens species complex: a novel nursery disease of Tectona grandis in Brazil. <i>Journal of Plant Pathology</i> , 2019 , 101, 445-445	1	3
5	Coupled transcript and metabolite identification: insights on induction and synthesis of resveratrol in peanut, wild relatives and synthetic allotetraploid. <i>Genetics and Molecular Research</i> , 2017 , 16,	1.2	2
4	Presence of resveratrol in wild Arachis species adds new value to this overlooked genetic resource. <i>Scientific Reports</i> , 2020 , 10, 12787	4.9	1
3	Overexpression of DUF538 from Wild Arachis Enhances Plant Resistance to Meloidogyne spp <i>Agronomy</i> , 2021 , 11, 559	3.6	1
2	Evidences that polyploidization and hybridization affected resveratrol content in Arachis interspecific hybrids. <i>Journal of Plant Breeding and Crop Science</i> , 2019 , 11, 265-270	0.7	1
1	Ectopic expression of an expansin-like B gene from wild Arachis enhances tolerance to both abiotic and biotic stresses. <i>Plant Journal</i> , 2021 , 107, 1681-1696	6.9	1