Mohammad Shahid

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/7434563/mohammad-shahid-publications-by-year.pdf

Version: 2024-04-22

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

1,687 38 25 74 h-index g-index citations papers 1,893 4.1 4.9 75 L-index avg, IF ext. papers ext. citations

#	Paper	IF	Citations
74	Hydrogen bond and nucleophilicity motifs in the design of molecular probes for CNI and Filons. <i>Monatshefte Fil Chemie</i> , 2021 , 152, 1401-1435	1.4	
73	Fluorescence quenching of molybdenum disulfide quantum dots for metal ion sensing. <i>Monatshefte Fil Chemie</i> , 2020 , 151, 729-741	1.4	3
72	A sensitive TICT Probe exhibiting ratiometric fluorescence repose to detect hydrazine in solution and gas phase. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2020 , 232, 11815.	3 ^{4·4}	13
71	Imidazole-coumarin containing D IA type fluorescent probe: Synthesis photophysical properties and sensing behavior for Fland CNlanion. <i>Dyes and Pigments</i> , 2020 , 175, 108163	4.6	18
70	A simple naphthalimide based PET probe for Fe3+ and selective detection of pyrophosphate through displacement approach: Cell imaging studies and logic interpretation. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2020 , 403, 112854	4.7	5
69	Sensitive colorimetric detection of CNIand AcOIanions in a semi-aqueous environment through a coumarinflaphthalene conjugate azo dye. <i>New Journal of Chemistry</i> , 2019 , 43, 5126-5132	3.6	17
68	A Chemodosimeter Exhibiting Fluorescence II urn-On Response to Detect Copper(II) Ions: Cell Imaging and Logic Function. <i>Chemistry Select</i> , 2019 , 4, 2761-2765	1.8	2
67	In Situ Functionalized Fluorescent WS2-QDs as Sensitive and Selective Probe for Fe3+ and a Detailed Study of Its Fluorescence Quenching. <i>ACS Applied Nano Materials</i> , 2019 , 2, 566-576	5.6	25
66	An Efficient Molecular Scaffold Exhibiting Fluorescence II urn Dn Response for Cyanide and HCN. <i>ChemistrySelect</i> , 2018 , 3, 2025-2031	1.8	3
65	Smart PET based organic scaffold exhibiting bright furn on Igreen fluorescence to detect Fe3+ ion: Live cell imaging and logic implication. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2018 , 358, 157-166	4.7	18
64	Dual Fluorophore Containing Efficient Photoinduced Electron Transfer Based Molecular Probe for Selective Detection of Cr and PO Ions through Fluorescence "Turn-On-Off" Response in Partial Aqueous and Biological Medium: Live Cell Imaging and Logic Application. <i>Analytical Chemistry</i> , 2018	7.8	28
63	An efficient molecular probe for visual detection of adenosine triphosphate in aqueous medium. Journal of Luminescence, 2018 , 203, 195-202	3.8	2
62	Michael-Reaction-Based Simple II urn-OnIFluorescent Chemodosimeter to Detect Cys in Partial Aqueous Medium. <i>ChemistrySelect</i> , 2018 , 3, 12900-12906	1.8	2
61	Excited state proton transfer (ESIPT) based molecular probe to sense Fland CNlanions through a fluorescence Burn-onliesponse. <i>New Journal of Chemistry</i> , 2018 , 42, 11746-11754	3.6	30
60	Synthesis and evaluation of a tri-armed molecular receptor for recognition of mercury and cyanide toxicants. Supramolecular Chemistry, 2017, 29, 111-119	1.8	8
59	Synthesis and application of a new class of DA type charge transfer probe containing imidazole [haphthalene units for detection of Fland CO2. <i>RSC Advances</i> , 2017 , 7, 4941-4949	3.7	11
58	An efficient Hg2+ ensemble based on a triazole bridged anthracene and quinoline system for selective detection of cyanide through fluorescence turn-off®n response in solution and live cell. Sensors and Actuators B: Chemical, 2017, 251, 729-738	8.5	26

(2015-2017)

57	Dansylated adenine as a molecular probe for exploring hydrophobic pocket of bovine serum albumin (BSA) and its utility for mercury ion recognition. <i>Journal of Luminescence</i> , 2017 , 188, 460-464	3.8	6
56	Synthesis of Distally Substituted Calix[4]arene Dialkyl Ethers in High Yield. <i>Organic Preparations and Procedures International</i> , 2017 , 49, 228-235	1.1	3
55	Molecular structure, supramolecular association and anion sensing by chlorodiorganotin(IV) methylferrocenyldithiocarbamates. <i>Journal of Molecular Structure</i> , 2017 , 1145, 197-203	3.4	4
54	pH Dependent Optical Switching and Fluorescence Modulation of Molybdenum Sulfide Quantum Dots. <i>Advanced Optical Materials</i> , 2017 , 5, 1601021	8.1	19
53	Photoenolization via excited state proton transfer and ion sensing studies of hydroxy imidazole derivatives. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2017 , 335, 190-199	4.7	15
52	Proficient molecular receptor exhibiting In-Offlexcimer fluorescence with fluoride and mercury toxicants. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2017 , 349, 224-229	4.7	4
51	Novel calix[4]arene based metallo-supramolecular complex for recognition of cyanide ions in aqueous medium. <i>Supramolecular Chemistry</i> , 2017 , 29, 290-295	1.8	1
50	A new D A type intramolecular charge transfer Dyad System to detect F <code>I</code> Anion induced CO2 sensing. <i>Sensors and Actuators B: Chemical</i> , 2016 , 236, 520-528	8.5	8
49	A calix[4]arene based turn off/turn on molecular receptor for Cu2+ and CNIIons in aqueous medium. <i>Sensors and Actuators B: Chemical</i> , 2016 , 237, 470-478	8.5	19
48	An efficient ICT based fluorescent turn-on dyad for selective detection of fluoride and carbon dioxide. <i>New Journal of Chemistry</i> , 2016 , 40, 162-170	3.6	25
47	Towards a Pathway Inventory of the Human Brain for Modeling Disease Mechanisms Underlying Neurodegeneration. <i>Journal of Alzheimers</i> Disease, 2016 , 52, 1343-60	4.3	11
46	Phenyl-end-capped-thiophene (P-T type) based ICT fluorescent probe (DA) for detection of Hg2+ and Cu2+ ions: Live cell imaging and logic operation at molecular level. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2016 , 324, 106-116	4.7	20
45	Off-On-Off fluorescence behavior of an intramolecular charge transfer probe toward anions and CO2. Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy, 2016 , 168, 21-28	4.4	12
44	Highly sensitive cell imaging "Off-On" fluorescent probe for mitochondria and ATP. <i>Biosensors and Bioelectronics</i> , 2015 , 69, 179-85	11.8	40
43	Tetrasubstituted imidazole core containing ESIPT fluorescent chemodosimeter for selective detection of cyanide in different medium. <i>Sensors and Actuators B: Chemical</i> , 2015 , 221, 1236-1247	8.5	28
42	A polynuclear hetero atom containing molecular organic scaffold to detect Al3+ ion through a fluorescence turn-on response. <i>RSC Advances</i> , 2015 , 5, 61513-61520	3.7	13
41	Smart excimer fluorescence probe for visual detection, cell imaging and extraction of Hg2+. <i>RSC Advances</i> , 2015 , 5, 79538-79547	3.7	15
40	A coumarin-derived useful scaffold exhibiting Cu2+ induced fluorescence quenching and fluoride sensing (OnDffDn) via copper displacement approach. <i>Sensors and Actuators B: Chemical</i> , 2015 , 209, 162-171	8.5	72

39	Dye-Sensitized Solar Cells with Biferrocenyl Antennae Having Quinoxaline Spacers. <i>European Journal of Inorganic Chemistry</i> , 2015 , 2015, 3700-3707	2.3	25
38	Triazole-appended BODIPYBiperazine conjugates and their efficacy toward mercury sensing. <i>New Journal of Chemistry</i> , 2015 , 39, 2233-2239	3.6	16
37	Exploration of a library of triazolothiadiazole and triazolothiadiazine compounds as a highly potent and selective family of cholinesterase and monoamine oxidase inhibitors: design, synthesis, X-ray diffraction analysis and molecular docking studies. <i>RSC Advances</i> , 2015 , 5, 21249-21267	3.7	40
36	Simple Michael acceptor type coumarin derived turn-on fluorescence probes to detect cyanide in pure water. <i>Tetrahedron Letters</i> , 2014 , 55, 2936-2941	2	41
35	A new calix[4]arene based molecular probe for selective and sensitive detection of CNIIons in aqueous media. <i>New Journal of Chemistry</i> , 2014 , 38, 2763-2765	3.6	15
34	An azo based colorimetric probe for the detection of cysteine and lysine amino acids and its real application in human blood plasma. <i>RSC Advances</i> , 2014 , 4, 16999	3.7	23
33	Selective naked-eye detection of HgI+ through an efficient turn-on photoinduced electron transfer fluorescent probe and its real applications. <i>Analytical Chemistry</i> , 2014 , 86, 8693-9	7.8	99
32	An efficient multichannel probe to detect anions in different media and its real application in human blood plasma. <i>RSC Advances</i> , 2014 , 4, 22308	3.7	15
31	A selective quinoline-derived fluorescent chemodosimeter to detect cyanide in aqueous medium. <i>Tetrahedron Letters</i> , 2014 , 55, 1052-1056	2	35
30	A new fluorescent pyrenepyridine dithiocarbamate probe: A chemodosimeter to detect Hg2+ in pure aqueous medium and in live cells. <i>Journal of Luminescence</i> , 2014 , 154, 502-510	3.8	10
29	Detection of Zn2+ ion on a reusable fluorescent mesoporous silica beads in aqueous medium. Journal of Inclusion Phenomena and Macrocyclic Chemistry, 2013 , 77, 241-248	1.7	6
28	A hetero-bimetallic(Cu R u) chromogenic and fluorogenic complex as receptor of soft metal ions. Journal of Inclusion Phenomena and Macrocyclic Chemistry, 2013 , 76, 125-132		
27	A simple and sensitive intramolecular charge transfer fluorescent probe to detect CNIIn aqueous media and living cells. <i>Analytical Methods</i> , 2013 , 5, 434-437	3.2	39
26	Thiourea based molecular dyad (ANTU): Fluorogenic Hg2+ selective chemodosimeter exhibiting bluegreen fluorescence in aqueous-ethanol environment. <i>Sensors and Actuators B: Chemical</i> , 2013 , 181, 584-595	8.5	41
25	A simple blue fluorescent probe to detect Hg2+ in semiaqueous environment by intramolecular charge transfer mechanism. <i>Tetrahedron Letters</i> , 2013 , 54, 3688-3693	2	26
24	Glycosyl based meso-substituted dipyrromethanes as fluorescent probes for Cd2+/Cu2+ ions. <i>Tetrahedron Letters</i> , 2013 , 54, 4193-4197	2	9
23	Design and synthesis of fluorescent 6-aryl[1,2-c]quinazolines serving as selective and sensitive <code>Bn-offlethemosensor</code> for Hg2+ in aqueous media. <i>Tetrahedron Letters</i> , 2012 , 53, 3550-3555	2	23
22	Synthesis and characterization of electroactive ferrocene derivatives: ferrocenylimidazoquinazoline as a multichannel chemosensor selectively for Hg2+ and Pb2+ ions in an aqueous environment. Inorganic Chemistry, 2012, 51, 298-311	5.1	75

21	Fluorescent probe mimicking multiple logic gates and a molecular keypad lock upon interaction with Hg2+ and bovine serum albumin. <i>Analyst, The</i> , 2012 , 137, 3470-8	5	39
20	Optoelectronic behavior of bischromophoric dyads exhibiting Zn2+/Filons induced Eurn-On/Off fluorescence. <i>Sensors and Actuators B: Chemical</i> , 2012 , 169, 327-340	8.5	35
19	A useful scaffold based on acenaphthene exhibiting Cu2+ induced excimer fluorescence and sensing cyanide via Cu2+ displacement approach. <i>Tetrahedron</i> , 2012 , 68, 9076-9084	2.4	66
18	Photoassisted "gate-lock" fluorescence "turn-on" in a new Schiff base and coordination ability of E-Z isomers. <i>Organic Letters</i> , 2012 , 14, 592-5	6.2	10
17	Fluorescent zinc(II) complex exhibiting "on-off-on" switching toward Cu2+ and Ag+ ions. <i>Inorganic Chemistry</i> , 2011 , 50, 3189-97	5.1	99
16	Synthesis of Well-Defined Amphiphilic Poly(Etaprolactone)-b-poly(N-vinylpyrrolidone) Block Copolymers via the Combination of ROP and Xanthate-Mediated RAFT Polymerization. <i>Macromolecules</i> , 2011 , 44, 2465-2473	5.5	65
15	An efficient naphthalimide based fluorescent dyad (ANPI) for Fland Hg2+ mimicking OR, XNOR and INHIBIT logic functions. <i>New Journal of Chemistry</i> , 2011 , 35, 1690	3.6	53
14	Fluorescent chemosensor: recognition of metal ions in aqueous medium by fluorescence quenching. <i>Journal of Inclusion Phenomena and Macrocyclic Chemistry</i> , 2011 , 69, 119-129		18
13	Protein assisted fluorescence enhancement of a dansyl containing fluorescent reagent: detection of Hg+ ion in aqueous medium. <i>Organic and Biomolecular Chemistry</i> , 2011 , 9, 5051-5	3.9	28
12	Chromo and Fluorogenic Properties of Some Azo-Phenol Derivatives and Recognition of Hg2+ Ion in Aqueous Medium by Enhanced Fluorescence. <i>Journal of Physical Chemistry C</i> , 2010 , 114, 16726-16739	3.8	49
11	An efficient fluoroionophore for selective recognition of Hg2+ and Cu2+ ions. <i>Thin Solid Films</i> , 2010 , 519, 1235-1239	2.2	3
10	Immobilization of self-quenched DNA hairpin probe with a heterobifunctional reagent on a glass surface for sensitive detection of oligonucleotides. <i>Bioorganic and Medicinal Chemistry</i> , 2009 , 17, 5826-3	3 ^{3.4}	11
9	Fluorescence probe sensitive to detect G-rich target strands through quenching. <i>Russian Journal of Bioorganic Chemistry</i> , 2009 , 35, 70-5	1	4
8	An efficient thiourea-based colorimetric chemosensor for naked-eye recognition of fluoride and acetate anions: UV-vis and 1HNMR studies. <i>Talanta</i> , 2009 , 80, 532-8	6.2	61
7	Microwave-assisted synthesis of 1,8-naphthalic anhydride and fluorescent probes based on its derivatives. <i>Monatshefte Fil Chemie</i> , 2009 , 140, 1209-1215	1.4	3
6	N-(3-triethoxysilylpropyl)-4-(isothiocyanatomethyl)-cyclohexane-1-carboxamide (TPICC): a heterobifunctional reagent for immobilization of biomolecules on glass surface. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008 , 18, 5217-21	2.9	2
5	N-(3-Triethoxysilylpropyl)-4-(N'-maleimidylmethyl)cyclohexanamide (TPMC): a heterobifunctional reagent for immobilization of oligonucleotides on glass surface. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2007 , 17, 3749-53	2.9	8
4	Synthesis of hairpin probe using deoxyguanosine as a quencher: Fluorescence and hybridization studies. <i>Analytical Biochemistry</i> , 2007 , 364, 86-8	3.1	33

3	through maleimide-thiol combination chemistry. <i>Analytical Biochemistry</i> , 2007 , 369, 248-55	3.1	16
2	Design and synthesis of hairpin probe for specific mis-match discrimination. <i>Nucleic Acids Symposium Series</i> , 2007 , 311-2		3
1	Synthesis and fluorescence studies of multiple labeled oligonucleotides containing dansyl fluorophore covalently attached at 2'-terminus of cytidine via carbamate linkage. <i>Bioconjugate Chemistry</i> 2004 , 15, 638-46	6.3	17