

Lupei Du

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7435333/lupei-du-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

117
papers

2,186
citations

25
h-index

40
g-index

126
ext. papers

2,541
ext. citations

6
avg, IF

4.92
L-index

#	Paper	IF	Citations
117	Fluorescent Ligand-Based Discovery of Small-Molecule Sulfonamide Agonists for GPR120.. <i>Frontiers in Chemistry</i> , 2022 , 10, 816014	5	
116	Discovery of small-molecule fluorescent probes for C-Met.. <i>European Journal of Medicinal Chemistry</i> , 2022 , 230, 114114	6.8	
115	Au-24 as a Potential Thioredoxin Reductase Inhibitor in Hepatocellular Carcinoma Cells.. <i>Pharmacological Research</i> , 2022 , 177, 106113	10.2	0
114	Design, synthesis and biological evaluation of new parabendazole derivatives for the treatment of HNSCC.. <i>European Journal of Medicinal Chemistry</i> , 2022 , 238, 114450	6.8	
113	Visualization-Based Discovery of Vanin-1 Inhibitors for Colitis.. <i>Frontiers in Chemistry</i> , 2021 , 9, 809495	5	
112	Multiple rapid-responsive probes towards hypochlorite detection based on dioxetane luminophore derivatives. <i>Journal of Pharmaceutical Analysis</i> , 2021 ,	14	1
111	Photoinduced Electron Transfer-Based Fluorescent Agonists for β Adrenergic Receptors Imaging. <i>Analytical Chemistry</i> , 2021 , 93, 6034-6042	7.8	0
110	NBD-Based Environment-Sensitive Fluorescent Probes for the Human Ether-a-Go-Go-Related Gene Potassium Channel. <i>Frontiers in Molecular Biosciences</i> , 2021 , 8, 666605	5.6	
109	Discovery of the Environment-Sensitive Near-Infrared (NIR) Fluorogenic Ligand for β Adrenergic Receptors Imaging In Vivo. <i>Methods in Molecular Biology</i> , 2021 , 2274, 181-192	1.4	
108	Novel furimazine derivatives for nanoluciferase bioluminescence with various C-6 and C-8 substituents. <i>Organic and Biomolecular Chemistry</i> , 2021 , 19, 7930-7936	3.9	0
107	Phenotyping Aquatic Neurotoxicity Induced by the Artificial Sweetener Saccharin at Sublethal Concentration Levels. <i>Journal of Agricultural and Food Chemistry</i> , 2021 , 69, 2041-2050	5.7	0
106	Bright chemiluminescent dioxetane probes for the detection of gaseous transmitter HS. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2021 , 46, 128148	2.9	2
105	Development of photocontrolled BRD4 PROTACs for tongue squamous cell carcinoma (TSCC). <i>European Journal of Medicinal Chemistry</i> , 2021 , 222, 113608	6.8	5
104	Polarity-based fluorescence probes: properties and applications. <i>RSC Medicinal Chemistry</i> , 2021 , 12, 1826-1838	5.3	4
103	Discovery of Turn-On Fluorescent Probes for Detecting PDE1 Protein in Living Cells and Tumor Slices. <i>Analytical Chemistry</i> , 2020 , 92, 9516-9522	7.8	4
102	Environment-sensitive fluorescent inhibitors of histone deacetylase. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2020 , 30, 127128	2.9	4
101	First small-molecule PROTACs for G protein-coupled receptors: inducing β -adrenergic receptor degradation. <i>Acta Pharmaceutica Sinica B</i> , 2020 , 10, 1669-1679	15.5	13

100	Novel NanoLuc-type substrates with various C-6 substitutions. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2020 , 30, 127085	2.9	3
99	Optical Control of CRAC Channels Using Photoswitchable Azopyrazoles. <i>Journal of the American Chemical Society</i> , 2020 , 142, 9460-9470	16.4	14
98	How to Fluorescently Label the Potassium Channel: A Case in hERG. <i>Current Medicinal Chemistry</i> , 2020 , 27, 3046-3054	4.3	
97	Zebrafish neuro-behavioral profiles altered by acesulfame (ACE) within the range of "no observed effect concentrations (NOECs)". <i>Chemosphere</i> , 2020 , 243, 125431	8.4	7
96	Discovery of Small-Molecule Inhibitors of the HSP90-Calcineurin-NFAT Pathway against Glioblastoma. <i>Cell Chemical Biology</i> , 2019 , 26, 352-365.e7	8.2	15
95	In vivo bioluminescence imaging of labile iron pools in a murine model of sepsis with a highly selective probe. <i>Talanta</i> , 2019 , 203, 29-33	6.2	11
94	Aggregation-Induced Emission: Lighting Up hERG Potassium Channel. <i>Frontiers in Chemistry</i> , 2019 , 7, 54	5	1
93	Discovery of Turn-On Fluorescent Probes for Detecting Bcl-2 Protein. <i>Analytical Chemistry</i> , 2019 , 91, 5722-5728	7.8	11
92	Discovery of Environment-Sensitive Fluorescent Agonists for β Adrenergic Receptors. <i>Analytical Chemistry</i> , 2019 , 91, 12173-12180	7.8	7
91	Bioluminescent Probe for Monitoring Endogenous Fibroblast Activation Protein-Alpha. <i>Analytical Chemistry</i> , 2019 , 91, 14873-14878	7.8	14
90	Discovery of Small-Molecule Sulfonamide Fluorescent Probes for GPR120. <i>Analytical Chemistry</i> , 2019 , 91, 15235-15239	7.8	4
89	Astemizole-based turn-on fluorescent probes for imaging hERG potassium channel. <i>MedChemComm</i> , 2019 , 10, 513-516	5	4
88	A bioluminescent strategy for imaging palladium in living cells and animals with chemoselective probes based on luciferin-luciferase system. <i>Talanta</i> , 2019 , 194, 925-929	6.2	5
87	A specific and selective chemiluminescent probe for Pd ²⁺ detection. <i>Chinese Chemical Letters</i> , 2019 , 30, 63-66	8.1	7
86	Bioluminescent probe for detecting endogenous hypochlorite in living mice. <i>Organic and Biomolecular Chemistry</i> , 2018 , 16, 645-651	3.9	20
85	Visualization of mercury(II) accumulation in vivo using bioluminescence imaging with a highly selective probe. <i>Organic and Biomolecular Chemistry</i> , 2018 , 16, 2388-2392	3.9	10
84	In Vivo Bioluminescence Imaging of Cobalt Accumulation in a Mouse Model. <i>Analytical Chemistry</i> , 2018 , 90, 4946-4950	7.8	18
83	Bioluminescent Probe for Detection of Starvation-Induced Pantetheinase Upregulation. <i>Analytical Chemistry</i> , 2018 , 90, 9545-9550	7.8	13

82	Novel photoactivatable substrates for Renilla luciferase imaging in vitro and in vivo. <i>Organic and Biomolecular Chemistry</i> , 2018 , 16, 4789-4792	3.9	6
81	Bioluminescence probe for β -glutamyl transpeptidase detection in vivo. <i>Bioorganic and Medicinal Chemistry</i> , 2018 , 26, 134-140	3.4	14
80	Identification of AI-2 Quorum Sensing Inhibitors in <i>Vibrio harveyi</i> Through Structure-Based Virtual Screening. <i>Methods in Molecular Biology</i> , 2018 , 1673, 353-362	1.4	5
79	Aminoluciferin 4-hydroxyphenyl amide enables bioluminescence detection of endogenous tyrosinase. <i>Organic and Biomolecular Chemistry</i> , 2018 , 16, 9197-9203	3.9	4
78	Novel caged luciferin derivatives can prolong bioluminescence imaging and .. <i>RSC Advances</i> , 2018 , 8, 19596-19599	3.7	2
77	Store-Operated Calcium Entry Mediated by Orai1 and STIM. <i>Comprehensive Physiology</i> , 2018 , 8, 981-1002	7.7	28
76	Inhibiting Firefly Bioluminescence by Chalcones. <i>Analytical Chemistry</i> , 2017 , 89, 6099-6105	7.8	10
75	cybLuc: An Effective Aminoluciferin Derivative for Deep Bioluminescence Imaging. <i>Analytical Chemistry</i> , 2017 , 89, 4808-4816	7.8	40
74	Discovery of the First Environment-Sensitive Fluorescent Probe for GPR120 (FFA4) Imaging. <i>ACS Medicinal Chemistry Letters</i> , 2017 , 8, 428-432	4.3	11
73	Bioluminescent Probe for Tumor Hypoxia Detection via CYP450 Reductase in Living Animals. <i>Analytical Chemistry</i> , 2017 , 89, 12488-12493	7.8	22
72	Discovery of a Turn-On Fluorescent Probe for Myeloid Cell Leukemia-1 Protein. <i>Analytical Chemistry</i> , 2017 , 89, 11173-11177	7.8	8
71	New bioluminescent coelenterazine derivatives with various C-6 substitutions. <i>Organic and Biomolecular Chemistry</i> , 2017 , 15, 7008-7018	3.9	10
70	Prolonged bioluminescence imaging in living cells and mice using novel pro-substrates for Renilla luciferase. <i>Organic and Biomolecular Chemistry</i> , 2017 , 15, 10238-10244	3.9	12
69	Environment-sensitive turn-on fluorescent probes for p53-MDM2 protein-protein interaction. <i>MedChemComm</i> , 2017 , 8, 1668-1672	5	8
68	A coelenterazine-type bioluminescent probe for nitroreductase imaging. <i>Organic and Biomolecular Chemistry</i> , 2017 , 16, 146-151	3.9	11
67	Discovery of Fluorescence Polarization Probe for the ELISA-Based Antagonist Screening of β -Adrenergic Receptors. <i>ACS Medicinal Chemistry Letters</i> , 2016 , 7, 967-971	4.3	9
66	Bioluminogenic Imaging of AminopeptidaseN In Vitro and In Vivo. <i>Methods in Molecular Biology</i> , 2016 , 1461, 91-9	1.4	1
65	Bioluminescent Probe for Detecting Mercury(II) in Living Mice. <i>Analytical Chemistry</i> , 2016 , 88, 7462-5	7.8	21

64	A novel NBD-based pH sensitive fluorescent probe equipped with the N-phenylpiperazine group for lysosome imaging. <i>RSC Advances</i> , 2016 , 6, 102773-102777	3.7	11
63	Quenching the firefly bioluminescence by various ions. <i>Photochemical and Photobiological Sciences</i> , 2016 , 15, 244-9	4.2	6
62	Visualization of α -adrenergic receptors with phenylpiperazine-based fluorescent probes. <i>Science China Chemistry</i> , 2016 , 59, 624-628	7.9	5
61	Astemizole Derivatives as Fluorescent Probes for hERG Potassium Channel Imaging. <i>ACS Medicinal Chemistry Letters</i> , 2016 , 7, 245-9	4.3	10
60	Discovery of the First Environment-Sensitive Near-Infrared (NIR) Fluorogenic Ligand for α -Adrenergic Receptors Imaging in Vivo. <i>Journal of Medicinal Chemistry</i> , 2016 , 59, 2151-62	8.3	25
59	Lighting up bioluminescence with coelenterazine: strategies and applications. <i>Photochemical and Photobiological Sciences</i> , 2016 , 15, 466-80	4.2	42
58	Discovery of naphthalimide conjugates as fluorescent probes for α -adrenoceptors. <i>Chinese Chemical Letters</i> , 2016 , 27, 185-189	8.1	3
57	Environment-Sensitive Fluorescent Probe for the Human Ether-a-go-go-Related Gene Potassium Channel. <i>Analytical Chemistry</i> , 2016 , 88, 1511-5	7.8	24
56	Luminescence of coelenterazine derivatives with C-8 extended electronic conjugation. <i>Chinese Chemical Letters</i> , 2016 , 27, 550-554	8.1	12
55	Real-Time Bioluminescence Imaging of Nitroreductase in Mouse Model. <i>Analytical Chemistry</i> , 2016 , 88, 5610-4	7.8	60
54	Store-operated CRAC channel inhibitors: opportunities and challenges. <i>Future Medicinal Chemistry</i> , 2016 , 8, 817-32	4.1	65
53	A novel coelenterate luciferin-based luminescent probe for selective and sensitive detection of thiophenols. <i>Organic and Biomolecular Chemistry</i> , 2016 , 14, 10267-10274	3.9	17
52	A fluorescent probe for imaging p53-MDM2 protein-protein interaction. <i>Chemical Biology and Drug Design</i> , 2015 , 85, 411-7	2.9	13
51	Discovery of a series of 2-phenylnaphthalenes as firefly luciferase inhibitors. <i>RSC Advances</i> , 2015 , 5, 63450-63457	3.7	11
50	BioLeT: A new design strategy for functional bioluminogenic probes. <i>Chinese Chemical Letters</i> , 2015 , 26, 919-921	8.1	4
49	Discovery of Quinazoline-Based Fluorescent Probes to α -Adrenergic Receptors. <i>ACS Medicinal Chemistry Letters</i> , 2015 , 6, 502-6	4.3	19
48	Novel intramolecular photoinduced electron transfer-based probe for the Human Ether-a-go-go-Related Gene (hERG) potassium channel. <i>Analyst, The</i> , 2015 , 140, 8101-8	5	3
47	Biological characteristics and agonists of GPR120 (FFAR4) receptor: the present status of research. <i>Future Medicinal Chemistry</i> , 2015 , 7, 1457-68	4.1	20

46	Synthesis and biological evaluation of a series of aryl triazoles as firefly luciferase inhibitors. <i>MedChemComm</i> , 2015 , 6, 418-424	5	13
45	A bestatin-based fluorescent probe for aminopeptidase N cell imaging. <i>Chinese Chemical Letters</i> , 2015 , 26, 513-516	8.1	9
44	Discovery of novel FFA4 (GPR120) receptor agonists with β arrestin2-biased characteristics. <i>Future Medicinal Chemistry</i> , 2015 , 7, 2429-37	4.1	19
43	Fluorogenic probe for the human Ether-a-Go-Go-Related Gene potassium channel imaging. <i>Analytical Chemistry</i> , 2015 , 87, 2550-4	7.8	21
42	Design strategy for photoinduced electron transfer-based small-molecule fluorescent probes of biomacromolecules. <i>Analyst, The</i> , 2014 , 139, 2641-9	5	38
41	Toward fluorescent probes for G-protein-coupled receptors (GPCRs). <i>Journal of Medicinal Chemistry</i> , 2014 , 57, 8187-203	8.3	43
40	Discovery of bioluminogenic probes for aminopeptidase N imaging. <i>Analytical Chemistry</i> , 2014 , 86, 2747-58	7.8	42
39	Bioluminescent probe for hydrogen peroxide imaging in vitro and in vivo. <i>Analytical Chemistry</i> , 2014 , 86, 9800-6	7.8	75
38	Strategies in the design of small-molecule fluorescent probes for peptidases. <i>Medicinal Research Reviews</i> , 2014 , 34, 1217-41	14.4	21
37	Design, synthesis and biological evaluation of naphthalimide-based fluorescent probes for β -adrenergic receptors. <i>Drug Discoveries and Therapeutics</i> , 2014 , 8, 11-7	5	5
36	Design, synthesis and biological evaluation of 4-chromanone derivatives as IKr inhibitors. <i>Drug Discoveries and Therapeutics</i> , 2014 , 8, 76-83	5	3
35	Bifunctional fluorescent probes for hydrogen peroxide and diols based on a 1,8-naphthalimide fluorophore. <i>Science China Chemistry</i> , 2013 , 56, 1440-1445	7.9	4
34	The first ratiometric fluorescent probes for aminopeptidase N cell imaging. <i>Organic and Biomolecular Chemistry</i> , 2013 , 11, 378-82	3.9	39
33	Lighting up GPCRs with a fluorescent multiprobe dubbed "Snifit". <i>ChemBioChem</i> , 2013 , 14, 184-6	3.8	4
32	How to improve docking accuracy of AutoDock4.2: a case study using different electrostatic potentials. <i>Journal of Chemical Information and Modeling</i> , 2013 , 53, 188-200	6.1	70
31	A novel pH sensitive fluorescent probe for lysosome imaging. <i>RSC Advances</i> , 2013 , 3, 13412	3.7	29
30	A novel hydrazino-substituted naphthalimide-based fluorogenic probe for tert-butoxy radicals. <i>Chemical Communications</i> , 2013 , 49, 6295-7	5.8	28
29	Cage the firefly luciferin! - a strategy for developing bioluminescent probes. <i>Chemical Society Reviews</i> , 2013 , 42, 662-76	58.5	143

28	Coumarin-based fluorescent probes for H ₂ S detection. <i>Journal of Fluorescence</i> , 2013 , 23, 181-6	2.4	54
27	A benzothiazole-based fluorescent probe for thiol bioimaging. <i>Tetrahedron Letters</i> , 2012 , 53, 2332-2335	2	36
26	Design of OFF/ON fluorescent thiol probes based on coumarin fluorophore. <i>Science China Chemistry</i> , 2012 , 55, 1776-1780	7.9	5
25	The first ratiometric fluorescent probe for aminopeptidase N. <i>Analytical Methods</i> , 2012 , 4, 2661	3.2	19
24	Naphthalimide-based fluorescent off/on probes for the detection of thiols. <i>Tetrahedron</i> , 2012 , 68, 5363-5367	5.3	35
23	Boronate can be the fluorogenic switch for the detection of hydrogen peroxide. <i>Current Medicinal Chemistry</i> , 2012 , 19, 3622-34	4.3	5
22	Update on the slow delayed rectifier potassium current (I(Ks)): role in modulating cardiac function. <i>Current Medicinal Chemistry</i> , 2012 , 19, 1405-20	4.3	6
21	Advances and perspectives in cell-specific aptamers. <i>Current Pharmaceutical Design</i> , 2011 , 17, 80-91	3.3	21
20	How to generate reliable and predictive CoMFA models. <i>Current Medicinal Chemistry</i> , 2011 , 18, 923-30	4.3	25
19	Alkaloids and flavonoids as $\alpha(1)$ -adrenergic receptor antagonists. <i>Current Medicinal Chemistry</i> , 2011 , 18, 4923-32	4.3	15
18	Discovery and structural characterization of a small molecule 14-3-3 protein-protein interaction inhibitor. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011 , 108, 16212-5	11.5	77
17	Modeling the interactions between alpha(1)-adrenergic receptors and their antagonists. <i>Current Computer-Aided Drug Design</i> , 2010 , 6, 165-78	1.4	9
16	Aptamer-based carbohydrate recognition. <i>Current Pharmaceutical Design</i> , 2010 , 16, 2269-78	3.3	44
15	Structure-based virtual screening and electrophysiological evaluation of new chemotypes of K(v)1.5 channel blockers. <i>ChemMedChem</i> , 2010 , 5, 1353-8	3.7	7
14	A Fluorescent Hydrogen Peroxide Probe Based on a 'Click' Modified Coumarin Fluorophore. <i>Tetrahedron Letters</i> , 2010 , 51, 1152-1154	2	52
13	The interactions between hERG potassium channel and blockers. <i>Current Topics in Medicinal Chemistry</i> , 2009 , 9, 330-8	3	14
12	Pharmacophore Mapping for Kv1.5 Potassium Channel Blockers. <i>QSAR and Combinatorial Science</i> , 2009 , 28, 59-71		9
11	Molecular hybridization, synthesis, and biological evaluation of novel chroman I(Kr) and I(Ks) dual blockers. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009 , 19, 1477-80	2.9	9

10	Drug discoveries towards Kv1.5 potassium channel. <i>Current Topics in Medicinal Chemistry</i> , 2009 , 9, 339-47	3
9	Selecting aptamers for a glycoprotein through the incorporation of the boronic acid moiety. <i>Journal of the American Chemical Society</i> , 2008 , 130, 12636-8	16.4 107
8	Computational studies of the binding site of alpha1A-adrenoceptor antagonists. <i>Journal of Molecular Modeling</i> , 2008 , 14, 957-66	2 24
7	Modeling the binding modes of Kv1.5 potassium channel and blockers. <i>Journal of Molecular Graphics and Modelling</i> , 2008 , 27, 178-87	2.8 21
6	Rational Design of a Fluorescent Hydrogen Peroxide Probe Based on the Umbelliferone Fluorophore. <i>Tetrahedron Letters</i> , 2008 , 49, 3045-3048	2 59
5	Strategies for atrial fibrillation therapy: focusing on IKur potassium channel. <i>Expert Opinion on Therapeutic Patents</i> , 2007 , 17, 1443-1456	6.8 13
4	A novel structure-based virtual screening model for the hERG channel blockers. <i>Biochemical and Biophysical Research Communications</i> , 2007 , 355, 889-94	3.4 52
3	Characterization of binding site of closed-state KCNQ1 potassium channel by homology modeling, molecular docking, and pharmacophore identification. <i>Biochemical and Biophysical Research Communications</i> , 2005 , 332, 677-87	3.4 22
2	The pharmacophore hypotheses of I(Kr) potassium channel blockers: novel class III antiarrhythmic agents. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2004 , 14, 4771-7	2.9 45
1	Self-organizing molecular field analysis on alpha(1a)-adrenoceptor dihydropyridine antagonists. <i>Bioorganic and Medicinal Chemistry</i> , 2003 , 11, 3945-51	3.4 19