

Ligia A Brzezinska-Wcislo

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7435421/ligia-a-brzezinska-wcislo-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

67

papers

423

citations

12

h-index

16

g-index

70

ext. papers

535

ext. citations

2

avg, IF

4.01

L-index

#	Paper	IF	Citations
67	How does stigma affect people with psoriasis?. <i>Postepy Dermatologii I Alergologii</i> , 2017 , 34, 36-41	1.5	30
66	Serum vitamin D level - the effect on the clinical course of psoriasis. <i>Postepy Dermatologii I Alergologii</i> , 2016 , 33, 445-449	1.5	25
65	Gender, Body Image and Social Support: Biopsychosocial Determinants of Depression Among Patients with Psoriasis. <i>Acta Dermato-Venereologica</i> , 2017 , 97, 91-97	2.2	24
64	Newer treatments of psoriasis regarding IL-23 inhibitors, phosphodiesterase 4 inhibitors, and Janus kinase inhibitors. <i>Dermatologic Therapy</i> , 2017 , 30, e12555	2.2	22
63	Scleroderma linearis: hemiatrophia faciei progressiva (Parry-Romberg syndrom) without any changes in CNS and linear scleroderma "en coup de sabre" with CNS tumor. <i>BMC Neurology</i> , 2009 , 9, 39	3.1	20
62	Associations between site of skin lesions and depression, social anxiety, body-related emotions and feelings of stigmatization in psoriasis patients. <i>Postepy Dermatologii I Alergologii</i> , 2018 , 35, 60-66	1.5	16
61	Pro-inflammatory cytokines in patients with various kinds of acne treated with isotretinoin. <i>Postepy Dermatologii I Alergologii</i> , 2014 , 31, 21-8	1.5	16
60	TNF- α in a molecularly targeted therapy of psoriasis and psoriatic arthritis. <i>Postgraduate Medical Journal</i> , 2016 , 92, 172-8	2	15
59	Atopic dermatitis exacerbated with ustekinumab in a psoriatic patient with childhood history of atopy. <i>Allergology International</i> , 2015 , 64, 382-3	4.4	14
58	Dermatological problems of the puberty. <i>Postepy Dermatologii I Alergologii</i> , 2013 , 30, 178-87	1.5	14
57	New aspects of the treatment of alopecia areata. <i>Postepy Dermatologii I Alergologii</i> , 2014 , 31, 262-5	1.5	12
56	The relationship between psoriasis and depression: A multiple mediation model. <i>Body Image</i> , 2016 , 19, 126-132	7.4	12
55	High acute phase protein levels correlate with pulmonary and skin involvement in patients with diffuse systemic sclerosis. <i>Journal of International Medical Research</i> , 2018 , 46, 1634-1639	1.4	10
54	Neurological abnormalities in localized scleroderma of the face and head: a case series study for evaluation of imaging findings and clinical course. <i>International Journal of Neuroscience</i> , 2017 , 127, 835-839	2	10
53	Carotid intima-media thickness in patients with mild or moderate psoriasis. <i>Postepy Dermatologii I Alergologii</i> , 2016 , 33, 286-9	1.5	10
52	Self-esteem is related to anxiety in psoriasis patients: A case control study. <i>Journal of Psychosomatic Research</i> , 2018 , 114, 45-49	4.1	10
51	Anti-cytokine therapy for psoriasis - not only TNF- α blockers. Overview of reports on the effectiveness of therapy with IL-12/IL-23 and T and B lymphocyte inhibitors. <i>Postepy Higieny I Medycyny Doswiadczalnej</i> , 2016 , 70, 1198-1205	0.3	10

50	Pyoderma gangrenosum in a patient with common variable primary immunodeficiency. <i>Postepy Dermatologii I Alergologii</i> , 2013 , 30, 188-91	1.5	9
49	The new therapy schema of the various kinds of acne based on the mucosa-skin side effects of the retinoids. <i>Cutaneous and Ocular Toxicology</i> , 2012 , 31, 188-94	1.8	9
48	An extended high-frequency ultrasound protocol for assessing and quantifying of inflammation and fibrosis in localized scleroderma. <i>Skin Research and Technology</i> , 2019 , 25, 359-366	1.9	9
47	Localized Scleroderma Cutaneous Assessment Tool (LoSCAT) adapted for use in adult patients: report from an initial validation study. <i>Health and Quality of Life Outcomes</i> , 2018 , 16, 185	3	9
46	Co-existence of lichen sclerosus and localized scleroderma in female monozygotic twins. <i>Journal of Pediatric and Adolescent Gynecology</i> , 2014 , 27, e133-6	2	8
45	Subacute cutaneous lupus erythematosus in the course of rheumatoid arthritis: a relationship with TNF- α antagonists and rituximab therapy?. <i>Immunopharmacology and Immunotoxicology</i> , 2013 , 35, 443-6	3.2	7
44	Variances in the mRNA expression profile of TGF- β -3 isoforms and its TGF- β -III receptors during cyclosporin a treatment of psoriatic patients. <i>Postepy Dermatologii I Alergologii</i> , 2018 , 35, 502-509	1.5	7
43	Thermal imaging and dermoscopy for detecting inflammation in frontal fibrosing alopecia. <i>Journal of Cosmetic Dermatology</i> , 2018 , 17, 268-273	2.5	6
42	Madelung disease in a patient with chronic renal insufficiency: a case report and review of literature. <i>Postepy Dermatologii I Alergologii</i> , 2014 , 31, 121-4	1.5	6
41	Iatrogenic Kaposi sarcoma following therapy for rheumatoid arthritis. <i>Postepy Dermatologii I Alergologii</i> , 2016 , 33, 149-51	1.5	6
40	Shockwave therapy in selected soft tissue diseases: a literature review. <i>Journal of Wound Care</i> , 2018 , 27, 573-583	2.2	6
39	The safety of isotretinoin treatment in patients with bone fractures. <i>Postepy Dermatologii I Alergologii</i> , 2019 , 36, 18-24	1.5	5
38	Sonozaki syndrome: case report and review of literature. <i>Rheumatology International</i> , 2012 , 32, 473-7	3.6	5
37	The safety of isotretinoin in patients with lupus nephritis: a comprehensive review. <i>Cutaneous and Ocular Toxicology</i> , 2017 , 36, 77-84	1.8	4
36	Pregnancy: a therapeutic dilemma. <i>Postepy Dermatologii I Alergologii</i> , 2017 , 34, 433-438	1.5	4
35	Free radical activity and antioxidative systems in patients with systemic sclerosis. <i>European Journal of Internal Medicine</i> , 1999 , 10, 206-208	3.9	4
34	The correlation between serum E-selectin levels and soluble interleukin-2 receptors with relation to disease activity in localized scleroderma. <i>Postepy Dermatologii I Alergologii</i> , 2018 , 35, 614-619	1.5	4
33	Are new variants of psoriasis therapy (IL-17 inhibitors) safe?. <i>International Journal of Dermatology</i> , 2019 , 58, 1360-1365	1.7	3

32	Associations between Disease Activity/Severity and Damage and Health-Related Quality of Life in Adult Patients with Localized Scleroderma-A Comparison of LoSCAT and Visual Analogue Scales. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	3
31	Antiphospholipid antibodies in localized scleroderma: the potential role of screening tests for the detection of antiphospholipid syndrome. <i>Postepy Dermatologii I Alergologii</i> , 2014 , 31, 65-70	1.5	3
30	Erythema nodosum caused by ascariasis and Chlamydomphila pneumoniae pulmonary infection--a case report. <i>FEMS Immunology and Medical Microbiology</i> , 2009 , 57, 236-8		3
29	Bullous pemphigoid in the course of breast diseases: both breasts, neoplastic tumor; right breast, neoplastic tumor; and mastopathy--presentation of three cases in women aged 65 and older. <i>Journal of the American Geriatrics Society</i> , 2009 , 57, 754-6	5.6	3
28	Miescher's granulomatosis (granulomatosis disciformis chronica et progressiva) in a non-diabetic patient--case report. <i>Diagnostic Pathology</i> , 2009 , 4, 28	3	3
27	The Capability to Forecast Response to Therapy with Regard to The Time and Intensity of The Inflammatory Process in vitro in Dermal Fibroblasts Induced by IL-12. <i>Current Pharmaceutical Biotechnology</i> , 2018 , 19, 1232-1240	2.6	3
26	Hair diseases: a big problem on a small surface. <i>Postepy Dermatologii I Alergologii</i> , 2016 , 33, 317-322	1.5	3
25	Randomized, controlled clinical pilot study of venous leg ulcers treated with using two types of shockwave therapy. <i>International Journal of Medical Sciences</i> , 2018 , 15, 1275-1285	3.7	3
24	Effect of adalimumab on the expression of genes encoding TNF- α signal paths in skin fibroblasts. <i>Postepy Dermatologii I Alergologii</i> , 2018 , 35, 413-422	1.5	3
23	Pemphigoid diagnosis and treatment. Polish Dermatological Society Consensus. <i>Przegląd Dermatologiczny</i> , 2016 , 1, 19-34	0.4	2
22	Pseudoporphyria induced by hemodialysis. <i>Postepy Dermatologii I Alergologii</i> , 2014 , 31, 53-5	1.5	2
21	Frontal fibrosing alopecia: a disease that remains enigmatic. <i>Postepy Dermatologii I Alergologii</i> , 2020 , 37, 482-489	1.5	2
20	Psychodermatologic disorders: and review of literature. <i>Advances in Dermatology and Allergology</i> , 2012 , 5, 401-406		1
19	Clinical and dermoscopic features of atypical abdominal brachytherapy-induced angiosarcoma. <i>Postepy Dermatologii I Alergologii</i> , 2016 , 33, 311-3	1.5	1
18	Bilateral atrophoderma linearis: a relationship between atrophoderma linearis Moulin and atrophoderma Pasini-Pierini?. <i>International Journal of Dermatology</i> , 2016 , 55, 339-41	1.7	1
17	Clinical and molecular evaluation of therapy with the use of cyclosporine A in patients with psoriasis vulgaris. <i>International Journal of Dermatology</i> , 2019 , 58, 477-482	1.7	1
16	Correlation between the infrared thermogram and microvascular abnormalities of the nailfold in patients with systemic sclerosis. <i>Postepy Dermatologii I Alergologii</i> , 2021 , 38, 115-122	1.5	1
15	Health-related quality of life and its influencing factors in adult patients with localized scleroderma - a cross-sectional study. <i>Health and Quality of Life Outcomes</i> , 2020 , 18, 133	3	0

14	Pulmonary functional abnormalities in asymptomatic patients with systemic sclerosis. <i>European Journal of Internal Medicine</i> , 2003 , 14, 162-165	3.9	0
13	Assessment of the anxiety and depression among patients with idiopathic pruritus ani. <i>Postepy Dermatologii I Alergologii</i> , 2021 , 38, 689-693	1.5	0
12	The efficacy of antimalarial drugs in the therapy of selected forms of cicatricial alopecia. <i>Postepy Dermatologii I Alergologii</i> , 2021 , 38, 302-309	1.5	0
11	Comparison of ultrasound therapy and radial shock wave therapy in the treatment of venous leg ulcers - clinical, pilot study. <i>Postepy Dermatologii I Alergologii</i> , 2018 , 35, 454-461	1.5	0
10	Morphea on the face and head: a different clinical picture and disease course in three cases. <i>International Journal of Dermatology</i> , 2015 , 54, e149-53	1.7	
9	Factors affecting the concentration of soluble tumour necrosis factor- β receptor type I in the blood serum of patients with localized scleroderma. <i>Postepy Dermatologii I Alergologii</i> , 2020 , 37, 524-530	1.5	
8	Common lesions in a rare entity - Gardner syndrome. <i>Postepy Dermatologii I Alergologii</i> , 2017 , 34, 632-634		
7	The use of ustekinumab in patients with psoriasis and coexisting renal or hepatic dysfunction - a report of two cases. <i>Przegląd Dermatologiczny</i> , 2014 , 5, 405-408	0.4	
6	Diagnosis and therapy of pemphigus - consensus of Polish Dermatological Society. <i>Przegląd Dermatologiczny</i> , 2014 , 2, 147-155	0.4	
5	Transcriptional activity of genes coding transforming growth factor beta-1 and its receptors in patients with systemic sclerosis and Raynaud phenomenon. <i>Journal of Dermatological Science</i> , 2009 , 54, 216-8	4.3	
4	Evaluation of PSEN1 subunit of the β -secretase gene in patients with psoriasis vulgaris: a pilot study. <i>Postepy Dermatologii I Alergologii</i> , 2020 , 37, 915-920	1.5	
3	Pathologies of the skin and its appendages in endocrine diseases. <i>Przegląd Dermatologiczny</i> , 2016 , 2, 143-152	0.4	
2	as a triggering agent in linear localized scleroderma?. <i>Journal of Vector Borne Diseases</i> , 2020 , 57, 381-382	0.7	
1	CHLD score, a new score based on traditional risk factor evaluation and long-term cardiovascular outcomes in patients with systemic sclerosis. <i>Scientific Reports</i> , 2021 , 11, 19598	4.9	