

# Derek A Wyman

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/7435926/derek-a-wyman-publications-by-citations.pdf>  
**Version:** 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.  
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

115 papers	6,633 citations	48 h-index	79 g-index
121 ext. papers	7,399 ext. citations	4.1 avg, IF	5.86 L-index

#	Paper	IF	Citations
115	Early Cretaceous adakitic granites in the Northern Dabie Complex, central China: Implications for partial melting and delamination of thickened lower crust. <i>Geochimica Et Cosmochimica Acta</i> , <b>2007</b> , 71, 2609-2636	5.5	369
114	Petrogenesis of Cretaceous adakitic and shoshonitic igneous rocks in the Luzong area, Anhui Province (eastern China): Implications for geodynamics and Cu-Au mineralization. <i>Lithos</i> , <b>2006</b> , 89, 424-446	2.9	350
113	Ridge subduction and crustal growth in the Central Asian Orogenic Belt: Evidence from Late Carboniferous adakites and high-Mg diorites in the western Junggar region, northern Xinjiang (west China). <i>Chemical Geology</i> , <b>2010</b> , 277, 281-300	4.2	256
112	Eocene melting of subducting continental crust and early uplifting of central Tibet: Evidence from central-western Qiangtang high-K calc-alkaline andesites, dacites and rhyolites. <i>Earth and Planetary Science Letters</i> , <b>2008</b> , 272, 158-171	5.3	248
111	Os isotope systematics in ocean island basalts. <i>Earth and Planetary Science Letters</i> , <b>1993</b> , 120, 149-167	5.3	197
110	Petrogenesis of Carboniferous adakites and Nb-enriched arc basalts in the Alataw area, northern Tianshan Range (western China): Implications for Phanerozoic crustal growth in the Central Asia orogenic belt. <i>Chemical Geology</i> , <b>2007</b> , 236, 42-64	4.2	191
109	Boninite series: low Ti-tholeiite associations from the 2.7 Ga Abitibi greenstone belt. <i>Earth and Planetary Science Letters</i> , <b>1998</b> , 164, 303-316	5.3	169
108	Assembly of Archean cratonic mantle lithosphere and crust: plume-arc interaction in the Abitibi-Wawa subduction-accretion complex. <i>Precambrian Research</i> , <b>2002</b> , 115, 37-62	3.9	159
107	Geochemical diversity in oceanic komatiites and basalts from the late Archean Wawa greenstone belts, Superior Province, Canada: trace element and Nd isotope evidence for a heterogeneous mantle. <i>Precambrian Research</i> , <b>1999</b> , 94, 139-173	3.9	155
106	Triassic Nb-enriched basalts, magnesian andesites, and adakites of the Qiangtang terrane (Central Tibet): evidence for metasomatism by slab-derived melts in the mantle wedge. <i>Contributions To Mineralogy and Petrology</i> , <b>2008</b> , 155, 473-490	3.5	154
105	Partial Melting of Thickened or Delaminated Lower Crust in the Middle of Eastern China: Implications for Cu-Au Mineralization. <i>Journal of Geology</i> , <b>2007</b> , 115, 149-161	2	149
104	The late Archean Schreiber-Hemlo and White River-Doyohessarah greenstone belts, Superior Province: collages of oceanic plateaus, oceanic arcs, and subduction-accretion complexes. <i>Tectonophysics</i> , <b>1998</b> , 289, 295-326	3.1	144
103	Petrology, geochronology and geochemistry of ca. 780 Ma A-type granites in South China: Petrogenesis and implications for crustal growth during the breakup of the supercontinent Rodinia. <i>Precambrian Research</i> , <b>2010</b> , 178, 185-208	3.9	139
102	Geodynamic setting of mesothermal gold deposits: An association with accretionary tectonic regimes. <i>Geology</i> , <b>1990</b> , 18, 882	5	128
101	Geochronology and geochemistry of Late Paleozoic magmatic rocks in the Lamasu-Dabate area, northwestern Tianshan (west China): Evidence for a tectonic transition from arc to post-collisional setting. <i>Lithos</i> , <b>2010</b> , 119, 393-411	2.9	120
100	Late Cretaceous (100-89Ma) magnesian charnockites with adakitic affinities in the Milin area, eastern Gangdese: Partial melting of subducted oceanic crust and implications for crustal growth in southern Tibet. <i>Lithos</i> , <b>2013</b> , 175-176, 315-332	2.9	113
99	Asthenosphere-lithosphere interaction triggered by a slab window during ridge subduction: Trace element and Sr-Nd-Hf-Os isotopic evidence from Late Carboniferous tholeiites in the western Junggar area (NW China). <i>Earth and Planetary Science Letters</i> , <b>2012</b> , 329-330, 84-96	5.3	112

98	Niobium-enriched basalts from the Wabigoon subprovince, Canada: evidence for adakitic metasomatism above an Archean subduction zone. <i>Earth and Planetary Science Letters</i> , <b>2000</b> , 179, 21-30	5.3	108
97	Alkaline magmatism, major structures, and gold deposits; implications for greenstone belt gold metallogeny. <i>Economic Geology</i> , <b>1988</b> , 83, 454-461	4.3	107
96	Late Cretaceous crustal growth in the Gangdese area, southern Tibet: Petrological and Sr-Nd-Hf isotopic evidence from Zhengga diorite gabbro. <i>Chemical Geology</i> , <b>2013</b> , 349-350, 54-70	4.2	105
95	A 2.7 Ga depleted tholeiite suite: evidence of plume-arc interaction in the Abitibi Greenstone Belt, Canada. <i>Precambrian Research</i> , <b>1999</b> , 97, 27-42	3.9	101
94	Late Carboniferous high Nd(t)-Hf(t) granitoids, enclaves and dikes in western Junggar, NW China: Ridge-subduction-related magmatism and crustal growth. <i>Lithos</i> , <b>2012</b> , 140-141, 86-102	2.9	94
93	Early Late Cretaceous (ca. 93Ma) norites and hornblendites in the Milin area, eastern Gangdese: Lithosphere-asthenosphere interaction during slab roll-back and an insight into early Late Cretaceous (ca. 100-80Ma) magmatic flare-up in southern Lhasa (Tibet). <i>Lithos</i> , <b>2013</b> , 172-173, 17-30	2.9	94
92	Underplating of basaltic magmas and crustal growth in a continental arc: Evidence from Late Mesozoic intermediate felsic intrusive rocks in southern Qiangtang, central Tibet. <i>Lithos</i> , <b>2016</b> , 245, 223-242	2.9	93
91	Eocene north-south trending dikes in central Tibet: New constraints on the timing of east-west extension with implications for early plateau uplift?. <i>Earth and Planetary Science Letters</i> , <b>2010</b> , 298, 205-216	5.3	87
90	Neoarchean subduction: A case study of arc volcanic rocks in Qinglong-Zhuzhangzi area of the Eastern Hebei Province, North China Craton. <i>Precambrian Research</i> , <b>2015</b> , 264, 36-62	3.9	86
89	Late Triassic high-Mg andesite/dacite suites from northern Hohxil, North Tibet: Geochronology, geochemical characteristics, petrogenetic processes and tectonic implications. <i>Lithos</i> , <b>2011</b> , 126, 54-67	2.9	86
88	Transition from oceanic to continental lithosphere subduction in southern Tibet: Evidence from the Late Cretaceous-Early Oligocene (~91-80Ma) intrusive rocks in the Chanangmedong area, southern Gangdese. <i>Lithos</i> , <b>2014</b> , 196-197, 213-231	2.9	85
87	Trace element and Sm-Nd systematics of volcanic and intrusive rocks from the 3 Ga Lumby Lake Greenstone belt, Superior Province: evidence for Archean plume-arc interaction. <i>Lithos</i> , <b>1999</b> , 46, 189-213	3.9	83
86	Plume and arc magmatism in the Abitibi subprovince: Implications for the origin of Archean continental lithospheric mantle. <i>Precambrian Research</i> , <b>2009</b> , 168, 4-22	3.9	80
85	Late Cretaceous (ca. 90 Ma) adakitic intrusive rocks in the Kelu area, Gangdese Belt (southern Tibet): Slab melting and implications for Cu-Au mineralization. <i>Journal of Asian Earth Sciences</i> , <b>2012</b> , 53, 67-81	2.8	79
84	Archean Shoshonitic Lamprophyres of the Abitibi Subprovince, Canada: Petrogenesis, Age, and Tectonic Setting. <i>Journal of Petrology</i> , <b>1993</b> , 34, 1067-1109	3.9	78
83	Orogenic gold and the mineral systems approach: Resolving fact, fiction and fantasy. <i>Ore Geology Reviews</i> , <b>2016</b> , 78, 322-335	3.2	78
82	Recycling oceanic crust for continental crustal growth: Sr-Nd-Hf isotope evidence from granitoids in the western Junggar region, NW China. <i>Lithos</i> , <b>2012</b> , 128-131, 73-83	2.9	76
81	Late Devonian-Early Permian A-type granites in the southern Altay Range, Northwest China: Petrogenesis and implications for tectonic setting of A2-type granites. <i>Journal of Asian Earth Sciences</i> , <b>2011</b> , 42, 986-1007	2.8	75

80	Phanerozoic amalgamation of the Alxa Block and North China Craton: Evidence from Paleozoic granitoids, U-Pb geochronology and Sr-Nd-Hf-O isotope geochemistry. <i>Gondwana Research</i> , <b>2016</b> , 32, 105-121	5.1	72
79	Short episodes of crust generation during protracted accretionary processes: Evidence from Central Asian Orogenic Belt, NW China. <i>Earth and Planetary Science Letters</i> , <b>2017</b> , 464, 142-154	5.3	68
78	Crustal Melting and Flow beneath Northern Tibet: Evidence from Mid-Miocene to Quaternary Strongly Peraluminous Rhyolites in the Southern Kunlun Range. <i>Journal of Petrology</i> , <b>2012</b> , 53, 2523-2566	3.9	68
77	Variability of Nb/U and Th/La in 3.0 to 2.7 Ga Superior Province ocean plateau basalts: implications for the timing of continental growth and lithosphere recycling. <i>Earth and Planetary Science Letters</i> , <b>1999</b> , 168, 101-115	5.3	68
76	Underplating-related adakites in Xinjiang Tianshan, China. <i>Lithos</i> , <b>2008</b> , 102, 374-391	2.9	64
75	Implications for Rodinia reconstructions for the initiation of Neoproterozoic subduction at ~860Ma on the western margin of the Yangtze Block: Evidence from the Guandaoshan Pluton. <i>Lithos</i> , <b>2014</b> , 196-197, 67-82	2.9	55
74	Late Early Cretaceous adakitic granitoids and associated magnesian and potassium-rich mafic enclaves and dikes in the Tunchang-Bengmu area, Hainan Province (South China): Partial melting of lower crust and mantle, and magma hybridization. <i>Chemical Geology</i> , <b>2012</b> , 328, 222-243	4.2	54
73	Petrogenesis of the Early Eocene adakitic rocks in the Napuri area, southern Lhasa: Partial melting of thickened lower crust during slab break-off and implications for crustal thickening in southern Tibet. <i>Lithos</i> , <b>2014</b> , 196-197, 321-338	2.9	53
72	Pliocene-Quaternary crustal melting in central and northern Tibet and insights into crustal flow. <i>Nature Communications</i> , <b>2016</b> , 7, 11888	17.4	51
71	A critical assessment of Neoproterozoic plume-only geodynamics: Evidence from the Superior Province. <i>Precambrian Research</i> , <b>2013</b> , 229, 3-19	3.9	50
70	Late Cretaceous back-arc extension and arc system evolution in the Gangdese area, southern Tibet: Geochronological, petrological, and Sr-Nd-Hf-O isotopic evidence from Dagze diabbases. <i>Journal of Geophysical Research: Solid Earth</i> , <b>2015</b> , 120, 6159-6181	3.6	50
69	Lode Gold Deposits and Archean Mantle Plume-Island Arc Interaction, Abitibi Subprovince, Canada. <i>Journal of Geology</i> , <b>1999</b> , 107, 715-725	2	50
68	Paleoproterozoic S-type granites in the Helanshan Complex, Khondalite Belt, North China Craton: Implications for rapid sediment recycling during slab break-off. <i>Precambrian Research</i> , <b>2014</b> , 254, 59-72	3.9	48
67	Petrogenesis of a Late Carboniferous mafic dike-granitoid association in the western Tianshan: Response to the geodynamics of oceanic subduction. <i>Lithos</i> , <b>2014</b> , 202-203, 85-99	2.9	48
66	Metasomatized lithosphere-sthenosphere interaction during slab roll-back: Evidence from Late Carboniferous gabbros in the Luotuogou area, Central Tianshan. <i>Lithos</i> , <b>2012</b> , 155, 67-80	2.9	48
65	Review of developments in trace-element fingerprinting of geodynamic settings and their implications for mineral exploration. <i>Australian Journal of Earth Sciences</i> , <b>1997</b> , 44, 465-487	1.4	43
64	Andesitic crustal growth via mélange partial melting: Evidence from Early Cretaceous arc dioritic/andesitic rocks in southern Qiangtang, central Tibet. <i>Geochemistry, Geophysics, Geosystems</i> , <b>2016</b> , 17, 1641-1659	3.6	40
63	Formation of Archean continental lithospheric roots: The role of mantle plumes. <i>Geology</i> , <b>2002</b> , 30, 543-548	5	40

62	2090±70 Ma A-type granitoids in Zanhuang Complex: Further evidence on a Paleoproterozoic rift-related tectonic regime in the Trans-North China Orogen. <i>Lithos</i> , <b>2016</b> , 254-255, 18-35	2.9	40
61	Overlapping SrNdHfO isotopic compositions in Permian mafic enclaves and host granitoids in Alxa Block, NW China: Evidence for crust-mantle interaction and implications for the generation of silicic igneous provinces. <i>Lithos</i> , <b>2015</b> , 230, 133-145	2.9	38
60	Petrogenesis of gold-mineralized magmatic rocks of the Taerbieke area, northwestern Tianshan (western China): Constraints from geochronology, geochemistry and SrNdPbHf isotopic compositions. <i>Journal of Asian Earth Sciences</i> , <b>2013</b> , 74, 113-128	2.8	38
59	Do cratons preserve evidence of stagnant lid tectonics?. <i>Geoscience Frontiers</i> , <b>2018</b> , 9, 3-17	6	36
58	Mantle plume-volcanic arc interaction: consequences for magmatism, metallogeny, and cratonization in the Abitibi and Wawa subprovinces, Canada This article is one of a series of papers published in this Special Issue on the theme Lithoprobe Parameters, processes, and the evolution of a continent.. <i>Canadian Journal of Earth Sciences</i> , <b>2010</b> , 47, 565-589	1.5	36
57	Paleoproterozoic boninites in an ophiolite-like setting, Trans-Hudson orogen, Canada. <i>Geology</i> , <b>1999</b> , 27, 455	5	36
56	Subduction of Indian continent beneath southern Tibet in the latest Eocene (~ 35 Ma): Insights from the Quguosha gabbros in southern Lhasa block. <i>Gondwana Research</i> , <b>2017</b> , 41, 77-92	5.1	33
55	Eocene adakitic porphyries in the central-northern Qiangtang Block, central Tibet: Partial melting of thickened lower crust and implications for initial surface uplifting of the plateau. <i>Journal of Geophysical Research: Solid Earth</i> , <b>2017</b> , 122, 1025-1053	3.6	33
54	Mantle processes in an Archean orogen: Evidence from 2.67 Ga diamond-bearing lamprophyres and xenoliths. <i>Lithos</i> , <b>2006</b> , 89, 300-328	2.9	31
53	The mesothermal gold-lamprophyre association: significance for an accretionary geodynamic setting, supercontinent cycles, and metallogenic processes. <i>Mineralogy and Petrology</i> , <b>1994</b> , 51, 147-172	1.6	29
52	Geochemical and isotopic characteristics of Youanmi terrane volcanism: the role of mantle plumes and subduction tectonics in the western Yilgarn Craton. <i>Australian Journal of Earth Sciences</i> , <b>2012</b> , 59, 671-694	1.4	28
51	Upper mantle processes beneath the 2.7 Ga Abitibi belt, Canada: a trace element perspective. <i>Precambrian Research</i> , <b>2003</b> , 127, 143-165	3.9	28
50	Zircon U-Pb geochronology and geochemistry of Late Cretaceous-Early Eocene granodiorites in the southern Gangdese batholith of Tibet: petrogenesis and implications for geodynamics and Cu-Au-Mo mineralization. <i>International Geology Review</i> , <b>2015</b> , 57, 373-392	2.3	26
49	Trace element geochemistry of the Meen-Dempster greenstone belt, Uchi subprovince, Superior Province, Canada: back-arc development on the margins of an Archean protocontinent. <i>Canadian Journal of Earth Sciences</i> , <b>2000</b> , 37, 1021-1038	1.5	26
48	An isotopic study of the Ni-Cu-PGE-rich Wellgreen intrusion of the Wrangellia Terrane: Evidence for hydrothermal mobilization of rhenium and osmium. <i>Geochimica Et Cosmochimica Acta</i> , <b>1994</b> , 58, 1007-1018	5.5	24
47	Long-lived mantle-plume influence on an Archean protocontinent: Geochemical evidence from the 3 Ga Lumby Lake greenstone belt, Ontario, Canada. <i>Geology</i> , <b>1998</b> , 26, 719	5	20
46	Automated recognition of stratigraphic marker shales from geophysical logs in iron ore deposits. <i>Computers and Geosciences</i> , <b>2015</b> , 77, 118-125	4.5	19
45	Tectonic drivers and the influence of the Kerguelen plume on seafloor spreading during formation of the early Indian Ocean. <i>Gondwana Research</i> , <b>2016</b> , 35, 97-114	5.1	19

44	2.8 Ga Subduction-related magmatism in the Youanmi Terrane and a revised geodynamic model for the Yilgarn Craton. <i>Precambrian Research</i> , <b>2019</b> , 327, 14-33	3.9	17
43	First identification of postcollisional A-type magmatism in the Himalayan-Tibetan orogen. <i>Geology</i> , <b>2019</b> , 47, 187-190	5	16
42	Mantle plume-subduction zone interactions over the past 60 Ma. <i>Lithos</i> , <b>2015</b> , 233, 162-173	2.9	16
41	Sampling oxygenated Archean hydrosphere: Implications from fractionations of Th/U and Ce/Ce* in hydrothermally altered volcanic sequences. <i>Gondwana Research</i> , <b>2013</b> , 23, 506-525	5.1	16
40	Age and depositional setting of the Paleoproterozoic Gantaohu Group in Zhanhuang Complex: Constraints from zircon U-Pb ages and Hf isotopes of sandstones and dacite. <i>Precambrian Research</i> , <b>2016</b> , 286, 59-100	3.9	16
39	Zircon U-Pb ages and Lu-Hf isotope compositions from clastic rocks in the Hutuo Group: Further constraints on Paleoproterozoic tectonic evolution of the Trans-North China Orogen. <i>Precambrian Research</i> , <b>2017</b> , 303, 291-314	3.9	14
38	Postcollisional delamination and partial melting of enriched lithospheric mantle: Evidence from Oligocene (ca. 30 Ma) potassium-rich lavas in the Gemuchaka area of the central Qiangtang Block, Tibet. <i>Bulletin of the Geological Society of America</i> , <b>2019</b> , 131, 1385-1408	3.9	14
37	Geochemistry and radiogenic isotope characteristics of xenoliths in Archean diamondiferous lamprophyres: Implications for the Superior Province cratonic keel. <i>Lithos</i> , <b>2015</b> , 233, 111-130	2.9	14
36	Petrogenesis and tectonic implications of the iron-rich tholeiitic basalts in the Hutuo Group of the Wutai Mountains, Central Trans-North China Orogen. <i>Precambrian Research</i> , <b>2015</b> , 271, 225-242	3.9	14
35	Crustal maturation through chemical weathering and crustal recycling revealed by Hf-B isotopes. <i>Earth and Planetary Science Letters</i> , <b>2019</b> , 524, 115709	5.3	13
34	Noble metal abundances of late Archean (2.7 Ga) accretion-related shoshonitic lamprophyres, Superior Province, Canada. <i>Geochimica Et Cosmochimica Acta</i> , <b>1995</b> , 59, 47-57	5.5	13
33	Crustal evolution in a cratonic nucleus: Granitoids and felsic volcanic rocks of the North Caribou Terrane, Superior Province Canada. <i>Lithos</i> , <b>2011</b> , 123, 37-49	2.9	12
32	Genesis of pristine adakitic magmas by lower crustal melting: A perspective from amphibole composition. <i>Journal of Geophysical Research: Solid Earth</i> , <b>2017</b> , 122, 1934	3.6	11
31	Sr-Nd-Hf-O isotope geochemistry of the Ertaipei pluton, East Junggar, NW China: Implications for development of a crustal-scale granitoid pluton and crustal growth. <i>Geochemistry, Geophysics, Geosystems</i> , <b>2017</b> , 18, 3340-3358	3.6	11
30	Cenozoic mantle composition evolution of southern Tibet indicated by Paleocene (~ 64 Ma) pseudoleucite phonolitic rocks in central Lhasa terrane. <i>Lithos</i> , <b>2018</b> , 302-303, 178-188	2.9	10
29	A reply to How many arcs can dance on the head of a plume? by Jean Bédard, <i>Precambrian Research</i> , 2012. <i>Precambrian Research</i> , <b>2013</b> , 229, 198-202	3.9	10
28	In situ boron isotopic analyses of tourmalines from Neogene magmatic rocks in the northern and southern margins of Tibet: Evidence for melting of continental crust and sediment recycling. <i>Solid Earth Sciences</i> , <b>2017</b> , 2, 43-54	1.7	10
27	First Identification of Mafic Igneous Enclaves in Miocene Lavas of Southern Tibet With Implications for Indian Continental Subduction. <i>Geophysical Research Letters</i> , <b>2018</b> , 45, 8205-8213	4.9	9



26	Evolving Mantle Sources in Postcollisional Early Permian-Triassic Magmatic Rocks in the Heart of Tianshan Orogen (Western China). <i>Geochemistry, Geophysics, Geosystems</i> , <b>2017</b> , 18, 4110-4122	3.6	9
25	Archean Boninite-like Rocks of the Northwestern Youanmi Terrane, Yilgarn Craton: Geochemistry and Genesis. <i>Journal of Petrology</i> , <b>2019</b> , 60, 2131-2168	3.9	9
24	Petrogenesis of Triassic granite from the Jintan pluton in Central Jiangxi Province, South China: implication for uranium enrichment. <i>Lithos</i> , <b>2018</b> , 320-321, 62-74	2.9	9
23	Petrologic Reconstruction of the Tieshan Magma Plumbing System: Implications for the Genesis of Magmatic-Hydrothermal Ore Deposits within Originally Water-Poor Magmatic Systems. <i>Journal of Petrology</i> , <b>2020</b> , 61,	3.9	8
22	Platy Pyroxene: New Insights into Spinifex Texture. <i>Journal of Petrology</i> , <b>2017</b> , 58, 1671-1700	3.9	8
21	Subduction erosion and crustal material recycling indicated by adakites in central Tibet. <i>Geology</i> ,	5	8
20	Tectonic controls on magmatic-hydrothermal gold mineralization in the magmatic arcs of SE Asia. <i>Geological Society Special Publication</i> , <b>2002</b> , 204, 39-47	1.7	7
19	Extraction of high-silica granites from an upper crustal magma reservoir: Insights from the Narusongduo magmatic system, Gangdese arc. <i>American Mineralogist</i> , <b>2020</b> , 105, 1572-1584	2.9	7
18	Ridge subduction, magmatism, and metallogenesis. <i>Science China Earth Sciences</i> , <b>2020</b> , 63, 1499-1518	4.6	7
17	Mantle plumes, triple junctions and transforms: A reinterpretation of Pacific Cretaceous Tertiary LIPs and the Laramide connection. <i>Geoscience Frontiers</i> , <b>2020</b> , 11, 1133-1144	6	7
16	Petrogenesis of the Late Triassic diorites in the Hoh Xil area, northern Tibet: Insights into the origin of the high-Mg# andesitic signature of continental crust. <i>Lithos</i> , <b>2018</b> , 300-301, 348-360	2.9	7
15	Petrogenesis of Late Jurassic Pb-Zn mineralized high $\delta^{18}\text{O}$ granodiorites in the western Nanling Range, South China. <i>Journal of Asian Earth Sciences</i> , <b>2020</b> , 192, 104236	2.8	6
14	Komatiites From Mantle Transition Zone Plumes. <i>Frontiers in Earth Science</i> , <b>2020</b> , 8,	3.5	5
13	Fusing Gaussian Processes and Dynamic Time Warping for Improved Natural Gamma Signal Classification. <i>Mathematical Geosciences</i> , <b>2016</b> , 48, 187-210	2.5	5
12	Crust-mantle mixing and crustal reworking of southern Tibet during Indian continental subduction: Evidence from Miocene high-silica potassic rocks in Central Lhasa block. <i>Lithos</i> , <b>2019</b> , 342-343, 407-419	2.9	4
11	Detection of geological structure using gamma logs for autonomous mining <b>2011</b> ,		4
10	High-precision exploration geochemistry: Applications for volcanogenic massive sulfide deposits. <i>Australian Journal of Earth Sciences</i> , <b>2000</b> , 47, 861-871	1.4	4
9	Molybdenum and Boron Isotopic Compositions of Porphyry Cu Mineralization-Related Adakitic Rocks in Central-Eastern China: New Insights Into their Petrogenesis and Crust-Mantle Interaction. <i>Journal of Geophysical Research: Solid Earth</i> , <b>2020</b> , 125, e2020JB020474	3.6	3

8	Petrogenesis and tectonic implications of the 2.12.0 Ga granitoids in Fuping Complex, North China Craton: Constraints from petrology, geochemistry and zircon U-Pb-Hf isotopes. <i>Precambrian Research</i> , <b>2020</b> , 339, 105611	3.9	3
7	Re-Os isotope geochronology of the Shangbao pyrite-flourite deposit in southeastern Hunan, South China: Evidence for multiple mineralization events and the role of crust-mantle interaction in polymetallic deposits. <i>Solid Earth Sciences</i> , <b>2017</b> , 2, 109-122	1.7	2
6	Petrogenesis of the Ulungur Intrusive Complex, NW China, and Implications for Crustal Generation and Reworking in Accretionary Orogens. <i>Journal of Petrology</i> , <b>2020</b> , 61,	3.9	2
5	Petrogenesis of the 2.3 Ga Lengkou metavolcanic rocks in the North China Craton: Implications for tectonic settings during the magmatic quiescence. <i>Precambrian Research</i> , <b>2021</b> , 357, 106151	3.9	2
4	Long-distance lateral magma propagation and Pamir Plateau uplift. <i>Geophysical Research Letters</i> ,	4.9	0
3	The missing magmatic arc in a long-lived ocean from the western Kunlun- Pamir Paleo-Tethys realm. <i>Geophysical Research Letters</i> ,	4.9	0
2	Syn-collisional magmatic record of Indian steep subduction by 50 Ma. <i>Bulletin of the Geological Society of America</i> , <b>2021</b> , 133, 949-962	3.9	0
1	Subduction erosion revealed by Late Mesozoic magmatism in the Gangdese arc, South Tibet. <i>Geophysical Research Letters</i> ,	4.9	