

Anna Grochot-Przeczek

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7436193/anna-grochot-przeczek-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

37
papers

1,739
citations

18
h-index

38
g-index

38
ext. papers

1,999
ext. citations

7.2
avg, IF

4.4
L-index

#	Paper	IF	Citations
37	Endothelial glycocalyx shields the interaction of SARS-CoV-2 spike protein with ACE2 receptors. <i>Scientific Reports</i> , 2021 , 11, 12157	4.9	6
36	A Dual Role of Heme Oxygenase-1 in Angiotensin II-Induced Abdominal Aortic Aneurysm in the Normolipidemic Mice. <i>Cells</i> , 2021 , 10,	7.9	2
35	Proximity Ligation Assay Detection of Protein-DNA Interactions-Is There a Link between Heme Oxygenase-1 and G-quadruplexes?. <i>Antioxidants</i> , 2021 , 10,	7.1	6
34	Keap1 governs ageing-induced protein aggregation in endothelial cells. <i>Redox Biology</i> , 2020 , 34, 101572	11.3	7
33	Simvastatin Attenuates Abdominal Aortic Aneurysm Formation Favoured by Lack of Nrf2 Transcriptional Activity. <i>Oxidative Medicine and Cellular Longevity</i> , 2020 , 2020, 6340190	6.7	8
32	Metformin attenuates adhesion between cancer and endothelial cells in chronic hyperglycemia by recovery of the endothelial glycocalyx barrier. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2020 , 1864, 129533	4	10
31	Beyond repression of Nrf2: An update on Keap1. <i>Free Radical Biology and Medicine</i> , 2020 , 157, 63-74	7.8	52
30	Novel engineered TRAIL-based chimeric protein strongly inhibits tumor growth and bypasses TRAIL resistance. <i>International Journal of Cancer</i> , 2020 , 147, 1117-1130	7.5	3
29	miR-378a influences vascularization in skeletal muscles. <i>Cardiovascular Research</i> , 2020 , 116, 1386-1397	9.9	12
28	Keap1 controls protein S-nitrosation and apoptosis-senescence switch in endothelial cells. <i>Redox Biology</i> , 2020 , 28, 101304	11.3	13
27	Biliverdin reductase deficiency triggers an endothelial-to-mesenchymal transition in human endothelial cells. <i>Archives of Biochemistry and Biophysics</i> , 2019 , 678, 108182	4.1	6
26	Nrf2 in aging - Focus on the cardiovascular system. <i>Vascular Pharmacology</i> , 2019 , 112, 42-53	5.9	20
25	Nrf2 Sequesters Keap1 Preventing Podosome Disassembly: A Quintessential Duet Moonlights in Endothelium. <i>Antioxidants and Redox Signaling</i> , 2019 , 30, 1709-1730	8.4	12
24	Murine Bone Marrow Mesenchymal Stromal Cells Respond Efficiently to Oxidative Stress Despite the Low Level of Heme Oxygenases 1 and 2. <i>Antioxidants and Redox Signaling</i> , 2018 , 29, 111-127	8.4	13
23	Simvastatin Treatment Upregulates HO-1 in Patients with Abdominal Aortic Aneurysm but Independently of Nrf2. <i>Oxidative Medicine and Cellular Longevity</i> , 2018 , 2018, 2028936	6.7	18
22	Limb ischemia and vessel regeneration: Is there a role for VEGF?. <i>Vascular Pharmacology</i> , 2016 , 86, 18-30	5.9	30
21	Cellular and molecular mechanisms of inflammation-induced angiogenesis. <i>IUBMB Life</i> , 2015 , 67, 145-59	4.7	126

20	Myoblast-conditioned media improve regeneration and revascularization of ischemic muscles in diabetic mice. <i>Stem Cell Research and Therapy</i> , 2015 , 6, 61	8.3	15
19	Letter by Loboda et al Regarding Article, "Bach1 Represses Wnt/ β Catenin Signaling and Angiogenesis": IL-8 Is Not Present in Murine Genome Hence it Cannot Be Responsible for the Bach1 Effect on Angiogenesis in Mice. <i>Circulation Research</i> , 2015 , 117, e75-6	15.7	3
18	PPAR δ activation but not PPAR δ haplodeficiency affects proangiogenic potential of endothelial cells and bone marrow-derived progenitors. <i>Cardiovascular Diabetology</i> , 2014 , 13, 150	8.7	10
17	Heme oxygenase-1 is required for angiogenic function of bone marrow-derived progenitor cells: role in therapeutic revascularization. <i>Antioxidants and Redox Signaling</i> , 2014 , 20, 1677-92	8.4	43
16	Nrf2 regulates angiogenesis: effect on endothelial cells, bone marrow-derived proangiogenic cells and hind limb ischemia. <i>Antioxidants and Redox Signaling</i> , 2014 , 20, 1693-708	8.4	77
15	PPAR γ activation but not PPAR γ haplodeficiency affects proangiogenic potential of endothelial cells and bone marrow-derived progenitors. <i>Cardiovascular Diabetology</i> , 2014 , 13, 150	8.7	9
14	Therapeutic angiogenesis for revascularization in peripheral artery disease. <i>Gene</i> , 2013 , 525, 220-8	3.8	71
13	Development of hyperglycemia and diabetes in captive Polish bank voles. <i>General and Comparative Endocrinology</i> , 2013 , 183, 69-78	3	5
12	Endothelial Cell Origin, Differentiation, Heterogeneity and Function 2013 , 3-26		2
11	Haem oxygenase-1: non-canonical roles in physiology and pathology. <i>Clinical Science</i> , 2012 , 122, 93-103	6.5	119
10	Heme oxygenase-1 inhibits myoblast differentiation by targeting myomirs. <i>Antioxidants and Redox Signaling</i> , 2012 , 16, 113-27	8.4	89
9	Effects of heme oxygenase-1 on induction and development of chemically induced squamous cell carcinoma in mice. <i>Free Radical Biology and Medicine</i> , 2011 , 51, 1717-26	7.8	40
8	Role of heme oxygenase-1 in human endothelial cells: lesson from the promoter allelic variants. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010 , 30, 1634-41	9.4	79
7	Heme oxygenase-1 in neovascularisation: A diabetic perspective. <i>Thrombosis and Haemostasis</i> , 2010 , 104, 424-31	7	32
6	Different susceptibility to the Parkinson's toxin MPTP in mice lacking the redox master regulator Nrf2 or its target gene heme oxygenase-1. <i>PLoS ONE</i> , 2010 , 5, e11838	3.7	106
5	Heme oxygenase-1 accelerates cutaneous wound healing in mice. <i>PLoS ONE</i> , 2009 , 4, e5803	3.7	96
4	Heme oxygenase-1 and the vascular bed: from molecular mechanisms to therapeutic opportunities. <i>Antioxidants and Redox Signaling</i> , 2008 , 10, 1767-812	8.4	206
3	Stromal cell-derived factor 1 promotes angiogenesis via a heme oxygenase 1-dependent mechanism. <i>Journal of Experimental Medicine</i> , 2007 , 204, 605-18	16.6	209

2	Effects of 15d-PGJ(2) on VEGF-induced angiogenic activities and expression of VEGF receptors in endothelial cells. <i>Prostaglandins and Other Lipid Mediators</i> , 2006 , 79, 230-44	3.7	22
1	Overexpression of heme oxygenase-1 in murine melanoma: increased proliferation and viability of tumor cells, decreased survival of mice. <i>American Journal of Pathology</i> , 2006 , 169, 2181-98	5.8	162