

JosÃ© M GÃ³mez-Elvira

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7436888/publications.pdf>

Version: 2024-02-01

71
papers

1,013
citations

448610

19
h-index

563245

28
g-index

72
all docs

72
docs citations

72
times ranked

642
citing authors

#	ARTICLE	IF	CITATIONS
1	Synthesis of high thermal stability Polypropylene copolymers with pyrrole functionality. <i>Materials Today Communications</i> , 2022, 31, 103469.	0.9	2
2	Exploring Functionalities for the Development of High Thermal Stability Polypropylene-Based Dielectrics. <i>ACS Applied Energy Materials</i> , 2021, 4, 25-29.	2.5	3
3	Variation of Ultimate Properties in Extruded iPP-Mesoporous Silica Nanocomposites by Effect of iPP Confinement within the Mesostuctures. <i>Polymers</i> , 2020, 12, 70.	2.0	12
4	Effect of iPP molecular weight on its confinement within mesoporous SBA-15 silica in extruded iPP/SBA-15 nanocomposites. <i>Microporous and Mesoporous Materials</i> , 2020, 294, 109945.	2.2	6
5	Chain Features and Their Influence on the Thermal Stability of Poly(propylene-co-1-nonene) Copolymers. <i>Macromolecular Chemistry and Physics</i> , 2019, 220, 1900175.	1.1	0
6	A New Insight into the Comonomer Effect through NMR Analysis in Metallocene Catalysed Propene-co-1-Nonene Copolymers. <i>Polymers</i> , 2019, 11, 1266.	2.0	10
7	Confinement of iPP chains in the interior of SBA-15 mesostructure ascertained by gas transport properties in iPP-SBA-15 nanocomposites prepared by extrusion. <i>Journal of Membrane Science</i> , 2019, 569, 137-148.	4.1	10
8	Poly(propylene-co-1-pentene-co-1-heptene) terpolymers: Mechanical and rheological behavior. <i>Polymer</i> , 2018, 156, 44-53.	1.8	2
9	Confinement of iPP crystallites within mesoporous SBA-15 channels in extruded iPP-SBA-15 nanocomposites studied by Small Angle X-ray scattering. <i>Microporous and Mesoporous Materials</i> , 2018, 272, 209-216.	2.2	18
10	Hybrid materials obtained by in situ polymerization based on polypropylene and mesoporous SBA-15 silica particles: Catalytic aspects, crystalline details and mechanical behavior. <i>Polymer</i> , 2018, 151, 218-230.	1.8	19
11	Effect of mesoporous SBA-15 silica on the thermal stability of isotactic polypropylene based nanocomposites prepared by melt extrusion. <i>Polymer Degradation and Stability</i> , 2018, 154, 211-221.	2.7	8
12	NMR study of the comonomer effect in metallocene poly(propylene-co-1-pentene) copolymers synthesized at low temperature. <i>Journal of Polymer Science Part A</i> , 2017, 55, 843-854.	2.5	9
13	Unprecedented dependence of stiffness parameters and crystallinity on comonomer content in rapidly cooled propylene-co-1-pentene copolymers. <i>Polymer</i> , 2017, 130, 17-25.	1.8	15
14	Molecular weight dependence and stereoselective chain cleavage during the early stages of the isotactic polypropylene pyrolysis. <i>Polymer Degradation and Stability</i> , 2017, 143, 26-34.	2.7	14
15	Influence of polymorphism and the new trigonal modification on the mechanical response of isotactic poly(propylene-co-1-pentene-co-1-hexene) terpolymers. <i>European Polymer Journal</i> , 2017, 97, 366-377.	2.6	1
16	Mesophase Formation in Isotactic Polypropylene Copolymers. , 2016, , 537-559.		0
17	Mesophase features in isotactic poly(propylene-co-1-heptene) copolymers. <i>Polymer International</i> , 2016, 65, 596-604.	1.6	6
18	The role of mesophases in the ordering of polymers. <i>European Polymer Journal</i> , 2016, 81, 661-673.	2.6	6

#	ARTICLE	IF	CITATIONS
19	Trigonal \hat{I} form as a tool for tuning mechanical behavior in poly(propylene-co-1-pentene-co-1-heptene) terpolymers. <i>Polymer</i> , 2016, 99, 112-121.	1.8	20
20	Dependence of phase transitions on composition in isotactic poly(propylene-co-1-pentene-co-1-hexene) terpolymers. <i>RSC Advances</i> , 2016, 6, 82907-82915.	1.7	4
21	The exceptional magnetic inequivalence in helical form I of poly-1-pentene. <i>Polymer</i> , 2016, 92, 164-169.	1.8	0
22	Microstructure and thermal stability in metallocene iPP-materials: 1-pentene and 1-hexene copolymers. <i>Polymer Degradation and Stability</i> , 2016, 124, 77-86.	2.7	6
23	Mechanical and Transport Properties of Poly(propylene-co-1-heptene) Copolymers and Their Dependence on Monoclinic and/or Mesomorphic Polymorphs. <i>Journal of Physical Chemistry B</i> , 2016, 120, 1347-1356.	1.2	2
24	Fourier Transform Infrared Spectroscopy study of polymorphism in propylene-co-1-pentene copolymers: Trigonal form identification. <i>European Polymer Journal</i> , 2015, 63, 227-236.	2.6	7
25	Synthesis, molecular characterization, evaluation of polymorphic behavior and indentation response in isotactic poly(propylene-co-1-heptene) copolymers. <i>European Polymer Journal</i> , 2015, 64, 52-61.	2.6	15
26	Correlation between chain microstructure and activation energy in the pyrolysis of a high molecular weight isotactic polypropylene. <i>Polymer Degradation and Stability</i> , 2015, 117, 46-57.	2.7	13
27	Microstructure of metallocene isotactic propylene-co-1-pentene-co-1-hexene terpolymers. <i>Journal of Polymer Science Part A</i> , 2014, 52, 2537-2547.	2.5	12
28	Unravelling the contribution of chain microstructure in the mechanism of the syndiotactic polypropylene pyrolysis. <i>Polymer Degradation and Stability</i> , 2013, 98, 1150-1163.	2.7	7
29	Isotactic poly(propylene-co-1-pentene-co-1-hexene) terpolymers: Synthesis, molecular characterization, and evidence of the trigonal polymorph. <i>Journal of Polymer Science Part A</i> , 2013, 51, 3251-3259.	2.5	31
30	Morphology, thermal properties and mechanical relaxations of metallocene syndiotactic polypropylenes. <i>E-Polymers</i> , 2012, 12, .	1.3	1
31	Surface partial discharges aging on thin polymeric nanocomposite films. , 2012, , .		3
32	Syndiotactic polypropylene based nanocomposites: Short and long term electrical characterisation. , 2012, , .		2
33	Tailoring the Formation Rate of the Mesophase in Random Propylene-co-1-pentene Copolymers. <i>Macromolecules</i> , 2012, 45, 6481-6490.	2.2	46
34	Influence of semi-crystalline morphology on the electrical breakdown properties of sPP based materials. , 2011, , .		2
35	Enhancing the formation of the new trigonal polymorph in isotactic propene-1-pentene copolymers: Determination of the X-ray crystallinity. <i>Macromolecular Research</i> , 2011, 19, 1179-1185.	1.0	41
36	The role of microstructure in the pyrolysis of polypropylene. A preliminary study on the syndiotactic stereoisomer. <i>Polymer Degradation and Stability</i> , 2011, 96, 1087-1096.	2.7	4

#	ARTICLE	IF	CITATIONS
37	Influence of microstructure and semi-crystalline morphology on the $\hat{\nu}^2$ and $\hat{\nu}^3$ mechanical relaxations of the metallocene isotactic polypropylene. <i>European Polymer Journal</i> , 2009, 45, 1322-1327.	2.6	15
38	Effect of microstructure on the thermo-oxidation of solid isotactic polypropylene-based polyolefins. <i>Science and Technology of Advanced Materials</i> , 2008, 9, 024404.	2.8	3
39	The development of electrical treeing in LDPE and its nanocomposites with spherical silica and fibrous and laminar silicates. <i>Journal Physics D: Applied Physics</i> , 2008, 41, 125208.	1.3	38
40	Resistance to surface partial discharges of LDPE nanocomposites. , 2007, , .		8
41	Electrical treeing inception and growth in LDPE nanocomposites. , 2007, , .		5
42	The role of microstructure, molar mass and morphology on local relaxations in isotactic polypropylene. The $\hat{\nu}^{\pm}$ relaxation. <i>Polymer</i> , 2007, 48, 183-194.	1.8	36
43	Role of the interphase dynamics in the induction time of the thermo-oxidation of isotactic polypropylene. <i>Polymer Degradation and Stability</i> , 2006, 91, 1433-1442.	2.7	12
44	Change of thermal and dynamic-mechanical behaviour of a metallocene isotactic polypropylene during low-temperature thermo-oxidation. <i>Polymer Degradation and Stability</i> , 2005, 87, 543-553.	2.7	20
45	Changes in the crystalline phase during the thermo-oxidation of a metallocene isotactic polypropylene. A DSC study. <i>Polymer Degradation and Stability</i> , 2004, 83, 509-518.	2.7	38
46	Relaxations and thermal stability of low molecular weight predominantly isotactic metallocene and Ziegler-Natta polypropylene. <i>Polymer Degradation and Stability</i> , 2004, 85, 873-882.	2.7	18
47	Thermal Oxidation and Its Relation to Chemiluminescence from Polyolefins and Polyamides. <i>Macromolecular Symposia</i> , 2004, 214, 261-278.	0.4	5
48	Melting and $\hat{\nu}^{\pm}$ Relaxation Effects on the Kinetics of Polypropylene Thermo-oxidation in the Range 80-170 $\hat{\nu}^{\circ}$ C. <i>Macromolecules</i> , 2002, 35, 5922-5926.	2.2	32
49	The effect of physical parameters of isotactic polypropylene on its oxidisability measured by chemiluminescence method. Contribution to the spreading phenomenon. <i>Polymer Degradation and Stability</i> , 2001, 71, 253-260.	2.7	21
50	The autoacceleration of polypropylene thermo-oxidation in reduced coordinates: effect of the oxidation temperature and of polyolefin structure. <i>Polymer Degradation and Stability</i> , 2001, 72, 23-30.	2.7	8
51	Degradative luminescent processes in atactic polypropylene II. Chemiluminescence after a cold He plasma attack at $\hat{\nu}^{\sim}180\hat{\nu}^{\circ}$ C. <i>Polymer Degradation and Stability</i> , 2000, 68, 353-362.	2.7	5
52	Photo-oxidation of thick isotactic polypropylene films I. Characterisation of the heterogeneous degradation kinetics. <i>Polymer Degradation and Stability</i> , 2000, 70, 357-364.	2.7	32
53	Photo-oxidation of thick isotactic polypropylene films II. Evolution of the low temperature relaxations and of the melting endotherm along the kinetic stages. <i>Polymer Degradation and Stability</i> , 2000, 71, 99-111.	2.7	23
54	A representation of the autoacceleration stage of polypropylene thermo-oxidation in reduced coordinates. <i>Polymer Degradation and Stability</i> , 2000, 67, 49-56.	2.7	5

#	ARTICLE	IF	CITATIONS
55	Effect of a cold helium plasma at ~180°C on polyolefin films II. The chemiluminescence component. <i>Polymer Degradation and Stability</i> , 1999, 64, 67-73.	2.7	12
56	Chemiluminescence spectral evolution along the thermal oxidation of isotactic polypropylene. <i>Polymer Degradation and Stability</i> , 1999, 65, 113-121.	2.7	47
57	Physicochemical processes along the early stages of the thermal degradation of isotactic polypropylene I. Evolution of the β^3 relaxation under oxidative conditions. <i>Polymer Degradation and Stability</i> , 1999, 65, 297-302.	2.7	26
58	Degradative luminescent processes in atactic polypropylene I. Chemiluminescence along the thermooxidation. <i>Polymer Degradation and Stability</i> , 1999, 66, 41-47.	2.7	11
59	Effect of a cold helium plasma at ~180°C on polyolefin films I. Plasma induced luminescence features of polyethylene and polypropylene. <i>Polymer Degradation and Stability</i> , 1999, 64, 59-66.	2.7	10
60	Tacticity induced molecular microstructure dependence of physical properties of polymers: fundamentals and overview of some tentative correlations. <i>European Polymer Journal</i> , 1998, 34, 833-839.	2.6	13
61	Local microstructure dependence of PVC interaction with solvents. A FTIR verification. <i>Macromolecular Symposia</i> , 1997, 114, 151-157.	0.4	4
62	Influence of tacticity on the thermal degradation of PVC: 8. A comprehensive study of the local isotactic GTTG' conformation dependence of the mechanism of initiation. <i>Polymer</i> , 1996, 37, 219-230.	1.8	42
63	On a novel interpretation of PVC antiplasticization based on some local chain conformations. <i>Polymer Bulletin</i> , 1994, 32, 353-359.	1.7	33
64	Effect of some tacticity-depending local chain conformations on the behaviour of poly(vinyl) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 387 T <i>Macromolecular Rapid Communications</i> , 1994, 15, 189-196.	2.0	20
65	Solvent dependence of stereoselective substitution reaction on poly(vinyl chloride). A useful tool to investigate the tacticity effect on Tg. <i>European Polymer Journal</i> , 1993, 29, 685-688.	2.6	17
66	Influence of tacticity on the thermal degradation of PVC. Part 7"Further approaches to the conformational mechanism through a temperature effect study. <i>Polymer Degradation and Stability</i> , 1993, 40, 1-8.	2.7	35
67	Specific polymer-solvent interaction and stereospecificity of nucleophilic substitution reaction of PVC. <i>Polymer Bulletin</i> , 1992, 28, 427-433.	1.7	15
68	Stereoselective nucleophilic substitution on poly(vinyl chloride) in concentrated dioctylphthalate solution as an approach to substitution in the melt. <i>European Polymer Journal</i> , 1989, 25, 361-364.	2.6	2
69	A comprehensive approach to the stereochemical and physical factors in nucleophilic substitution on PVC in the melt. <i>Journal of Applied Polymer Science</i> , 1989, 38, 1685-1698.	1.3	29
70	Configurational and conformational control of chemical modification and thermal degradation of poly(vinyl chloride). <i>Makromolekulare Chemie Macromolecular Symposia</i> , 1989, 29, 185-196.	0.6	13
71	Electrical characterization of polymer-layered silicate nanocomposit. , 0, , .		3