

Rik K Wierenga

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/743705/rik-k-wierenga-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

99 papers	4,764 citations	35 h-index	67 g-index
100 ext. papers	5,102 ext. citations	5.2 avg, IF	4.95 L-index

#	Paper	IF	Citations
99	Neutron structures of triosephosphate isomerase in complex with reaction-intermediate mimics shed light on the proton-shuttling steps. <i>IUCrJ</i> , 2021 , 8, 633-643	4.7	3
98	IceBear: an intuitive and versatile web application for research-data tracking from crystallization experiment to PDB deposition. <i>Acta Crystallographica Section D: Structural Biology</i> , 2021 , 77, 151-163	5.5	3
97	Substrate specificity and conformational flexibility properties of the Mycobacterium tuberculosis α -oxidation trifunctional enzyme. <i>Journal of Structural Biology</i> , 2021 , 213, 107776	3.4	0
96	Structure of transmembrane prolyl 4-hydroxylase reveals unique organization of EF and dioxygenase domains. <i>Journal of Biological Chemistry</i> , 2021 , 296, 100197	5.4	2
95	Insights into the stability and substrate specificity of the E. coli aerobic α -oxidation trifunctional enzyme complex. <i>Journal of Structural Biology</i> , 2020 , 210, 107494	3.4	4
94	Crystallographic binding studies of rat peroxisomal multifunctional enzyme type 1 with 3-ketodecanoyl-CoA: capturing active and inactive states of its hydratase and dehydrogenase catalytic sites. <i>Acta Crystallographica Section D: Structural Biology</i> , 2020 , 76, 1256-1269	5.5	1
93	Complementary substrate specificity and distinct quaternary assembly of the aerobic and anaerobic α -oxidation trifunctional enzyme complexes. <i>Biochemical Journal</i> , 2019 , 476, 1975-1994	3.8	2
92	The peroxisomal zebrafish SCP2-thiolase (type-1) is a weak transient dimer as revealed by crystal structures and native mass spectrometry. <i>Biochemical Journal</i> , 2019 , 476, 307-332	3.8	6
91	Crystal structure of human anterior gradient protein 3. <i>Acta Crystallographica Section F, Structural Biology Communications</i> , 2018 , 74, 425-430	1.1	2
90	De novo biosynthesis of sterols and fatty acids in the Trypanosoma brucei procyclic form: Carbon source preferences and metabolic flux redistributions. <i>PLoS Pathogens</i> , 2018 , 14, e1007116	7.6	14
89	Structural enzymology binding studies of the peptide-substrate-binding domain of human collagen prolyl 4-hydroxylase (type-II): High affinity peptides have a PxGP sequence motif. <i>Protein Science</i> , 2018 , 27, 1692-1703	6.3	4
88	Crystallographic substrate binding studies of Leishmania mexicana SCP2-thiolase (type-2): unique features of oxyanion hole-1. <i>Protein Engineering, Design and Selection</i> , 2017 , 30, 225-233	1.9	3
87	Assembly of the elongated collagen prolyl 4-hydroxylase α -heterotetramer around a central α dimer. <i>Biochemical Journal</i> , 2017 , 474, 751-769	3.8	8
86	Structural enzymology comparisons of multifunctional enzyme, type-1 (MFE1): the flexibility of its dehydrogenase part. <i>FEBS Open Bio</i> , 2017 , 7, 1830-1842	2.7	2
85	Crystal structures of two monomeric triosephosphate isomerase variants identified via a directed-evolution protocol selecting for L-arabinose isomerase activity. <i>Acta Crystallographica Section F, Structural Biology Communications</i> , 2016 , 72, 490-9	1.1	
84	Toward New Nonnatural TIM-Barrel Enzymes Using Computational Design and Directed Evolution Approaches 2016 , 561-611		
83	Structure-Function Studies of Hydrophobic Residues That Clamp a Basic Glutamate Side Chain during Catalysis by Triosephosphate Isomerase. <i>Biochemistry</i> , 2016 , 55, 3036-47	3.2	15

82	The SCP2-thiolase-like protein (SLP) of <i>Trypanosoma brucei</i> is an enzyme involved in lipid metabolism. <i>Proteins: Structure, Function and Bioinformatics</i> , 2016 , 84, 1075-96	4.2	2
81	Crystal structure of a thiolase from <i>Escherichia coli</i> at 1.8 Å resolution. <i>Acta Crystallographica Section F, Structural Biology Communications</i> , 2016 , 72, 534-44	1.1	6
80	The extended structure of the periplasmic region of CdsD, a structural protein of the type III secretion system of <i>Chlamydia trachomatis</i> . <i>Protein Science</i> , 2016 , 25, 987-98	6.3	
79	Structure-based directed evolution of a monomeric triosephosphate isomerase: toward a pentose sugar isomerase. <i>Protein Engineering, Design and Selection</i> , 2015 , 28, 187-97	1.9	5
78	Human Δ^2 -enoyl-CoA isomerase, type 2: a structural enzymology study on the catalytic role of its ACBP domain and helix-10. <i>FEBS Journal</i> , 2015 , 282, 746-68	5.7	12
77	Structures of yeast peroxisomal Δ^2 , Δ^3 -enoyl-CoA isomerase complexed with acyl-CoA substrate analogues: the importance of hydrogen-bond networks for the reactivity of the catalytic base and the oxyanion hole. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2015 , 71, 2178-91		5
76	ATGme: Open-source web application for rare codon identification and custom DNA sequence optimization. <i>BMC Bioinformatics</i> , 2015 , 16, 303	3.6	17
75	Insights into mitochondrial fatty acid synthesis from the structure of heterotetrameric 3-ketoacyl-ACP reductase/3R-hydroxyacyl-CoA dehydrogenase. <i>Nature Communications</i> , 2014 , 5, 4805	17.4	27
74	Phylogenetic relationships and classification of thiolases and thiolase-like proteins of <i>Mycobacterium tuberculosis</i> and <i>Mycobacterium smegmatis</i> . <i>Tuberculosis</i> , 2014 , 94, 405-12	2.6	22
73	The first case in Asia of 2-methyl-3-hydroxybutyryl-CoA dehydrogenase deficiency (HSD10 disease) with atypical presentation. <i>Journal of Human Genetics</i> , 2014 , 59, 609-14	4.3	18
72	The crystal structure of human mitochondrial 3-ketoacyl-CoA thiolase (T1): insight into the reaction mechanism of its thiolase and thioesterase activities. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2014 , 70, 3212-25		19
71	Crystallization and preliminary X-ray diffraction studies of the C-terminal domain of <i>Chlamydia trachomatis</i> CdsD. <i>Acta Crystallographica Section F, Structural Biology Communications</i> , 2014 , 70, 1431-3	1.1	1
70	The structural motifs for substrate binding and dimerization of the β subunit of collagen prolyl 4-hydroxylase. <i>Structure</i> , 2013 , 21, 2107-18	5.2	25
69	Structure of mycobacterial Δ^2 -oxidation trifunctional enzyme reveals its altered assembly and putative substrate channeling pathway. <i>ACS Chemical Biology</i> , 2013 , 8, 1063-73	4.9	24
68	Structural mutations that probe the interactions between the catalytic and dianion activation sites of triosephosphate isomerase. <i>Biochemistry</i> , 2013 , 52, 5928-40	3.2	24
67	Crystal structures of SCP2-thiolases of <i>Trypanosomatidae</i> , human pathogens causing widespread tropical diseases: the importance for catalysis of the cysteine of the unique HDCF loop. <i>Biochemical Journal</i> , 2013 , 455, 119-30	3.8	14
66	The isomerase and hydratase reaction mechanism of the crotonase active site of the multifunctional enzyme (type-1), as deduced from structures of complexes with 3S-hydroxy-acyl-CoA. <i>FEBS Journal</i> , 2013 , 280, 3160-75	5.7	20
65	The enolization chemistry of a thioester-dependent racemase: the 1.4 Å crystal structure of a reaction intermediate complex characterized by detailed QM/MM calculations. <i>Journal of Physical Chemistry B</i> , 2012 , 116, 3619-29	3.4	14

64	The characterization and evolutionary relationships of a trypanosomal thiolase. <i>International Journal for Parasitology</i> , 2011 , 41, 1273-83	4.3	14
63	High resolution crystal structures of triosephosphate isomerase complexed with its suicide inhibitors: the conformational flexibility of the catalytic glutamate in its closed, liganded active site. <i>Protein Science</i> , 2011 , 20, 1387-97	6.3	8
62	Stereoelectronic requirements for optimal hydrogen-bond-catalyzed enolization. <i>Chemistry - A European Journal</i> , 2011 , 17, 2859-66	4.8	13
61	Crystal structure of liganded rat peroxisomal multifunctional enzyme type 1: a flexible molecule with two interconnected active sites. <i>Journal of Biological Chemistry</i> , 2010 , 285, 24089-98	5.4	20
60	Crystallographic binding studies with an engineered monomeric variant of triosephosphate isomerase. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2010 , 66, 934-44		10
59	Atomic resolution crystallography of a complex of triosephosphate isomerase with a reaction-intermediate analog: new insight in the proton transfer reaction mechanism. <i>Proteins: Structure, Function and Bioinformatics</i> , 2010 , 78, 1878-88	4.2	35
58	The crystal structure of an algal prolyl 4-hydroxylase complexed with a proline-rich peptide reveals a novel buried tripeptide binding motif. <i>Journal of Biological Chemistry</i> , 2009 , 284, 25290-301	5.4	47
57	The thiolase reaction mechanism: the importance of Asn316 and His348 for stabilizing the enolate intermediate of the Claisen condensation. <i>Biochemistry</i> , 2009 , 48, 11011-25	3.2	49
56	Structure-based protein engineering efforts with a monomeric TIM variant: the importance of a single point mutation for generating an active site with suitable binding properties. <i>Protein Engineering, Design and Selection</i> , 2008 , 21, 257-66	1.9	11
55	Structural studies show that the A178L mutation in the C-terminal hinge of the catalytic loop-6 of triosephosphate isomerase (TIM) induces a closed-like conformation in dimeric and monomeric TIM. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2008 , 64, 178-88		9
54	The sulfur atoms of the substrate CoA and the catalytic cysteine are required for a productive mode of substrate binding in bacterial biosynthetic thiolase, a thioester-dependent enzyme. <i>FEBS Journal</i> , 2008 , 275, 6136-48	5.7	15
53	The active site of an algal prolyl 4-hydroxylase has a large structural plasticity. <i>Journal of Biological Chemistry</i> , 2007 , 282, 37112-23	5.4	49
52	Kinetic and expression analyses of seven novel mutations in mitochondrial acetoacetyl-CoA thiolase (T2): identification of a Km mutant and an analysis of the mutational sites in the structure. <i>Molecular Genetics and Metabolism</i> , 2007 , 90, 370-8	3.7	16
51	The catalysis of the 1,1-proton transfer by alpha-methyl-acyl-CoA racemase is coupled to a movement of the fatty acyl moiety over a hydrophobic, methionine-rich surface. <i>Journal of Molecular Biology</i> , 2007 , 367, 1145-61	6.5	33
50	Crystallographic and kinetic studies of human mitochondrial acetoacetyl-CoA thiolase: the importance of potassium and chloride ions for its structure and function. <i>Biochemistry</i> , 2007 , 46, 4305-21	3.2	69
49	High resolution crystal structures of unliganded and liganded human liver ACBP reveal a new mode of binding for the acyl-CoA ligand. <i>Proteins: Structure, Function and Bioinformatics</i> , 2007 , 66, 229-38	4.2	28
48	The thiolase superfamily: condensing enzymes with diverse reaction specificities. <i>Trends in Biochemical Sciences</i> , 2006 , 31, 64-71	10.3	126
47	Functional role of the conserved active site proline of triosephosphate isomerase. <i>Biochemistry</i> , 2006 , 45, 15483-94	3.2	34

46	Structural studies of MFE-1: the 1.9 Å crystal structure of the dehydrogenase part of rat peroxisomal MFE-1. <i>Journal of Molecular Biology</i> , 2006 , 355, 734-46	6.5	7
45	High resolution crystal structures of human cytosolic thiolase (CT): a comparison of the active sites of human CT, bacterial thiolase, and bacterial KAS I. <i>Journal of Molecular Biology</i> , 2005 , 347, 189-201	6.5	50
44	Structural biology of the thioester-dependent degradation and synthesis of fatty acids. <i>Current Opinion in Structural Biology</i> , 2005 , 15, 621-8	8.1	32
43	Alpha-methylacyl-CoA racemase from <i>Mycobacterium tuberculosis</i> . Mutational and structural characterization of the active site and the fold. <i>Journal of Biological Chemistry</i> , 2005 , 280, 12611-20	5.4	35
42	The peptide-substrate-binding domain of collagen prolyl 4-hydroxylases is a tetratricopeptide repeat domain with functional aromatic residues. <i>Journal of Biological Chemistry</i> , 2004 , 279, 52255-61	5.4	28
41	The 1.3 Å crystal structure of human mitochondrial Delta3-Delta2-enoyl-CoA isomerase shows a novel mode of binding for the fatty acyl group. <i>Journal of Molecular Biology</i> , 2004 , 342, 1197-208	6.5	36
40	Structural studies on delta(3)-delta(2)-enoyl-CoA isomerase: the variable mode of assembly of the trimeric disks of the crotonase superfamily. <i>FEBS Letters</i> , 2004 , 557, 81-7	3.8	20
39	Crystal structure of triosephosphate isomerase complexed with 2-phosphoglycolate at 0.83-Å resolution. <i>Journal of Biological Chemistry</i> , 2003 , 278, 9544-51	5.4	79
38	The biochemistry of peroxisomal beta-oxidation in the yeast <i>Saccharomyces cerevisiae</i> . <i>FEMS Microbiology Reviews</i> , 2003 , 27, 35-64	15.1	231
37	Crystallization and preliminary X-ray diffraction studies of an alpha-methylacyl-CoA racemase from <i>Mycobacterium tuberculosis</i> . <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2003 , 59, 353-5		12
36	Crystallization and characterization of the dehydrogenase domain from rat peroxisomal multifunctional enzyme type 1. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2002 , 58, 690-3		5
35	Organization of the multifunctional enzyme type 1: interaction between N- and C-terminal domains is required for the hydratase-1/isomerase activity. <i>Biochemical Journal</i> , 2002 , 367, 433-41	3.8	18
34	The catalytic cycle of biosynthetic thiolase: a conformational journey of an acetyl group through four binding modes and two oxyanion holes. <i>Biochemistry</i> , 2002 , 41, 15543-56	3.2	59
33	The importance of the conserved Arg191-Asp227 salt bridge of triosephosphate isomerase for folding, stability, and catalysis. <i>FEBS Letters</i> , 2002 , 518, 39-42	3.8	30
32	Structural determinants for ligand binding and catalysis of triosephosphate isomerase. <i>FEBS Journal</i> , 2001 , 268, 5189-96		33
31	Modeling, mutagenesis, and structural studies on the fully conserved phosphate-binding loop (loop 8) of triosephosphate isomerase: toward a new substrate specificity. <i>Proteins: Structure, Function and Bioinformatics</i> , 2001 , 42, 383-9	4.2	24
30	The crystal structure of delta(3)-delta(2)-enoyl-CoA isomerase. <i>Journal of Molecular Biology</i> , 2001 , 309, 845-53	6.5	45
29	The ionization of a buried glutamic acid is thermodynamically linked to the stability of <i>Leishmania mexicana</i> triose phosphate isomerase. <i>FEBS Journal</i> , 2000 , 267, 2516-24		44

28	Crystallographic analysis of the reaction pathway of <i>Zoogloea ramigera</i> biosynthetic thiolase. <i>Journal of Molecular Biology</i> , 2000 , 297, 1171-82	6.5	92
27	Structural and mutagenesis studies of leishmania triosephosphate isomerase: a point mutation can convert a mesophilic enzyme into a superstable enzyme without losing catalytic power. <i>Protein Engineering, Design and Selection</i> , 1999 , 12, 243-50	1.9	81
26	A biosynthetic thiolase in complex with a reaction intermediate: the crystal structure provides new insights into the catalytic mechanism. <i>Structure</i> , 1999 , 7, 1279-90	5.2	68
25	The crystal structure of triosephosphate isomerase (TIM) from <i>Thermotoga maritima</i> : A comparative thermostability structural analysis of ten different TIM structures. <i>Proteins: Structure, Function and Bioinformatics</i> , 1999 , 37, 441-453	4.2	119
24	Mutagenic and enzymological studies of the hydratase and isomerase activities of 2-enoyl-CoA hydratase-1. <i>Biochemistry</i> , 1999 , 38, 2991-9	3.2	47
23	The crystal structure of triosephosphate isomerase (TIM) from <i>Thermotoga maritima</i> : A comparative thermostability structural analysis of ten different TIM structures 1999 , 37, 441		1
22	The crystal structure of dienoyl-CoA isomerase at 1.5 Å resolution reveals the importance of aspartate and glutamate sidechains for catalysis. <i>Structure</i> , 1998 , 6, 957-70	5.2	80
21	The crystal structure of enoyl-CoA hydratase complexed with octanoyl-CoA reveals the structural adaptations required for binding of a long chain fatty acid-CoA molecule. <i>Journal of Molecular Biology</i> , 1998 , 275, 847-59	6.5	99
20	Triose-phosphate isomerase (TIM) of the psychrophilic bacterium <i>Vibrio marinus</i> . Kinetic and structural properties. <i>Journal of Biological Chemistry</i> , 1998 , 273, 2199-206	5.4	111
19	A double mutation at the tip of the dimer interface loop of triosephosphate isomerase generates active monomers with reduced stability. <i>Biochemistry</i> , 1997 , 36, 9655-62	3.2	66
18	The 1.8 Å crystal structure of the dimeric peroxisomal 3-ketoacyl-CoA thiolase of <i>Saccharomyces cerevisiae</i> : implications for substrate binding and reaction mechanism. <i>Journal of Molecular Biology</i> , 1997 , 273, 714-28	6.5	98
17	The purification and characterization of the catalytic domain of Src expressed in <i>Schizosaccharomyces pombe</i> . Comparison of unphosphorylated and tyrosine phosphorylated species. <i>FEBS Journal</i> , 1996 , 240, 756-64		29
16	Active site properties of monomeric triosephosphate isomerase (monoTIM) as deduced from mutational and structural studies. <i>Protein Science</i> , 1996 , 5, 229-39	6.3	40
15	Three new crystal structures of point mutation variants of monoTIM: conformational flexibility of loop-1, loop-4 and loop-8. <i>Structure</i> , 1995 , 3, 669-79	5.2	36
14	Comparison of the structures and the crystal contacts of trypanosomal triosephosphate isomerase in four different crystal forms. <i>Protein Science</i> , 1994 , 3, 779-87	6.3	18
13	Triose-phosphate isomerase of <i>Leishmania mexicana mexicana</i> . Cloning and characterization of the gene, overexpression in <i>Escherichia coli</i> and analysis of the protein. <i>FEBS Journal</i> , 1994 , 220, 331-8		33
12	Structures of the "open" and "closed" state of trypanosomal triosephosphate isomerase, as observed in a new crystal form: implications for the reaction mechanism. <i>Proteins: Structure, Function and Bioinformatics</i> , 1993 , 16, 311-26	4.2	53
11	Overexpression of trypanosomal triosephosphate isomerase in <i>Escherichia coli</i> and characterisation of a dimer-interface mutant. <i>FEBS Journal</i> , 1993 , 211, 703-10		58

10	Crystal structure of a Src-homology 3 (SH3) domain. <i>Nature</i> , 1992 , 359, 851-5	50.4	436
9	Inhibition of triosephosphate isomerase from <i>Trypanosoma brucei</i> with cyclic hexapeptides. <i>FEBS Journal</i> , 1992 , 207, 441-7		15
8	Selective Inhibition of Trypanosomal Triosephosphate Isomerase by a Thiopeptide. <i>Angewandte Chemie International Edition in English</i> , 1992 , 31, 328-330		41
7	Anion binding at the active site of trypanosomal triosephosphate isomerase. Monohydrogen phosphate does not mimic sulphate. <i>FEBS Journal</i> , 1991 , 198, 53-7		23
6	The cytosolic and glycosomal isoenzymes of glyceraldehyde-3-phosphate dehydrogenase in <i>Trypanosoma brucei</i> have a distant evolutionary relationship. <i>FEBS Journal</i> , 1991 , 198, 421-8		69
5	The crystal structure of the "open" and the "closed" conformation of the flexible loop of trypanosomal triosephosphate isomerase. <i>Proteins: Structure, Function and Bioinformatics</i> , 1991 , 10, 33-49 ²		79
4	The adaptability of the active site of trypanosomal triosephosphate isomerase as observed in the crystal structures of three different complexes. <i>Proteins: Structure, Function and Bioinformatics</i> , 1991 , 10, 50-69	4.2	71
3	Kinetic properties of triose-phosphate isomerase from <i>Trypanosoma brucei brucei</i> . A comparison with the rabbit muscle and yeast enzymes. <i>FEBS Journal</i> , 1987 , 168, 69-74		85
2	Prediction of the occurrence of the ADP-binding beta alpha beta-fold in proteins, using an amino acid sequence fingerprint. <i>Journal of Molecular Biology</i> , 1986 , 187, 101-7	6.5	1104
1	Oxyanion Holes and Their Mimics ⁴³⁻⁷¹		14