

Antoine Brouquet

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7437471/antoine-brouquet-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

58 papers	3,145 citations	22 h-index	56 g-index
61 ext. papers	3,621 ext. citations	3.5 avg, IF	4.41 L-index

#	Paper	IF	Citations
58	Impact of preoperative enteral nutritional support on postoperative outcome in patients with Crohn's disease complicated by malnutrition: Results of a subgroup analysis of the nationwide cohort registry from the GETAID Chirurgie group. <i>Colorectal Disease</i> , 2021 , 23, 1451-1462	2.1	3
57	New treatment strategies for non-metastatic rectal cancer. <i>Journal of Visceral Surgery</i> , 2021 , 158, 497-505	5.9	0
56	What is the Best Therapeutic Strategy for Metachronous Resectable Colorectal Liver Metastases After Adjuvant Oxaliplatin-Based Chemotherapy? A Multidisciplinary Inter-Group Survey. <i>World Journal of Surgery</i> , 2021 , 45, 822-830	3.3	1
55	Chronic pouchitis and Crohn's disease of the pouch after ileal pouch-anal anastomosis: Incidence and risk factors. <i>Digestive and Liver Disease</i> , 2021 , 53, 1128-1135	3.3	0
54	What are the risk factors of failure of enhanced recovery after right colectomy? Results of a prospective study on 140 consecutive cases. <i>International Journal of Colorectal Disease</i> , 2020 , 35, 1291-1299	3.9	2
53	NORAD01-GRECCAR16 multicenter phase III non-inferiority randomized trial comparing preoperative modified FOLFIRINOX without irradiation to radiochemotherapy for resectable locally advanced rectal cancer (intergroup FRENCH-GRECCAR- PRODIGE trial). <i>BMC Cancer</i> , 2020 , 20, 485	4.8	8
52	What is the Prognostic Value of a Discordant Radiologic and Pathologic Response in Patients Undergoing Resection of Colorectal Liver Metastases After Preoperative Chemotherapy?. <i>Annals of Surgical Oncology</i> , 2020 , 27, 2877-2885	3.1	9
51	ASO Author Reflections: Discordant Pathologic and Radiologic Response of Colorectal Liver Metastases After Chemotherapy: Which One Should We Trust to Predict Outcome and to Tailor Postoperative Chemotherapy?. <i>Annals of Surgical Oncology</i> , 2020 , 27, 2886-2887	3.1	
50	Mesh Repair in Crohn's Disease: A Case-Matched Multicenter Study in 234 Patients. <i>World Journal of Surgery</i> , 2020 , 44, 2394-2400	3.3	2
49	Short-term and Long-term Outcome of Endoluminal Vacuum Therapy for Colorectal or Coloanal Anastomotic Leakage: Results of a Nationwide Multicenter Cohort Study From the French GRECCAR Group. <i>Diseases of the Colon and Rectum</i> , 2020 , 63, 371-380	3.1	12
48	Postoperative Morbidity After Iterative Ileocolonic Resection for Crohn's Disease: Should we be Worried? A Prospective Multicentric Cohort Study of the GETAID Chirurgie. <i>Journal of Crohn's and Colitis</i> , 2019 , 13, 1510-1517	1.5	6
47	Penetrating Crohn Disease Is Not Associated With a Higher Risk of Recurrence After Surgery: A Prospective Nationwide Cohort Conducted by the Getaid Chirurgie Group. <i>Annals of Surgery</i> , 2019 , 270, 827-834	7.8	9
46	Multicenter phase III randomized trial comparing laparoscopy and laparotomy for colon cancer surgery in patients older than 75 years: the CELL study, a Fédération de Recherche en Chirurgie (FRENCH) trial. <i>BMC Cancer</i> , 2019 , 19, 1185	4.8	1
45	Anti-TNF Therapy Is Associated With an Increased Risk of Postoperative Morbidity After Surgery for Ileocolonic Crohn Disease: Results of a Prospective Nationwide Cohort. <i>Annals of Surgery</i> , 2018 , 267, 221-228	7.8	81
44	Surgical management of obstructive right-sided colon cancer at a national level results of a multicenter study of the French Surgical Association in 776 patients. <i>European Journal of Surgical Oncology</i> , 2018 , 44, 1522-1531	3.6	14
43	New Neoadjuvant Chemotherapy for Resectable Liver Metastases of Colorectal Cancer 2017 , 169-175		1
42	The small height of an anastomotic colonic doughnut is an independent risk factor of anastomotic leakage following colorectal resection: results of a prospective study on 154 consecutive cases. <i>International Journal of Colorectal Disease</i> , 2017 , 32, 699-707	3	6

41 Diagnosis and Treatment of Liver Metastases **2017**, 17-23

40	Risk of Rectal Neoplasia after Colectomy and Ileorectal Anastomosis for Ulcerative Colitis. <i>Journal of Crohns and Colitis</i> , 2017 , 11, 930-935	1.5	17
39	Prognostic Value of Sterilized Lymph Nodes After Preoperative Chemoradiotherapy for Patients with ypN0 Rectal Cancer. <i>Annals of Surgical Oncology</i> , 2017 , 24, 1304-1311	3.1	6
38	Preoperative oral polymeric diet enriched with transforming growth factor-beta 2 (Modulen) could decrease postoperative morbidity after surgery for complicated ileocolonic Crohn's disease. <i>Scandinavian Journal of Gastroenterology</i> , 2017 , 52, 5-10	2.4	22
37	Parenchymal-sparing hepatectomies (PSH) for bilobar colorectal liver metastases are associated with a lower morbidity and similar oncological results: a propensity score matching analysis. <i>Hpb</i> , 2016 , 18, 781-90	3.8	38
36	Sigmoid resection with primary anastomosis and ileostomy versus laparoscopic lavage in purulent peritonitis from perforated diverticulitis: outcome analysis in a prospective cohort of 40 consecutive patients. <i>International Journal of Colorectal Disease</i> , 2016 , 31, 1693-9	3	14
35	Adjuvant Therapy in Combination with Resection of Colorectal Cancer Metastasis to the Liver or Lungs. <i>Current Colorectal Cancer Reports</i> , 2014 , 10, 354-361	1	1
34	Residual tumor thickness at the tumor-normal tissue interface predicts the recurrence-free survival in patients with liver metastasis of breast cancer. <i>Annals of Diagnostic Pathology</i> , 2014 , 18, 266-70	2.2	5
33	Minimally-invasive approach for rectal cancer surgery. <i>Lancet Oncology, The</i> , 2014 , 15, 680-1	21.7	4
32	Multicenter validation study of pathologic response and tumor thickness at the tumor-normal liver interface as independent predictors of disease-free survival after preoperative chemotherapy and surgery for colorectal liver metastases. <i>Cancer</i> , 2013 , 119, 2778-88	6.4	36
31	Response of liver metastases to preoperative radiochemotherapy in patients with locally advanced rectal cancer and resectable synchronous liver metastases. <i>Surgery</i> , 2013 , 154, 528-35	3.6	18
30	Margin status remains an important determinant of survival after surgical resection of colorectal liver metastases in the era of modern chemotherapy. <i>Annals of Surgery</i> , 2013 , 257, 1079-88	7.8	138
29	Methods to improve resectability of hepatocellular carcinoma. <i>Recent Results in Cancer Research</i> , 2013 , 190, 57-67	1.5	8
28	Evaluation of predictive models in daily practice for the identification of patients with Lynch syndrome. <i>International Journal of Cancer</i> , 2012 , 130, 1367-77	7.5	16
27	Identification of molecular pathways involved in oxaliplatin-associated sinusoidal dilatation. <i>Journal of Hepatology</i> , 2012 , 56, 869-76	13.4	33
26	Neoadjuvant Chemotherapy Prior to Resection of Colorectal Liver Metastases. <i>Current Colorectal Cancer Reports</i> , 2012 , 8, 210-216	1	
25	Surgical strategies to synchronous colorectal liver metastases. <i>Digestive Diseases</i> , 2012 , 30 Suppl 2, 132-6.2	5	
24	Neoadjuvant and adjuvant therapy in relation to surgery for colorectal liver metastases. <i>Scandinavian Journal of Gastroenterology</i> , 2012 , 47, 286-95	2.4	6

23	Adjuvant chemotherapy with FOLFOX for primary colorectal cancer is associated with increased somatic gene mutations and inferior survival in patients undergoing hepatectomy for metachronous liver metastases. <i>Annals of Surgery</i> , 2012 , 256, 642-50	7.8	51
22	The management of solitary colorectal liver metastases. <i>Journal of the Royal College of Surgeons of Edinburgh</i> , 2011 , 9, 265-72	2.5	7
21	A model of primary culture of colorectal cancer and liver metastasis to predict chemosensitivity. <i>Journal of Surgical Research</i> , 2011 , 166, 247-54	2.5	8
20	Repeat hepatectomy for recurrent colorectal liver metastases is associated with a high survival rate. <i>Hpb</i> , 2011 , 13, 774-82	3.8	62
19	Improved survival after resection of liver and lung colorectal metastases compared with liver-only metastases: a study of 112 patients with limited lung metastatic disease. <i>Journal of the American College of Surgeons</i> , 2011 , 213, 62-9; discussion 69-71	4.4	78
18	Is resection of colorectal liver metastases after a second-line chemotherapy regimen justified?. <i>Cancer</i> , 2011 , 117, 4484-92	6.4	27
17	High survival rate after two-stage resection of advanced colorectal liver metastases: response-based selection and complete resection define outcome. <i>Journal of Clinical Oncology</i> , 2011 , 29, 1083-90	2.2	293
16	Recent advances in the curative treatment of colorectal liver metastases. <i>Gastrointestinal Cancer Research: GCR</i> , 2011 , 4, S2-8		9
15	Pretreatment assessment of hepatocellular carcinoma: expert consensus statement. <i>Hpb</i> , 2010 , 12, 289-98	3.8	135
14	Evidence of heterogeneity within colorectal liver metastases for allelic losses, mRNA level expression and in vitro response to chemotherapeutic agents. <i>International Journal of Cancer</i> , 2010 , 127, 1028-37	7.5	19
13	Predicting high grade lesions of sinusoidal obstruction syndrome related to oxaliplatin-based chemotherapy for colorectal liver metastases: correlation with post-hepatectomy outcome. <i>Annals of Surgery</i> , 2010 , 251, 454-60	7.8	132
12	Impaired mobility, ASA status and administration of tramadol are risk factors for postoperative delirium in patients aged 75 years or more after major abdominal surgery. <i>Annals of Surgery</i> , 2010 , 251, 759-65	7.8	153
11	A laparoscopic approach to iterative ileocolonic resection for the recurrence of Crohn's disease. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2010 , 24, 879-87	5.2	48
10	Surgery for intestinal Crohn's disease recurrence. <i>Surgery</i> , 2010 , 148, 936-46	3.6	27
9	Surgical strategies for synchronous colorectal liver metastases in 156 consecutive patients: classic, combined or reverse strategy?. <i>Journal of the American College of Surgeons</i> , 2010 , 210, 934-41	4.4	204
8	Neoadjuvant therapy of colorectal liver metastases: lessons learned from clinical trials. <i>Journal of Surgical Oncology</i> , 2010 , 102, 932-6	2.8	14
7	Extending limits of resection for metastatic colorectal cancer: risk benefit ratio. <i>Journal of Surgical Oncology</i> , 2010 , 102, 996-1001	2.8	17
6	Risk factors for chemotherapy-associated liver injuries: A multivariate analysis of a group of 146 patients with colorectal metastases. <i>Surgery</i> , 2009 , 145, 362-71	3.6	94

5	The second procedure combining complete cytoreductive surgery and intraperitoneal chemotherapy for isolated peritoneal recurrence: postoperative course and long-term outcome. <i>Annals of Surgical Oncology</i> , 2009 , 16, 2744-51	3.1	30
4	Complete cytoreductive surgery plus intraperitoneal chemohyperthermia with oxaliplatin for peritoneal carcinomatosis of colorectal origin. <i>Journal of Clinical Oncology</i> , 2009 , 27, 681-5	2.2	647
3	Identification in daily practice of patients with Lynch syndrome (hereditary nonpolyposis colorectal cancer): revised Bethesda guidelines-based approach versus molecular screening. <i>American Journal of Gastroenterology</i> , 2008 , 103, 2825-35; quiz 2836	0.7	101
2	Chemotherapy and its effect on liver hypertrophy: implications for portal vein embolization and resection. <i>Seminars in Interventional Radiology</i> , 2008 , 25, 162-7	1.6	4
1	Complete response of colorectal liver metastases after chemotherapy: does it mean cure?. <i>Journal of Clinical Oncology</i> , 2006 , 24, 3939-45	2.2	463