

John F Hancock

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7440491/publications.pdf>

Version: 2024-02-01

174
papers

20,907
citations

10389

72
h-index

10158

140
g-index

180
all docs

180
docs citations

180
times ranked

15604
citing authors

#	ARTICLE	IF	CITATIONS
1	All ras proteins are polyisoprenylated but only some are palmitoylated. <i>Cell</i> , 1989, 57, 1167-1177.	28.9	1,826
2	A polybasic domain or palmitoylation is required in addition to the CAAX motif to localize p21ras to the plasma membrane. <i>Cell</i> , 1990, 63, 133-139.	28.9	1,046
3	Ras proteins: different signals from different locations. <i>Nature Reviews Molecular Cell Biology</i> , 2003, 4, 373-385.	37.0	778
4	Lipid rafts: contentious only from simplistic standpoints. <i>Nature Reviews Molecular Cell Biology</i> , 2006, 7, 456-462.	37.0	719
5	Direct visualization of Ras proteins in spatially distinct cell surface microdomains. <i>Journal of Cell Biology</i> , 2003, 160, 165-170.	5.2	699
6	PTRF-Cavin, a Conserved Cytoplasmic Protein Required for Caveola Formation and Function. <i>Cell</i> , 2008, 132, 113-124.	28.9	647
7	Signalling ballet in space and time. <i>Nature Reviews Molecular Cell Biology</i> , 2010, 11, 414-426.	37.0	563
8	GTP-dependent segregation of H-ras from lipid rafts is required for biological activity. <i>Nature Cell Biology</i> , 2001, 3, 368-375.	10.3	492
9	H-ras, K-ras, and inner plasma membrane raft proteins operate in nanoclusters with differential dependence on the actin cytoskeleton. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 15500-15505.	7.1	423
10	The cytoplasmic protein GAP is implicated as the target for regulation by the ras gene product. <i>Nature</i> , 1988, 332, 548-551.	27.8	414
11	Dominant-negative caveolin inhibits H-Ras function by disrupting cholesterol-rich plasma membrane domains. <i>Nature Cell Biology</i> , 1999, 1, 98-105.	10.3	411
12	H-ras but Not K-ras Traffics to the Plasma Membrane through the Exocytic Pathway. <i>Molecular and Cellular Biology</i> , 2000, 20, 2475-2487.	2.3	397
13	Ras Isoforms Vary in Their Ability to Activate Raf-1 and Phosphoinositide 3-Kinase. <i>Journal of Biological Chemistry</i> , 1998, 273, 24052-24056.	3.4	393
14	Ultrastructural identification of uncoated caveolin-independent early endocytic vehicles. <i>Journal of Cell Biology</i> , 2005, 168, 465-476.	5.2	385
15	Plasma membrane nanoswitches generate high-fidelity Ras signal transduction. <i>Nature Cell Biology</i> , 2007, 9, 905-914.	10.3	372
16	Lipid rafts and membrane traffic. <i>FEBS Letters</i> , 2007, 581, 2098-2104.	2.8	271
17	Clathrin-independent carriers form a high capacity endocytic sorting system at the leading edge of migrating cells. <i>Journal of Cell Biology</i> , 2010, 190, 675-691.	5.2	263
18	Biogenesis of caveolae: a structural model for caveolin-induced domain formation. <i>Journal of Cell Science</i> , 2006, 119, 787-796.	2.0	253

#	ARTICLE	IF	CITATIONS
19	MURC/Cavin-4 and cavin family members form tissue-specific caveolar complexes. <i>Journal of Cell Biology</i> , 2009, 185, 1259-1273.	5.2	243
20	Membrane potential modulates plasma membrane phospholipid dynamics and K-Ras signaling. <i>Science</i> , 2015, 349, 873-876.	12.6	243
21	Inhibition of RAS function through targeting an allosteric regulatory site. <i>Nature Chemical Biology</i> , 2017, 13, 62-68.	8.0	237
22	Lipid-Sorting Specificity Encoded in K-Ras Membrane Anchor Regulates Signal Output. <i>Cell</i> , 2017, 168, 239-251.e16.	28.9	235
23	On the Use of Ripley's K-Function and Its Derivatives to Analyze Domain Size. <i>Biophysical Journal</i> , 2009, 97, 1095-1103.	0.5	228
24	Ras plasma membrane signalling platforms. <i>Biochemical Journal</i> , 2005, 389, 1-11.	3.7	219
25	Ras membrane orientation and nanodomain localization generate isoform diversity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 1130-1135.	7.1	209
26	Flotillin-1/Reggie-2 Traffics to Surface Raft Domains via a Novel Golgi-independent Pathway. <i>Journal of Biological Chemistry</i> , 2002, 277, 48834-48841.	3.4	200
27	Ras nanoclusters: Versatile lipid-based signaling platforms. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2015, 1853, 841-849.	4.1	194
28	Ras trafficking, localization and compartmentalized signalling. <i>Seminars in Cell and Developmental Biology</i> , 2012, 23, 145-153.	5.0	191
29	Structure and Dynamics of the Full-Length Lipid-Modified H-Ras Protein in a 1,2-Dimyristoylglycero-3-phosphocholine Bilayer. <i>Journal of Medicinal Chemistry</i> , 2007, 50, 674-684.	6.4	189
30	Individual Palmitoyl Residues Serve Distinct Roles in H-Ras Trafficking, Microlocalization, and Signaling. <i>Molecular and Cellular Biology</i> , 2005, 25, 6722-6733.	2.3	187
31	A novel switch region regulates H-ras membrane orientation and signal output. <i>EMBO Journal</i> , 2008, 27, 727-735.	7.8	182
32	Lipid rafts and plasma membrane microorganization: insights from Ras. <i>Trends in Cell Biology</i> , 2004, 14, 141-147.	7.9	180
33	Identifying Optimal Lipid Raft Characteristics Required To Promote Nanoscale Protein-Protein Interactions on the Plasma Membrane. <i>Molecular and Cellular Biology</i> , 2006, 26, 313-323.	2.3	174
34	Protein phosphatases 1 and 2A promote Raf-1 activation by regulating 14-3-3 interactions. <i>Oncogene</i> , 2001, 20, 3949-3958.	5.9	170
35	Cholesterol-sensitive Cdc42 Activation Regulates Actin Polymerization for Endocytosis via the GEEC Pathway. <i>Traffic</i> , 2007, 8, 702-717.	2.7	166
36	Organization, dynamics, and segregation of Ras nanoclusters in membrane domains. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 8097-8102.	7.1	160

#	ARTICLE	IF	CITATIONS
37	Subcellular Localization Determines MAP Kinase Signal Output. <i>Current Biology</i> , 2005, 15, 869-873.	3.9	155
38	Three Separable Domains Regulate GTP-Dependent Association of H-ras with the Plasma Membrane. <i>Molecular and Cellular Biology</i> , 2004, 24, 6799-6810.	2.3	150
39	Andrographolide derivatives inhibit guanine nucleotide exchange and abrogate oncogenic Ras function. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 10201-10206.	7.1	134
40	Galectin-1 Is a Novel Structural Component and a Major Regulator of H-Ras Nanoclusters. <i>Molecular Biology of the Cell</i> , 2008, 19, 1404-1414.	2.1	132
41	H-Ras Signaling and K-Ras Signaling Are Differentially Dependent on Endocytosis. <i>Molecular and Cellular Biology</i> , 2002, 22, 5128-5140.	2.3	128
42	Structure-Based Reassessment of the Caveolin Signaling Model: Do Caveolae Regulate Signaling through Caveolin-Protein Interactions?. <i>Developmental Cell</i> , 2012, 23, 11-20.	7.0	127
43	Constitutive Formation of Caveolae in a Bacterium. <i>Cell</i> , 2012, 150, 752-763.	28.9	126
44	Ras nanoclusters: Molecular structure and assembly. <i>Seminars in Cell and Developmental Biology</i> , 2007, 18, 599-607.	5.0	125
45	Using plasma membrane nanoclusters to build better signaling circuits. <i>Trends in Cell Biology</i> , 2008, 18, 364-371.	7.9	125
46	14-3-3 Facilitates Ras-Dependent Raf-1 Activation In Vitro and In Vivo. <i>Molecular and Cellular Biology</i> , 1998, 18, 3947-3955.	2.3	124
47	K-Ras Nanoclustering Is Subverted by Overexpression of the Scaffold Protein Galectin-3. <i>Cancer Research</i> , 2008, 68, 6608-6616.	0.9	123
48	Oncogenic K-Ras Binds to an Anionic Membrane in Two Distinct Orientations: A Molecular Dynamics Analysis. <i>Biophysical Journal</i> , 2016, 110, 1125-1138.	0.5	122
49	Sources of Anomalous Diffusion on Cell Membranes: A Monte Carlo Study. <i>Biophysical Journal</i> , 2007, 92, 1975-1987.	0.5	119
50	Signal Integration by Lipid-Mediated Spatial Cross Talk between Ras Nanoclusters. <i>Molecular and Cellular Biology</i> , 2014, 34, 862-876.	2.3	119
51	Single-molecule analysis reveals self assembly and nanoscale segregation of two distinct cavin subcomplexes on caveolae. <i>ELife</i> , 2013, 3, e01434.	6.0	114
52	Ras acylation, compartmentalization and signaling nanoclusters (Review). <i>Molecular Membrane Biology</i> , 2009, 26, 80-92.	2.0	113
53	Caveolae regulate the nanoscale organization of the plasma membrane to remotely control Ras signaling. <i>Journal of Cell Biology</i> , 2014, 204, 777-792.	5.2	112
54	Caveolin Interacts with the Angiotensin II Type 1 Receptor during Exocytic Transport but Not at the Plasma Membrane. <i>Journal of Biological Chemistry</i> , 2003, 278, 23738-23746.	3.4	110

#	ARTICLE	IF	CITATIONS
55	Evolutionary analysis and molecular dissection of caveola biogenesis. <i>Journal of Cell Science</i> , 2008, 121, 2075-2086.	2.0	110
56	Characterization of RasGRP2, a Plasma Membrane-targeted, Dual Specificity Ras/Rap Exchange Factor. <i>Journal of Biological Chemistry</i> , 2000, 275, 32260-32267.	3.4	109
57	ω-3 polyunsaturated fatty acids direct differentiation of the membrane phenotype in mesenchymal stem cells to potentiate osteogenesis. <i>Science Advances</i> , 2017, 3, eaao1193.	10.3	105
58	Temporal Production of the Signaling Lipid Phosphatidic Acid by Phospholipase D2 Determines the Output of Extracellular Signal-Regulated Kinase Signaling in Cancer Cells. <i>Molecular and Cellular Biology</i> , 2014, 34, 84-95.	2.3	104
59	Electrostatic Interactions Positively Regulate K-Ras Nanocluster Formation and Function. <i>Molecular and Cellular Biology</i> , 2008, 28, 4377-4385.	2.3	102
60	Activity of Plasma Membrane-recruited Raf-1 Is Regulated by Ras via the Raf Zinc Finger. <i>Journal of Biological Chemistry</i> , 1997, 272, 20139-20145.	3.4	97
61	Bile Acids Modulate Signaling by Functional Perturbation of Plasma Membrane Domains. <i>Journal of Biological Chemistry</i> , 2013, 288, 35660-35670.	3.4	96
62	Human Sin1 contains Ras-binding and pleckstrin homology domains and suppresses Ras signalling. <i>Cellular Signalling</i> , 2007, 19, 1279-1289.	3.6	94
63	Fendiline Inhibits K-Ras Plasma Membrane Localization and Blocks K-Ras Signal Transmission. <i>Molecular and Cellular Biology</i> , 2013, 33, 237-251.	2.3	94
64	Inhibition of Acid Sphingomyelinase Depletes Cellular Phosphatidylserine and Mislocalizes K-Ras from the Plasma Membrane. <i>Molecular and Cellular Biology</i> , 2016, 36, 363-374.	2.3	92
65	An agonist-induced conformational change in the growth hormone receptor determines the choice of signalling pathway. <i>Nature Cell Biology</i> , 2008, 10, 740-747.	10.3	90
66	Staurosporines Disrupt Phosphatidylserine Trafficking and Mislocalize Ras Proteins. <i>Journal of Biological Chemistry</i> , 2012, 287, 43573-43584.	3.4	89
67	Epidermal Growth Factor Receptor Activation Remodels the Plasma Membrane Lipid Environment To Induce Nanocluster Formation. <i>Molecular and Cellular Biology</i> , 2010, 30, 3795-3804.	2.3	87
68	Zebrafish as a model for caveolin-associated muscle disease; caveolin-3 is required for myofibril organization and muscle cell patterning. <i>Human Molecular Genetics</i> , 2005, 14, 1727-1743.	2.9	86
69	Computational and biochemical characterization of two partially overlapping interfaces and multiple weak-affinity K-Ras dimers. <i>Scientific Reports</i> , 2017, 7, 40109.	3.3	85
70	Caveolin Regulates Endocytosis of the Muscle Repair Protein, Dysferlin. <i>Journal of Biological Chemistry</i> , 2008, 283, 6476-6488.	3.4	80
71	Activation of the MAPK Module from Different Spatial Locations Generates Distinct System Outputs. <i>Molecular Biology of the Cell</i> , 2008, 19, 4776-4784.	2.1	78
72	The Linker Domain of the Ha-Ras Hypervariable Region Regulates Interactions with Exchange Factors, Raf-1 and Phosphoinositide 3-Kinase. <i>Journal of Biological Chemistry</i> , 2002, 277, 272-278.	3.4	76

#	ARTICLE	IF	CITATIONS
73	Distinct Binding Preferences between Ras and Raf Family Members and the Impact on Oncogenic Ras Signaling. <i>Molecular Cell</i> , 2019, 76, 872-884.e5.	9.7	76
74	Spatiotemporal Analysis of K-Ras Plasma Membrane Interactions Reveals Multiple High Order Homo-oligomeric Complexes. <i>Journal of the American Chemical Society</i> , 2017, 139, 13466-13475.	13.7	73
75	Another Surprise from Metformin: Novel Mechanism of Action via K-Ras Influences Endometrial Cancer Response to Therapy. <i>Molecular Cancer Therapeutics</i> , 2013, 12, 2847-2856.	4.1	72
76	Ras nanoclusters: Combining digital and analog signaling. <i>Cell Cycle</i> , 2008, 7, 127-134.	2.6	68
77	Mechanisms of Ras membrane organization and signaling: Ras on a rocker. <i>Cell Cycle</i> , 2008, 7, 2667-2673.	2.6	68
78	Hydrophobic and Basic Domains Target Proteins to Lipid Droplets. <i>Traffic</i> , 2009, 10, 1785-1801.	2.7	67
79	Discovery of High-Affinity Noncovalent Allosteric KRAS Inhibitors That Disrupt Effector Binding. <i>ACS Omega</i> , 2019, 4, 2921-2930.	3.5	67
80	Interactions of c-Raf-1 with phosphatidylserine and 14-3-3. <i>Oncogene</i> , 1999, 18, 3862-3869.	5.9	66
81	Ras and the Plasma Membrane: A Complicated Relationship. <i>Cold Spring Harbor Perspectives in Medicine</i> , 2018, 8, a031831.	6.2	66
82	Lipidomic atlas of mammalian cell membranes reveals hierarchical variation induced by culture conditions, subcellular membranes, and cell lineages. <i>Soft Matter</i> , 2021, 17, 288-297.	2.7	66
83	Raf Inhibitors Target Ras Spatiotemporal Dynamics. <i>Current Biology</i> , 2012, 22, 945-955.	3.9	65
84	Neratinib inhibits Hippo/YAP signaling, reduces mutant K-RAS expression, and kills pancreatic and blood cancer cells. <i>Oncogene</i> , 2019, 38, 5890-5904.	5.9	63
85	Nucleophosmin and Nucleolin Regulate K-Ras Plasma Membrane Interactions and MAPK Signal Transduction. <i>Journal of Biological Chemistry</i> , 2009, 284, 28410-28419.	3.4	61
86	HRAS-driven cancer cells are vulnerable to TRPML1 inhibition. <i>EMBO Reports</i> , 2019, 20, .	4.5	59
87	Observing Cell Surface Signaling Domains Using Electron Microscopy. <i>Science Signaling</i> , 2003, 2003, pl9-pl9.	3.6	58
88	Binding hotspots on K-ras: Consensus ligand binding sites and other reactive regions from probe-based molecular dynamics analysis. <i>Proteins: Structure, Function and Bioinformatics</i> , 2015, 83, 898-909.	2.6	58
89	AMPK and Endothelial Nitric Oxide Synthase Signaling Regulates K-Ras Plasma Membrane Interactions via Cyclic GMP-Dependent Protein Kinase 2. <i>Molecular and Cellular Biology</i> , 2016, 36, 3086-3099.	2.3	57
90	Caveolin-1 Is Necessary for Hepatic Oxidative Lipid Metabolism: Evidence for Crosstalk between Caveolin-1 and Bile Acid Signaling. <i>Cell Reports</i> , 2013, 4, 238-247.	6.4	56

#	ARTICLE	IF	CITATIONS
91	Dynamics of Membrane-Bound G12V-KRAS from Simulations and Single-Molecule FRET in Native Nanodiscs. <i>Biophysical Journal</i> , 2019, 116, 179-183.	0.5	56
92	Nonsteroidal Anti-inflammatory Drugs Alter the Spatiotemporal Organization of Ras Proteins on the Plasma Membrane. <i>Journal of Biological Chemistry</i> , 2012, 287, 16586-16595.	3.4	51
93	Mechanism of Mitosis-specific Activation of MEK1. <i>Journal of Biological Chemistry</i> , 2003, 278, 16747-16754.	3.4	49
94	Electron microscopic imaging of Ras signaling domains. <i>Methods</i> , 2005, 37, 165-172.	3.8	49
95	Co-Regulation of Cell Polarization and Migration by Caveolar Proteins PTRF/Cavin-1 and Caveolin-1. <i>PLoS ONE</i> , 2012, 7, e43041.	2.5	49
96	Deciphering lipid codes: Ras as a paradigm. <i>Traffic</i> , 2018, 19, 157-165.	2.7	48
97	The Effects of Transmembrane Sequence and Dimerization on Cleavage of the p75 Neurotrophin Receptor by β -Secretase. <i>Journal of Biological Chemistry</i> , 2012, 287, 43810-43824.	3.4	45
98	Computational Equilibrium Thermodynamic and Kinetic Analysis of K-Ras Dimerization through an Effector Binding Surface Suggests Limited Functional Role. <i>Journal of Physical Chemistry B</i> , 2016, 120, 8547-8556.	2.6	45
99	Specific cancer-associated mutations in the switch III region of Ras increase tumorigenicity by nanocluster augmentation. <i>ELife</i> , 2015, 4, e08905.	6.0	45
100	VPS35 binds farnesylated N-Ras in the cytosol to regulate N-Ras trafficking. <i>Journal of Cell Biology</i> , 2016, 214, 445-458.	5.2	44
101	Inhibition of Lipid Raft-dependent Signaling by a Dystrophy-associated Mutant of Caveolin-3. <i>Journal of Biological Chemistry</i> , 2002, 277, 17944-17949.	3.4	43
102	Mathematical Modeling of K-Ras Nanocluster Formation on the Plasma Membrane. <i>Biophysical Journal</i> , 2010, 99, 534-543.	0.5	43
103	Rac1 Nanoscale Organization on the Plasma Membrane Is Driven by Lipid Binding Specificity Encoded in the Membrane Anchor. <i>Molecular and Cellular Biology</i> , 2018, 38, .	2.3	43
104	The Anti-inflammatory Drug Indomethacin Alters Nanoclustering in Synthetic and Cell Plasma Membranes. <i>Journal of Biological Chemistry</i> , 2010, 285, 35188-35195.	3.4	42
105	Sphingomyelin Metabolism Is a Regulator of K-Ras Function. <i>Molecular and Cellular Biology</i> , 2018, 38, .	2.3	40
106	H-Ras Nanocluster Stability Regulates the Magnitude of MAPK Signal Output. <i>PLoS ONE</i> , 2010, 5, e11991.	2.5	38
107	Neratinib and entinostat combine to rapidly reduce the expression of K-RAS, N-RAS, G12Q and G11V and kill uveal melanoma cells. <i>Cancer Biology and Therapy</i> , 2019, 20, 700-710.	3.4	37
108	Caveolin-1 and cavin1 act synergistically to generate a unique lipid environment in caveolae. <i>Journal of Cell Biology</i> , 2021, 220, .	5.2	37

#	ARTICLE	IF	CITATIONS
109	Therapeutic Levels of the Hydroxymethylglutaryl-Coenzyme A Reductase Inhibitor Lovastatin Activate Ras Signaling via Phospholipase D2. <i>Molecular and Cellular Biology</i> , 2011, 31, 1110-1120.	2.3	36
110	The Nonsteroidal Anti-Inflammatory Drug Indomethacin Induces Heterogeneity in Lipid Membranes: Potential Implication for Its Diverse Biological Action. <i>PLoS ONE</i> , 2010, 5, e8811.	2.5	36
111	Human Papillomavirus Type 6b Virus-Like Particles Are Able To Activate the Ras-MAP Kinase Pathway and Induce Cell Proliferation. <i>Journal of Virology</i> , 2001, 75, 4150-4157.	3.4	35
112	PA promoted to manager. <i>Nature Cell Biology</i> , 2007, 9, 615-617.	10.3	34
113	Localized Diacylglycerol-dependent Stimulation of Ras and Rap1 during Phagocytosis. <i>Journal of Biological Chemistry</i> , 2009, 284, 28522-28532.	3.4	34
114	[24] Prenylation and palmitoylation analysis. <i>Methods in Enzymology</i> , 1995, 255, 237-245.	1.0	33
115	Reassessing the Role of Phosphocaveolin-1 in Cell Adhesion and Migration. <i>Traffic</i> , 2007, 8, 1695-1705.	2.7	32
116	Neratinib augments the lethality of [regorafenib+sildenafil]. <i>Journal of Cellular Physiology</i> , 2019, 234, 4874-4887.	4.1	32
117	[2] Purification of baculovirus-expressed recombinant ras and rap proteins. <i>Methods in Enzymology</i> , 1995, 255, 13-21.	1.0	29
118	(Curcumin+sildenafil) enhances the efficacy of 5FU and anti-EPD1 therapies in vivo. <i>Journal of Cellular Physiology</i> , 2020, 235, 6862-6874.	4.1	29
119	Targeting plasma membrane phosphatidylserine content to inhibit oncogenic KRAS function. <i>Life Science Alliance</i> , 2019, 2, e201900431.	2.8	29
120	Anti-Ras drugs come of age. <i>Current Biology</i> , 1993, 3, 770-772.	3.9	28
121	Deubiquitinase USP18 Loss Mislocalizes and Destabilizes KRAS in Lung Cancer. <i>Molecular Cancer Research</i> , 2017, 15, 905-914.	3.4	28
122	Mtx2 directs zebrafish morphogenetic movements during epiboly by regulating microfilament formation. <i>Developmental Biology</i> , 2008, 314, 12-22.	2.0	27
123	Neratinib degrades MST4 via autophagy that reduces membrane stiffness and is essential for the inactivation of PI3K, ERK1/2, and YAP/TAZ signaling. <i>Journal of Cellular Physiology</i> , 2020, 235, 7889-7899.	4.1	27
124	Rare <i>Streptomyces</i> N-Formyl Amino-salicylamides Inhibit Oncogenic K-Ras. <i>Organic Letters</i> , 2014, 16, 5036-5039.	4.6	26
125	Caveolin and ras function. <i>Methods in Enzymology</i> , 2001, 333, 172-183.	1.0	24
126	C-terminal sequences in R-Ras are involved in integrin regulation and in plasma membrane microdomain distribution. <i>Biochemical and Biophysical Research Communications</i> , 2003, 311, 829-838.	2.1	24

#	ARTICLE	IF	CITATIONS
127	The G protein-coupled receptor GPR31 promotes membrane association of KRAS. <i>Journal of Cell Biology</i> , 2017, 216, 2329-2338.	5.2	24
128	Oncogenic KRAS is dependent upon an EFR3A-PI4KA signaling axis for potent tumorigenic activity. <i>Nature Communications</i> , 2021, 12, 5248.	12.8	24
129	The KRAS and other prenylated polybasic domain membrane anchors recognize phosphatidylserine acyl chain structure. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	23
130	Components of the phosphatidylserine endoplasmic reticulum to plasma membrane transport mechanism as targets for KRAS inhibition in pancreatic cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	23
131	[7] Reticulocyte lysate assay for in Vitro translation and posttranslational modification of Ras proteins. <i>Methods in Enzymology</i> , 1995, 255, 60-65.	1.0	22
132	Ras nanoclusters. <i>Small GTPases</i> , 2013, 4, 57-60.	1.6	22
133	Regulation of longevity by depolarization-induced activation of PLC-IP ₃ R signaling in neurons. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	21
134	An oxanthroquinone derivative that disrupts RAS plasma membrane localization inhibits cancer cell growth. <i>Journal of Biological Chemistry</i> , 2018, 293, 13696-13706.	3.4	20
135	Signaling alterations caused by drugs and autophagy. <i>Cellular Signalling</i> , 2019, 64, 109416.	3.6	20
136	Identification of Residues and Domains of Raf Important for Function in Vivo and in Vitro. <i>Journal of Biological Chemistry</i> , 2003, 278, 45519-45527.	3.4	18
137	An N-Terminal Polybasic Motif of G _q Is Required for Signaling and Influences Membrane Nanodomain Distribution. <i>Molecular Pharmacology</i> , 2010, 78, 767-777.	2.3	18
138	GPI-Anchor Synthesis. <i>Developmental Cell</i> , 2004, 6, 743-745.	7.0	17
139	Acylpeptide hydrolase is a novel regulator of KRAS plasma membrane localization and function. <i>Journal of Cell Science</i> , 2019, 132, .	2.0	16
140	Rare Streptomyces sp. polyketides as modulators of K-Ras localisation. <i>Organic and Biomolecular Chemistry</i> , 2014, 12, 4872-4878.	2.8	15
141	Nucleophosmin and nucleolin regulate K-Ras signaling. <i>Communicative and Integrative Biology</i> , 2010, 3, 188-190.	1.4	14
142	Inhibitors of K-Ras Plasma Membrane Localization. <i>The Enzymes</i> , 2013, 33 Pt A, 249-265.	1.7	13
143	Epac1 interacts with importin β 1 and controls neurite outgrowth independently of cAMP and Rap1. <i>Scientific Reports</i> , 2016, 6, 36370.	3.3	13
144	Lipid Profiles of RAS Nanoclusters Regulate RAS Function. <i>Biomolecules</i> , 2021, 11, 1439.	4.0	13

#	ARTICLE	IF	CITATIONS
145	Conformational effects of nucleotide exchange in ras p21 proteins as studied by fluorescence spectroscopy. FEBS Letters, 1990, 262, 127-130.	2.8	12
146	RAS Nanoclusters Selectively Sort Distinct Lipid Headgroups and Acyl Chains. Frontiers in Molecular Biosciences, 2021, 8, 686338.	3.5	12
147	Osimertinib-resistant NSCLC cells activate ERBB2 and YAP/TAZ and are killed by neratinib. Biochemical Pharmacology, 2021, 190, 114642.	4.4	12
148	RAS Function in cancer cells: translating membrane biology and biochemistry into new therapeutics. Biochemical Journal, 2020, 477, 2893-2919.	3.7	12
149	A novel prenyl-polybasic domain code determines lipid-binding specificity of the K-Ras membrane anchor. Small GTPases, 2018, 11, 1-5.	1.6	11
150	Three distinct regions of cRaf kinase domain interact with membrane. Scientific Reports, 2019, 9, 2057.	3.3	9
151	Staurosporine. Communicative and Integrative Biology, 2013, 6, e24746.	1.4	8
152	Fingolimod Augments Monomethylfumarate Killing of GBM Cells. Frontiers in Oncology, 2020, 10, 22.	2.8	7
153	Scaffold repurposing of fendiline: Identification of potent KRAS plasma membrane localization inhibitors. European Journal of Medicinal Chemistry, 2021, 217, 113381.	5.5	7
154	COS Cell Expression. , 1992, 8, 153-158.		6
155	Clustering of Rac1: Selective Lipid Sorting Drives Signaling. Trends in Biochemical Sciences, 2018, 43, 75-77.	7.5	6
156	Enhanced signaling via ERBB3/PI3K plays a compensatory survival role in pancreatic tumor cells exposed to [neratinib + valproate]. Cellular Signalling, 2020, 68, 109525.	3.6	6
157	System output of the MAPK module is spatially regulated. Communicative and Integrative Biology, 2008, 1, 178-179.	1.4	5
158	Electron microscopy combined with spatial analysis: quantitative mapping of the nano-assemblies of plasma membrane-associating proteins and lipids. Biophysics Reports, 2018, 4, 320-328.	0.8	5
159	Super-Resolution Imaging and Spatial Analysis of RAS on Intact Plasma Membrane Sheets. Methods in Molecular Biology, 2021, 2262, 217-232.	0.9	5
160	p53 mitigates the effects of oncogenic HRAS in urothelial cells via the repression of MCOLN1. IScience, 2021, 24, 102701.	4.1	5
161	Cell regulation: Cellular aspects of signal transduction. Current Opinion in Cell Biology, 2000, 12, 153-156.	5.4	4
162	Which Ras rides the raft? - Reply. Nature Cell Biology, 2001, 3, E172-E172.	10.3	4

#	ARTICLE	IF	CITATIONS
163	[10] Stimulation of nucleotide exchange on Ras- and Rho-related proteins by small GTP-binding protein GDP dissociation stimulator. <i>Methods in Enzymology</i> , 1995, 256, 85-90.	1.0	3
164	Ras Proteolipid Nanoassemblies on the Plasma Membrane Sort Lipids With High Selectivity. <i>Advances in Biomembranes and Lipid Self-Assembly</i> , 2017, 25, 41-62.	0.6	3
165	Monoubiquitination of KRAS at Lysine104 and Lysine147 Modulates Its Dynamics and Interaction with Partner Proteins. <i>Journal of Physical Chemistry B</i> , 2021, 125, 4681-4691.	2.6	3
166	Identification of EGFR and RAS Inhibitors using <i>Caenorhabditis elegans</i> . <i>Journal of Visualized Experiments</i> , 2020, , .	0.3	3
167	Building insights into KRAS signaling complexes. <i>Nature Structural and Molecular Biology</i> , 2021, 28, 773-774.	8.2	3
168	The development of multi-kinase inhibitors as pancreatic cancer therapeutics. <i>Anti-Cancer Drugs</i> , 2021, 32, 779-785.	1.4	2
169	Lipid sorting and the activity of Arf signaling complexes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 11266-11267.	7.1	1
170	Ras Nanoclusters. , 2014, , 189-210.		1
171	Abstract 1085: Interrogating the RAS interactome identifies EFR3A as a novel enhancer of RAS oncogenesis. , 2020, , .		1
172	The ras Superfamily: Post-Translational Modifications and Functional Regulation. , 1992, , 1-5.		0
173	Dynamics of Oncogenic KRAS Mutants on Bilayer Surfaces. <i>Biophysical Journal</i> , 2020, 118, 498a.	0.5	0
174	Kinase inhibitors: look beyond the label on the bottle. , 2019, 2, 1032-1043.		0