

John F Hancock

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7440491/publications.pdf>

Version: 2024-02-01

174
papers

20,907
citations

10389

72
h-index

10158

140
g-index

180
all docs

180
docs citations

180
times ranked

15604
citing authors

#	ARTICLE	IF	CITATIONS
1	Lipidomic atlas of mammalian cell membranes reveals hierarchical variation induced by culture conditions, subcellular membranes, and cell lineages. <i>Soft Matter</i> , 2021, 17, 288-297.	2.7	66
2	Caveolin-1 and cavin1 act synergistically to generate a unique lipid environment in caveolae. <i>Journal of Cell Biology</i> , 2021, 220, .	5.2	37
3	Super-Resolution Imaging and Spatial Analysis of RAS on Intact Plasma Membrane Sheets. <i>Methods in Molecular Biology</i> , 2021, 2262, 217-232.	0.9	5
4	The KRAS and other prenylated polybasic domain membrane anchors recognize phosphatidylserine acyl chain structure. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	23
5	Monoubiquitination of KRAS at Lysine104 and Lysine147 Modulates Its Dynamics and Interaction with Partner Proteins. <i>Journal of Physical Chemistry B</i> , 2021, 125, 4681-4691.	2.6	3
6	Regulation of longevity by depolarization-induced activation of PLC- β 3 R signaling in neurons. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	21
7	Scaffold repurposing of fendiline: Identification of potent KRAS plasma membrane localization inhibitors. <i>European Journal of Medicinal Chemistry</i> , 2021, 217, 113381.	5.5	7
8	RAS Nanoclusters Selectively Sort Distinct Lipid Headgroups and Acyl Chains. <i>Frontiers in Molecular Biosciences</i> , 2021, 8, 686338.	3.5	12
9	p53 mitigates the effects of oncogenic HRAS in urothelial cells via the repression of MCOLN1. <i>IScience</i> , 2021, 24, 102701.	4.1	5
10	Osimertinib-resistant NSCLC cells activate ERBB2 and YAP/TAZ and are killed by neratinib. <i>Biochemical Pharmacology</i> , 2021, 190, 114642.	4.4	12
11	The development of multi-kinase inhibitors as pancreatic cancer therapeutics. <i>Anti-Cancer Drugs</i> , 2021, 32, 779-785.	1.4	2
12	Oncogenic KRAS is dependent upon an EFR3A-PI4KA signaling axis for potent tumorigenic activity. <i>Nature Communications</i> , 2021, 12, 5248.	12.8	24
13	Lipid Profiles of RAS Nanoclusters Regulate RAS Function. <i>Biomolecules</i> , 2021, 11, 1439.	4.0	13
14	Building insights into KRAS signaling complexes. <i>Nature Structural and Molecular Biology</i> , 2021, 28, 773-774.	8.2	3
15	Components of the phosphatidylserine endoplasmic reticulum to plasma membrane transport mechanism as targets for KRAS inhibition in pancreatic cancer. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	23
16	Neratinib degrades MST4 via autophagy that reduces membrane stiffness and is essential for the inactivation of PI3K, ERK1/2, and YAP/TAZ signaling. <i>Journal of Cellular Physiology</i> , 2020, 235, 7889-7899.	4.1	27
17	Enhanced signaling via ERBB3/PI3K plays a compensatory survival role in pancreatic tumor cells exposed to [neratinib + valproate]. <i>Cellular Signalling</i> , 2020, 68, 109525.	3.6	6
18	Dynamics of Oncogenic KRAS Mutants on Bilayer Surfaces. <i>Biophysical Journal</i> , 2020, 118, 498a.	0.5	0

#	ARTICLE	IF	CITATIONS
19	Fingolimod Augments Monomethylfumarate Killing of GBM Cells. <i>Frontiers in Oncology</i> , 2020, 10, 22.	2.8	7
20	(Curcumin+sildenafil) enhances the efficacy of 5FU and anti-EPD1 therapies in vivo. <i>Journal of Cellular Physiology</i> , 2020, 235, 6862-6874.	4.1	29
21	RAS Function in cancer cells: translating membrane biology and biochemistry into new therapeutics. <i>Biochemical Journal</i> , 2020, 477, 2893-2919.	3.7	12
22	Identification of EGFR and RAS Inhibitors using <i>Caenorhabditis elegans</i> . <i>Journal of Visualized Experiments</i> , 2020, , .	0.3	3
23	Abstract 1085: Interrogating the RAS interactome identifies EFR3A as a novel enhancer of RAS oncogenesis. , 2020, , .		1
24	Neratinib inhibits Hippo/YAP signaling, reduces mutant K-RAS expression, and kills pancreatic and blood cancer cells. <i>Oncogene</i> , 2019, 38, 5890-5904.	5.9	63
25	Acylpeptide hydrolase is a novel regulator of KRAS plasma membrane localization and function. <i>Journal of Cell Science</i> , 2019, 132, .	2.0	16
26	Distinct Binding Preferences between Ras and Raf Family Members and the Impact on Oncogenic Ras Signaling. <i>Molecular Cell</i> , 2019, 76, 872-884.e5.	9.7	76
27	Signaling alterations caused by drugs and autophagy. <i>Cellular Signalling</i> , 2019, 64, 109416.	3.6	20
28	Three distinct regions of cRaf kinase domain interact with membrane. <i>Scientific Reports</i> , 2019, 9, 2057.	3.3	9
29	Discovery of High-Affinity Noncovalent Allosteric KRAS Inhibitors That Disrupt Effector Binding. <i>ACS Omega</i> , 2019, 4, 2921-2930.	3.5	67
30	HRAS-driven cancer cells are vulnerable to TRPML1 inhibition. <i>EMBO Reports</i> , 2019, 20, .	4.5	59
31	Neratinib augments the lethality of [regorafenib+sildenafil]. <i>Journal of Cellular Physiology</i> , 2019, 234, 4874-4887.	4.1	32
32	Neratinib and entinostat combine to rapidly reduce the expression of K-RAS, N-RAS, G _{12q} and G ₁₁ and kill uveal melanoma cells. <i>Cancer Biology and Therapy</i> , 2019, 20, 700-710.	3.4	37
33	Dynamics of Membrane-Bound G12V-KRAS from Simulations and Single-Molecule FRET in Native Nanodiscs. <i>Biophysical Journal</i> , 2019, 116, 179-183.	0.5	56
34	Kinase inhibitors: look beyond the label on the bottle. , 2019, 2, 1032-1043.		0
35	Targeting plasma membrane phosphatidylserine content to inhibit oncogenic KRAS function. <i>Life Science Alliance</i> , 2019, 2, e201900431.	2.8	29
36	Ras and the Plasma Membrane: A Complicated Relationship. <i>Cold Spring Harbor Perspectives in Medicine</i> , 2018, 8, a031831.	6.2	66

#	ARTICLE	IF	CITATIONS
37	A novel prenyl-polybasic domain code determines lipid-binding specificity of the K-Ras membrane anchor. <i>Small GTPases</i> , 2018, 11, 1-5.	1.6	11
38	Clustering of Rac1: Selective Lipid Sorting Drives Signaling. <i>Trends in Biochemical Sciences</i> , 2018, 43, 75-77.	7.5	6
39	Sphingomyelin Metabolism Is a Regulator of K-Ras Function. <i>Molecular and Cellular Biology</i> , 2018, 38, .	2.3	40
40	Deciphering lipid codes: K-Ras as a paradigm. <i>Traffic</i> , 2018, 19, 157-165.	2.7	48
41	Electron microscopy combined with spatial analysis: quantitative mapping of the nano-assemblies of plasma membrane-associating proteins and lipids. <i>Biophysics Reports</i> , 2018, 4, 320-328.	0.8	5
42	Rac1 Nanoscale Organization on the Plasma Membrane Is Driven by Lipid Binding Specificity Encoded in the Membrane Anchor. <i>Molecular and Cellular Biology</i> , 2018, 38, .	2.3	43
43	An oxanthroquinone derivative that disrupts RAS plasma membrane localization inhibits cancer cell growth. <i>Journal of Biological Chemistry</i> , 2018, 293, 13696-13706.	3.4	20
44	Computational and biochemical characterization of two partially overlapping interfaces and multiple weak-affinity K-Ras dimers. <i>Scientific Reports</i> , 2017, 7, 40109.	3.3	85
45	Deubiquitinase USP18 Loss Mislocalizes and Destabilizes KRAS in Lung Cancer. <i>Molecular Cancer Research</i> , 2017, 15, 905-914.	3.4	28
46	The G protein-coupled receptor GPR31 promotes membrane association of KRAS. <i>Journal of Cell Biology</i> , 2017, 216, 2329-2338.	5.2	24
47	Ras Proteolipid Nanoassemblies on the Plasma Membrane Sort Lipids With High Selectivity. <i>Advances in Biomembranes and Lipid Self-Assembly</i> , 2017, 25, 41-62.	0.6	3
48	Lipid-Sorting Specificity Encoded in K-Ras Membrane Anchor Regulates Signal Output. <i>Cell</i> , 2017, 168, 239-251.e16.	28.9	235
49	Lipid sorting and the activity of Arf signaling complexes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 11266-11267.	7.1	1
50	Spatiotemporal Analysis of K-Ras Plasma Membrane Interactions Reveals Multiple High Order Homo-oligomeric Complexes. <i>Journal of the American Chemical Society</i> , 2017, 139, 13466-13475.	13.7	73
51	ω-3 polyunsaturated fatty acids direct differentiation of the membrane phenotype in mesenchymal stem cells to potentiate osteogenesis. <i>Science Advances</i> , 2017, 3, eaao1193.	10.3	105
52	Inhibition of RAS function through targeting an allosteric regulatory site. <i>Nature Chemical Biology</i> , 2017, 13, 62-68.	8.0	237
53	Computational Equilibrium Thermodynamic and Kinetic Analysis of K-Ras Dimerization through an Effector Binding Surface Suggests Limited Functional Role. <i>Journal of Physical Chemistry B</i> , 2016, 120, 8547-8556.	2.6	45
54	AMPK and Endothelial Nitric Oxide Synthase Signaling Regulates K-Ras Plasma Membrane Interactions via Cyclic GMP-Dependent Protein Kinase 2. <i>Molecular and Cellular Biology</i> , 2016, 36, 3086-3099.	2.3	57

#	ARTICLE	IF	CITATIONS
55	VPS35 binds farnesylated N-Ras in the cytosol to regulate N-Ras trafficking. <i>Journal of Cell Biology</i> , 2016, 214, 445-458.	5.2	44
56	Epac1 interacts with importin β 1 and controls neurite outgrowth independently of cAMP and Rap1. <i>Scientific Reports</i> , 2016, 6, 36370.	3.3	13
57	Inhibition of Acid Sphingomyelinase Depletes Cellular Phosphatidylserine and Mislocalizes K-Ras from the Plasma Membrane. <i>Molecular and Cellular Biology</i> , 2016, 36, 363-374.	2.3	92
58	Oncogenic K-Ras Binds to an Anionic Membrane in Two Distinct Orientations: A Molecular Dynamics Analysis. <i>Biophysical Journal</i> , 2016, 110, 1125-1138.	0.5	122
59	Binding hotspots on K-ras: Consensus ligand binding sites and other reactive regions from probe-based molecular dynamics analysis. <i>Proteins: Structure, Function and Bioinformatics</i> , 2015, 83, 898-909.	2.6	58
60	Ras nanoclusters: Versatile lipid-based signaling platforms. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2015, 1853, 841-849.	4.1	194
61	Membrane potential modulates plasma membrane phospholipid dynamics and K-Ras signaling. <i>Science</i> , 2015, 349, 873-876.	12.6	243
62	Specific cancer-associated mutations in the switch III region of Ras increase tumorigenicity by nanocluster augmentation. <i>ELife</i> , 2015, 4, e08905.	6.0	45
63	Caveolae regulate the nanoscale organization of the plasma membrane to remotely control Ras signaling. <i>Journal of Cell Biology</i> , 2014, 204, 777-792.	5.2	112
64	Rare <i>Streptomyces</i> sp. polyketides as modulators of K-Ras localisation. <i>Organic and Biomolecular Chemistry</i> , 2014, 12, 4872-4878.	2.8	15
65	Signal Integration by Lipid-Mediated Spatial Cross Talk between Ras Nanoclusters. <i>Molecular and Cellular Biology</i> , 2014, 34, 862-876.	2.3	119
66	Temporal Production of the Signaling Lipid Phosphatidic Acid by Phospholipase D2 Determines the Output of Extracellular Signal-Regulated Kinase Signaling in Cancer Cells. <i>Molecular and Cellular Biology</i> , 2014, 34, 84-95.	2.3	104
67	Rare <i>Streptomyces</i> N-Formyl Amino-salicylamides Inhibit Oncogenic K-Ras. <i>Organic Letters</i> , 2014, 16, 5036-5039.	4.6	26
68	Ras Nanoclusters. , 2014, , 189-210.		1
69	Bile Acids Modulate Signaling by Functional Perturbation of Plasma Membrane Domains. <i>Journal of Biological Chemistry</i> , 2013, 288, 35660-35670.	3.4	96
70	Caveolin-1 Is Necessary for Hepatic Oxidative Lipid Metabolism: Evidence for Crosstalk between Caveolin-1 and Bile Acid Signaling. <i>Cell Reports</i> , 2013, 4, 238-247.	6.4	56
71	Inhibitors of K-Ras Plasma Membrane Localization. <i>The Enzymes</i> , 2013, 33 Pt A, 249-265.	1.7	13
72	Fendiline Inhibits K-Ras Plasma Membrane Localization and Blocks K-Ras Signal Transmission. <i>Molecular and Cellular Biology</i> , 2013, 33, 237-251.	2.3	94

#	ARTICLE	IF	CITATIONS
73	Another Surprise from Metformin: Novel Mechanism of Action via K-Ras Influences Endometrial Cancer Response to Therapy. <i>Molecular Cancer Therapeutics</i> , 2013, 12, 2847-2856.	4.1	72
74	Andrographolide derivatives inhibit guanine nucleotide exchange and abrogate oncogenic Ras function. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 10201-10206.	7.1	134
75	Ras nanoclusters. <i>Small GTPases</i> , 2013, 4, 57-60.	1.6	22
76	Staurosporine. <i>Communicative and Integrative Biology</i> , 2013, 6, e24746.	1.4	8
77	Single-molecule analysis reveals self assembly and nanoscale segregation of two distinct cavin subcomplexes on caveolae. <i>ELife</i> , 2013, 3, e01434.	6.0	114
78	Nonsteroidal Anti-inflammatory Drugs Alter the Spatiotemporal Organization of Ras Proteins on the Plasma Membrane. <i>Journal of Biological Chemistry</i> , 2012, 287, 16586-16595.	3.4	51
79	Staurosporines Disrupt Phosphatidylserine Trafficking and Mislocalize Ras Proteins. <i>Journal of Biological Chemistry</i> , 2012, 287, 43573-43584.	3.4	89
80	Constitutive Formation of Caveolae in a Bacterium. <i>Cell</i> , 2012, 150, 752-763.	28.9	126
81	Ras trafficking, localization and compartmentalized signalling. <i>Seminars in Cell and Developmental Biology</i> , 2012, 23, 145-153.	5.0	191
82	Structure-Based Reassessment of the Caveolin Signaling Model: Do Caveolae Regulate Signaling through Caveolin-Protein Interactions?. <i>Developmental Cell</i> , 2012, 23, 11-20.	7.0	127
83	The Effects of Transmembrane Sequence and Dimerization on Cleavage of the p75 Neurotrophin Receptor by I^3 -Secretase. <i>Journal of Biological Chemistry</i> , 2012, 287, 43810-43824.	3.4	45
84	Co-Regulation of Cell Polarization and Migration by Caveolar Proteins PTRF/Cavin-1 and Caveolin-1. <i>PLoS ONE</i> , 2012, 7, e43041.	2.5	49
85	Organization, dynamics, and segregation of Ras nanoclusters in membrane domains. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 8097-8102.	7.1	160
86	Raf Inhibitors Target Ras Spatiotemporal Dynamics. <i>Current Biology</i> , 2012, 22, 945-955.	3.9	65
87	Therapeutic Levels of the Hydroxymethylglutaryl-Coenzyme A Reductase Inhibitor Lovastatin Activate Ras Signaling via Phospholipase D2. <i>Molecular and Cellular Biology</i> , 2011, 31, 1110-1120.	2.3	36
88	Signalling ballet in space and time. <i>Nature Reviews Molecular Cell Biology</i> , 2010, 11, 414-426.	37.0	563
89	H-Ras Nanocluster Stability Regulates the Magnitude of MAPK Signal Output. <i>PLoS ONE</i> , 2010, 5, e11991.	2.5	38
90	Clathrin-independent carriers form a high capacity endocytic sorting system at the leading edge of migrating cells. <i>Journal of Cell Biology</i> , 2010, 190, 675-691.	5.2	263

#	ARTICLE	IF	CITATIONS
91	An N-Terminal Polybasic Motif of $G_{i\pm q}$ Is Required for Signaling and Influences Membrane Nanodomain Distribution. <i>Molecular Pharmacology</i> , 2010, 78, 767-777.	2.3	18
92	Epidermal Growth Factor Receptor Activation Remodels the Plasma Membrane Lipid Environment To Induce Nanocluster Formation. <i>Molecular and Cellular Biology</i> , 2010, 30, 3795-3804.	2.3	87
93	The Anti-inflammatory Drug Indomethacin Alters Nanoclustering in Synthetic and Cell Plasma Membranes. <i>Journal of Biological Chemistry</i> , 2010, 285, 35188-35195.	3.4	42
94	Nucleophosmin and nucleolin regulate K-Ras signaling. <i>Communicative and Integrative Biology</i> , 2010, 3, 188-190.	1.4	14
95	Mathematical Modeling of K-Ras Nanocluster Formation on the Plasma Membrane. <i>Biophysical Journal</i> , 2010, 99, 534-543.	0.5	43
96	Ras membrane orientation and nanodomain localization generate isoform diversity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 1130-1135.	7.1	209
97	The Nonsteroidal Anti-Inflammatory Drug Indomethacin Induces Heterogeneity in Lipid Membranes: Potential Implication for Its Diverse Biological Action. <i>PLoS ONE</i> , 2010, 5, e8811.	2.5	36
98	Nucleophosmin and Nucleolin Regulate K-Ras Plasma Membrane Interactions and MAPK Signal Transduction. <i>Journal of Biological Chemistry</i> , 2009, 284, 28410-28419.	3.4	61
99	Localized Diacylglycerol-dependent Stimulation of Ras and Rap1 during Phagocytosis. <i>Journal of Biological Chemistry</i> , 2009, 284, 28522-28532.	3.4	34
100	MURC/Cavin-4 and cavin family members form tissue-specific caveolar complexes. <i>Journal of Cell Biology</i> , 2009, 185, 1259-1273.	5.2	243
101	Hydrophobic and Basic Domains Target Proteins to Lipid Droplets. <i>Traffic</i> , 2009, 10, 1785-1801.	2.7	67
102	On the Use of Ripley's K-Function and Its Derivatives to Analyze Domain Size. <i>Biophysical Journal</i> , 2009, 97, 1095-1103.	0.5	228
103	Ras acylation, compartmentalization and signaling nanoclusters (Review). <i>Molecular Membrane Biology</i> , 2009, 26, 80-92.	2.0	113
104	A novel switch region regulates H-ras membrane orientation and signal output. <i>EMBO Journal</i> , 2008, 27, 727-735.	7.8	182
105	An agonist-induced conformational change in the growth hormone receptor determines the choice of signalling pathway. <i>Nature Cell Biology</i> , 2008, 10, 740-747.	10.3	90
106	Using plasma membrane nanoclusters to build better signaling circuits. <i>Trends in Cell Biology</i> , 2008, 18, 364-371.	7.9	125
107	Mtx2 directs zebrafish morphogenetic movements during epiboly by regulating microfilament formation. <i>Developmental Biology</i> , 2008, 314, 12-22.	2.0	27
108	PTRF-Cavin, a Conserved Cytoplasmic Protein Required for Caveola Formation and Function. <i>Cell</i> , 2008, 132, 113-124.	28.9	647

#	ARTICLE	IF	CITATIONS
109	Activation of the MAPK Module from Different Spatial Locations Generates Distinct System Outputs. <i>Molecular Biology of the Cell</i> , 2008, 19, 4776-4784.	2.1	78
110	Evolutionary analysis and molecular dissection of caveola biogenesis. <i>Journal of Cell Science</i> , 2008, 121, 2075-2086.	2.0	110
111	Ras nanoclusters: Combining digital and analog signaling. <i>Cell Cycle</i> , 2008, 7, 127-134.	2.6	68
112	System output of the MAPK module is spatially regulated. <i>Communicative and Integrative Biology</i> , 2008, 1, 178-179.	1.4	5
113	Mechanisms of Ras membrane organization and signaling: Ras on a rocker. <i>Cell Cycle</i> , 2008, 7, 2667-2673.	2.6	68
114	Electrostatic Interactions Positively Regulate K-Ras Nanocluster Formation and Function. <i>Molecular and Cellular Biology</i> , 2008, 28, 4377-4385.	2.3	102
115	Caveolin Regulates Endocytosis of the Muscle Repair Protein, Dysferlin. <i>Journal of Biological Chemistry</i> , 2008, 283, 6476-6488.	3.4	80
116	Galectin-1 Is a Novel Structural Component and a Major Regulator of H-Ras Nanoclusters. <i>Molecular Biology of the Cell</i> , 2008, 19, 1404-1414.	2.1	132
117	K-Ras Nanoclustering Is Subverted by Overexpression of the Scaffold Protein Galectin-3. <i>Cancer Research</i> , 2008, 68, 6608-6616.	0.9	123
118	Ras nanoclusters: Molecular structure and assembly. <i>Seminars in Cell and Developmental Biology</i> , 2007, 18, 599-607.	5.0	125
119	Lipid rafts and membrane traffic. <i>FEBS Letters</i> , 2007, 581, 2098-2104.	2.8	271
120	Structure and Dynamics of the Full-Length Lipid-Modified H-Ras Protein in a 1,2-Dimyristoylglycero-3-phosphocholine Bilayer. <i>Journal of Medicinal Chemistry</i> , 2007, 50, 674-684.	6.4	189
121	Sources of Anomalous Diffusion on Cell Membranes: A Monte Carlo Study. <i>Biophysical Journal</i> , 2007, 92, 1975-1987.	0.5	119
122	PA promoted to manager. <i>Nature Cell Biology</i> , 2007, 9, 615-617.	10.3	34
123	Plasma membrane nanoswitches generate high-fidelity Ras signal transduction. <i>Nature Cell Biology</i> , 2007, 9, 905-914.	10.3	372
124	Cholesterol-sensitive Cdc42 Activation Regulates Actin Polymerization for Endocytosis via the GEEC Pathway. <i>Traffic</i> , 2007, 8, 702-717.	2.7	166
125	Reassessing the Role of Phosphocaveolin-1 in Cell Adhesion and Migration. <i>Traffic</i> , 2007, 8, 1695-1705.	2.7	32
126	Human Sin1 contains Ras-binding and pleckstrin homology domains and suppresses Ras signalling. <i>Cellular Signalling</i> , 2007, 19, 1279-1289.	3.6	94

#	ARTICLE	IF	CITATIONS
127	Lipid rafts: contentious only from simplistic standpoints. <i>Nature Reviews Molecular Cell Biology</i> , 2006, 7, 456-462.	37.0	719
128	Biogenesis of caveolae: a structural model for caveolin-induced domain formation. <i>Journal of Cell Science</i> , 2006, 119, 787-796.	2.0	253
129	Identifying Optimal Lipid Raft Characteristics Required To Promote Nanoscale Protein-Protein Interactions on the Plasma Membrane. <i>Molecular and Cellular Biology</i> , 2006, 26, 313-323.	2.3	174
130	Subcellular Localization Determines MAP Kinase Signal Output. <i>Current Biology</i> , 2005, 15, 869-873.	3.9	155
131	Ultrastructural identification of uncoated caveolin-independent early endocytic vehicles. <i>Journal of Cell Biology</i> , 2005, 168, 465-476.	5.2	385
132	Zebrafish as a model for caveolin-associated muscle disease; caveolin-3 is required for myofibril organization and muscle cell patterning. <i>Human Molecular Genetics</i> , 2005, 14, 1727-1743.	2.9	86
133	H-ras, K-ras, and inner plasma membrane raft proteins operate in nanoclusters with differential dependence on the actin cytoskeleton. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 15500-15505.	7.1	423
134	Individual Palmitoyl Residues Serve Distinct Roles in H-Ras Trafficking, Microlocalization, and Signaling. <i>Molecular and Cellular Biology</i> , 2005, 25, 6722-6733.	2.3	187
135	Ras plasma membrane signalling platforms. <i>Biochemical Journal</i> , 2005, 389, 1-11.	3.7	219
136	Electron microscopic imaging of Ras signaling domains. <i>Methods</i> , 2005, 37, 165-172.	3.8	49
137	Lipid rafts and plasma membrane microorganization: insights from Ras. <i>Trends in Cell Biology</i> , 2004, 14, 141-147.	7.9	180
138	Three Separable Domains Regulate GTP-Dependent Association of H-ras with the Plasma Membrane. <i>Molecular and Cellular Biology</i> , 2004, 24, 6799-6810.	2.3	150
139	GPI-Anchor Synthesis. <i>Developmental Cell</i> , 2004, 6, 743-745.	7.0	17
140	Ras proteins: different signals from different locations. <i>Nature Reviews Molecular Cell Biology</i> , 2003, 4, 373-385.	37.0	778
141	C-terminal sequences in R-Ras are involved in integrin regulation and in plasma membrane microdomain distribution. <i>Biochemical and Biophysical Research Communications</i> , 2003, 311, 829-838.	2.1	24
142	Direct visualization of Ras proteins in spatially distinct cell surface microdomains. <i>Journal of Cell Biology</i> , 2003, 160, 165-170.	5.2	699
143	Identification of Residues and Domains of Raf Important for Function in Vivo and in Vitro. <i>Journal of Biological Chemistry</i> , 2003, 278, 45519-45527.	3.4	18
144	Caveolin Interacts with the Angiotensin II Type 1 Receptor during Exocytic Transport but Not at the Plasma Membrane. <i>Journal of Biological Chemistry</i> , 2003, 278, 23738-23746.	3.4	110

#	ARTICLE	IF	CITATIONS
145	Mechanism of Mitosis-specific Activation of MEK1. <i>Journal of Biological Chemistry</i> , 2003, 278, 16747-16754.	3.4	49
146	Observing Cell Surface Signaling Domains Using Electron Microscopy. <i>Science Signaling</i> , 2003, 2003, pl9-pl9.	3.6	58
147	The Linker Domain of the Ha-Ras Hypervariable Region Regulates Interactions with Exchange Factors, Raf-1 and Phosphoinositide 3-Kinase. <i>Journal of Biological Chemistry</i> , 2002, 277, 272-278.	3.4	76
148	Flotillin-1/Reggie-2 Traffics to Surface Raft Domains via a Novel Golgi-independent Pathway. <i>Journal of Biological Chemistry</i> , 2002, 277, 48834-48841.	3.4	200
149	H-Ras Signaling and K-Ras Signaling Are Differentially Dependent on Endocytosis. <i>Molecular and Cellular Biology</i> , 2002, 22, 5128-5140.	2.3	128
150	Inhibition of Lipid Raft-dependent Signaling by a Dystrophy-associated Mutant of Caveolin-3. <i>Journal of Biological Chemistry</i> , 2002, 277, 17944-17949.	3.4	43
151	Protein phosphatases 1 and 2A promote Raf-1 activation by regulating 14-3-3 interactions. <i>Oncogene</i> , 2001, 20, 3949-3958.	5.9	170
152	GTP-dependent segregation of H-ras from lipid rafts is required for biological activity. <i>Nature Cell Biology</i> , 2001, 3, 368-375.	10.3	492
153	Which Ras rides the raft? - Reply. <i>Nature Cell Biology</i> , 2001, 3, E172-E172.	10.3	4
154	Human Papillomavirus Type 6b Virus-Like Particles Are Able To Activate the Ras-MAP Kinase Pathway and Induce Cell Proliferation. <i>Journal of Virology</i> , 2001, 75, 4150-4157.	3.4	35
155	Caveolin and ras function. <i>Methods in Enzymology</i> , 2001, 333, 172-183.	1.0	24
156	Cell regulation: Cellular aspects of signal transduction. <i>Current Opinion in Cell Biology</i> , 2000, 12, 153-156.	5.4	4
157	Characterization of RasGRP2, a Plasma Membrane-targeted, Dual Specificity Ras/Rap Exchange Factor. <i>Journal of Biological Chemistry</i> , 2000, 275, 32260-32267.	3.4	109
158	H-ras but Not K-ras Traffics to the Plasma Membrane through the Exocytic Pathway. <i>Molecular and Cellular Biology</i> , 2000, 20, 2475-2487.	2.3	397
159	Dominant-negative caveolin inhibits H-Ras function by disrupting cholesterol-rich plasma membrane domains. <i>Nature Cell Biology</i> , 1999, 1, 98-105.	10.3	411
160	Interactions of c-Raf-1 with phosphatidylserine and 14-3-3. <i>Oncogene</i> , 1999, 18, 3862-3869.	5.9	66
161	Ras Isoforms Vary in Their Ability to Activate Raf-1 and Phosphoinositide 3-Kinase. <i>Journal of Biological Chemistry</i> , 1998, 273, 24052-24056.	3.4	393
162	14-3-3 Facilitates Ras-Dependent Raf-1 Activation In Vitro and In Vivo. <i>Molecular and Cellular Biology</i> , 1998, 18, 3947-3955.	2.3	124

#	ARTICLE	IF	CITATIONS
163	Activity of Plasma Membrane-recruited Raf-1 Is Regulated by Ras via the Raf Zinc Finger. Journal of Biological Chemistry, 1997, 272, 20139-20145.	3.4	97
164	[10] Stimulation of nucleotide exchange on Ras- and Rho-related proteins by small GTP-binding protein GDP dissociation stimulator. Methods in Enzymology, 1995, 256, 85-90.	1.0	3
165	[7] Reticulocyte lysate assay for in Vitro translation and posttranslational modification of Ras proteins. Methods in Enzymology, 1995, 255, 60-65.	1.0	22
166	[24] Prenylation and palmitoylation analysis. Methods in Enzymology, 1995, 255, 237-245.	1.0	33
167	[2] Purification of baculovirus-expressed recombinant ras and rap proteins. Methods in Enzymology, 1995, 255, 13-21.	1.0	29
168	Anti-Ras drugs come of age. Current Biology, 1993, 3, 770-772.	3.9	28
169	COS Cell Expression. , 1992, 8, 153-158.		6
170	The ras Superfamily: Post-Translational Modifications and Functional Regulation. , 1992, , 1-5.		0
171	A polybasic domain or palmitoylation is required in addition to the CAAX motif to localize p21ras to the plasma membrane. Cell, 1990, 63, 133-139.	28.9	1,046
172	Conformational effects of nucleotide exchange in ras p21 proteins as studied by fluorescence spectroscopy. FEBS Letters, 1990, 262, 127-130.	2.8	12
173	All ras proteins are polyisoprenylated but only some are palmitoylated. Cell, 1989, 57, 1167-1177.	28.9	1,826
174	The cytoplasmic protein GAP is implicated as the target for regulation by the ras gene product. Nature, 1988, 332, 548-551.	27.8	414