

David J Harvey

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7441583/david-j-harvey-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

123
papers

8,014
citations

51
h-index

87
g-index

128
ext. papers

8,626
ext. citations

5.6
avg, IF

6.62
L-index

#	Paper	IF	Citations
123	Matrix-assisted laser desorption/ionization mass spectrometry of carbohydrates. <i>Mass Spectrometry Reviews</i> , 1999 , 18, 349-450	11	661
122	Envelope glycans of immunodeficiency virions are almost entirely oligomannose antigens. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 13800-5	11.5	275
121	Stabilization of sialic acids in N-linked oligosaccharides and gangliosides for analysis by positive ion matrix-assisted laser desorption/ionization mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 1996 , 10, 1027-32	2.2	221
120	Fragmentation of negative ions from carbohydrates: part 1. Use of nitrate and other anionic adducts for the production of negative ion electrospray spectra from N-linked carbohydrates. <i>Journal of the American Society for Mass Spectrometry</i> , 2005 , 16, 622-30	3.5	219
119	Proposal for a standard system for drawing structural diagrams of N- and O-linked carbohydrates and related compounds. <i>Proteomics</i> , 2009 , 9, 3796-801	4.8	218
118	Fragmentation of negative ions from carbohydrates: part 3. Fragmentation of hybrid and complex N-linked glycans. <i>Journal of the American Society for Mass Spectrometry</i> , 2005 , 16, 647-59	3.5	207
117	Composition and Antigenic Effects of Individual Glycan Sites of a Trimeric HIV-1 Envelope Glycoprotein. <i>Cell Reports</i> , 2016 , 14, 2695-706	10.6	193
116	Fragmentation of negative ions from carbohydrates: part 2. Fragmentation of high-mannose N-linked glycans. <i>Journal of the American Society for Mass Spectrometry</i> , 2005 , 16, 631-46	3.5	189
115	Analysis of glycoprotein-associated oligosaccharides. <i>Annual Review of Biochemistry</i> , 1993 , 62, 65-100	29.1	188
114	Derivatization of carbohydrates for analysis by chromatography; electrophoresis and mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011 , 879, 1196-225	3.2	180
113	Variations in oligosaccharide-protein interactions in immunoglobulin G determine the site-specific glycosylation profiles and modulate the dynamic motion of the Fc oligosaccharides. <i>Biochemistry</i> , 1997 , 36, 1370-80	3.2	178
112	Electrospray mass spectrometry and fragmentation of N-linked carbohydrates derivatized at the reducing terminus. <i>Journal of the American Society for Mass Spectrometry</i> , 2000 , 11, 900-15	3.5	175
111	Structural and quantitative analysis of N-linked glycans by matrix-assisted laser desorption ionization and negative ion nanospray mass spectrometry. <i>Analytical Biochemistry</i> , 2008 , 376, 44-60	3.1	171
110	Electrospray ionization-ion trap mass spectrometry for structural analysis of complex N-linked glycoprotein oligosaccharides. <i>Analytical Chemistry</i> , 1998 , 70, 4441-7	7.8	139
109	High-energy collision-induced fragmentation of complex oligosaccharides ionized by matrix-assisted laser desorption/ionization mass spectrometry. <i>Journal of Mass Spectrometry</i> , 1997 , 32, 167-87	2.2	135
108	Oligosaccharide sequencing technology. <i>Nature</i> , 1997 , 388, 205-7	50.4	134
107	Derivatization of sialic acids for stabilization in matrix-assisted laser desorption/ionization mass spectrometry and concomitant differentiation of alpha(2 -> 3)- and alpha(2 -> 6)-isomers. <i>Rapid Communications in Mass Spectrometry</i> , 2009 , 23, 303-12	2.2	132

106	"Internal residue loss": rearrangements occurring during the fragmentation of carbohydrates derivatized at the reducing terminus. <i>Analytical Chemistry</i> , 2002 , 74, 734-40	7.8	132
105	Functional comparison of two human monocyte chemotactic protein-2 isoforms, role of the amino-terminal pyroglutamic acid and processing by CD26/dipeptidyl peptidase IV. <i>Biochemistry</i> , 1998 , 37, 12672-80	3.2	130
104	Proteomic analysis of glycosylation: structural determination of N- and O-linked glycans by mass spectrometry. <i>Expert Review of Proteomics</i> , 2005 , 2, 87-101	4.2	125
103	Negative ion mass spectrometry of sialylated carbohydrates: discrimination of N-acetylneuraminic acid linkages by MALDI-TOF and ESI-TOF mass spectrometry. <i>Analytical Chemistry</i> , 2000 , 72, 5027-39	7.8	119
102	Characterization of oligosaccharide composition and structure by quadrupole ion trap mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 1997 , 11, 1493-504	2.2	114
101	Recovery of intact 2-aminobenzamide-labeled O-glycans released from glycoproteins by hydrazinolysis. <i>Analytical Biochemistry</i> , 2002 , 304, 91-9	3.1	113
100	Ion mobility-mass spectrometry of complex carbohydrates: collision cross sections of sodiated N-linked glycans. <i>Analytical Chemistry</i> , 2013 , 85, 5138-45	7.8	112
99	Characterization of simple isomeric oligosaccharides and the rapid separation of glycan mixtures by ion mobility mass spectrometry. <i>International Journal of Mass Spectrometry</i> , 2010 , 298, 119-127	1.9	112
98	Analysis of carbohydrates and glycoconjugates by matrix-assisted laser desorption/ionization mass spectrometry: An update covering the period 1999-2000. <i>Mass Spectrometry Reviews</i> , 2006 , 25, 595-662	11	112
97	Structural determination of N-linked glycans by matrix-assisted laser desorption/ionization and electrospray ionization mass spectrometry. <i>Proteomics</i> , 2005 , 5, 1774-86	4.8	111
96	Site-Specific Glycosylation of Virion-Derived HIV-1 Env Is Mimicked by a Soluble Trimeric Immunogen. <i>Cell Reports</i> , 2018 , 24, 1958-1966.e5	10.6	89
95	Crystal structure and carbohydrate analysis of Nipah virus attachment glycoprotein: a template for antiviral and vaccine design. <i>Journal of Virology</i> , 2008 , 82, 11628-36	6.6	89
94	The glycosylation of the influenza A virus hemagglutinin by mammalian cells. A site-specific study. <i>Journal of Biological Chemistry</i> , 1997 , 272, 4027-36	5.4	84
93	Analysis of carbohydrates and glycoconjugates by matrix-assisted laser desorption/ionization mass spectrometry: An update for 2003-2004. <i>Mass Spectrometry Reviews</i> , 2009 , 28, 273-361	11	82
92	Comparison of fragmentation modes for the structural determination of complex oligosaccharides ionized by matrix-assisted laser desorption/ionization mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 1995 , 9, 1556-61	2.2	79
91	Analysis of carbohydrates and glycoconjugates by matrix-assisted laser desorption/ionization mass spectrometry: an update for 2007-2008. <i>Mass Spectrometry Reviews</i> , 2012 , 31, 183-311	11	77
90	Identification of N-linked carbohydrates from severe acute respiratory syndrome (SARS) spike glycoprotein. <i>Virology</i> , 2010 , 399, 257-69	3.6	76
89	Dimeric architecture of the Hendra virus attachment glycoprotein: evidence for a conserved mode of assembly. <i>Journal of Virology</i> , 2010 , 84, 6208-17	6.6	75

88	Estimating collision cross sections of negatively charged N-glycans using traveling wave ion mobility-mass spectrometry. <i>Analytical Chemistry</i> , 2014 , 86, 10789-95	7.8	74
87	Cell- and Protein-Directed Glycosylation of Native Cleaved HIV-1 Envelope. <i>Journal of Virology</i> , 2015 , 89, 8932-44	6.6	72
86	Analysis of carbohydrates and glycoconjugates by matrix-assisted laser desorption/ionization mass spectrometry: an update covering the period 2001-2002. <i>Mass Spectrometry Reviews</i> , 2008 , 27, 125-201	11	70
85	Analysis of carbohydrates and glycoconjugates by matrix-assisted laser desorption/ionization mass spectrometry: an update for the period 2005-2006. <i>Mass Spectrometry Reviews</i> , 2011 , 30, 1-100	11	68
84	Matrix-assisted laser desorption/ionization mass spectrometry of sphingo- and glycosphingo-lipids. <i>Journal of Mass Spectrometry</i> , 1995 , 30, 1311-1324	2.2	68
83	Sialylated N-glycans in adult rat brain tissue--a widespread distribution of disialylated antennae in complex and hybrid structures. <i>FEBS Journal</i> , 1998 , 258, 243-70		64
82	N-glycan microheterogeneity regulates interactions of plasma proteins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, 8763-8768	11.5	62
81	Ion mobility mass spectrometry for extracting spectra of N-glycans directly from incubation mixtures following glycan release: application to glycans from engineered glycoforms of intact, folded HIV gp120. <i>Journal of the American Society for Mass Spectrometry</i> , 2011 , 22, 568-81	3.5	61
80	GlycoMob: an ion mobility-mass spectrometry collision cross section database for glycomics. <i>Glycoconjugate Journal</i> , 2016 , 33, 399-404	3	59
79	Molecular Architecture of the Cleavage-Dependent Mannose Patch on a Soluble HIV-1 Envelope Glycoprotein Trimer. <i>Journal of Virology</i> , 2017 , 91,	6.6	56
78	Identification of highly fucosylated N-linked oligosaccharides from the human parotid gland. <i>FEBS Journal</i> , 1998 , 258, 623-56		56
77	Structural determination of N-linked carbohydrates by matrix-assisted laser desorption/ionization-mass spectrometry following enzymatic release within sodium dodecyl sulphate-polyacrylamide electrophoresis gels: application to species-specific glycosylation of	3.6	56
76	Relationship between in-source and post-source fragment ions in the matrix-assisted laser desorption (ionization) mass spectra of carbohydrates recorded with reflectron time-of-flight mass spectrometers. <i>International Journal of Mass Spectrometry</i> , 1999 , 188, 131-146	1.9	56
75	Analysis of carbohydrates and glycoconjugates by matrix-assisted laser desorption/ionization mass spectrometry: an update for 2009-2010. <i>Mass Spectrometry Reviews</i> , 2015 , 34, 268-422	11	53
74	Ionization and collision-induced fragmentation of N-linked and related carbohydrates using divalent cations. <i>Journal of the American Society for Mass Spectrometry</i> , 2001 , 12, 926-37	3.5	53
73	Hypo-glycosylated human follicle-stimulating hormone (hFSH(21/18)) is much more active in vitro than fully-glycosylated hFSH (hFSH(24)). <i>Molecular and Cellular Endocrinology</i> , 2014 , 382, 989-97	4.4	52
72	Fragmentation of N-linked glycans with a matrix-assisted laser desorption/ionization ion trap time-of-flight mass spectrometer. <i>Rapid Communications in Mass Spectrometry</i> , 2004 , 18, 2997-3007	2.2	51
71	Collision-induced fragmentation of negative ions from N-linked glycans derivatized with 2-aminobenzoic acid. <i>Journal of Mass Spectrometry</i> , 2005 , 40, 642-53	2.2	51

70	Travelling wave ion mobility and negative ion fragmentation for the structural determination of N-linked glycans. <i>Electrophoresis</i> , 2013 , 34, 2368-78	3.6	49
69	MALDI-MS/MS with traveling wave ion mobility for the structural analysis of N-linked glycans. <i>Journal of the American Society for Mass Spectrometry</i> , 2012 , 23, 1955-66	3.5	49
68	NIST Interlaboratory Study on Glycosylation Analysis of Monoclonal Antibodies: Comparison of Results from Diverse Analytical Methods. <i>Molecular and Cellular Proteomics</i> , 2020 , 19, 11-30	7.6	49
67	Ionization and fragmentation of neutral and acidic glycosphingolipids with a Q-TOF mass spectrometer fitted with a MALDI ion source. <i>Journal of the American Society for Mass Spectrometry</i> , 2001 , 12, 1220-5	3.5	45
66	Identification of Lewis and Blood Group Carbohydrate Epitopes by Ion Mobility-Tandem-Mass Spectrometry Fingerprinting. <i>Analytical Chemistry</i> , 2017 , 89, 2318-2325	7.8	44
65	Differentiation between isomeric triantennary N-linked glycans by negative ion tandem mass spectrometry and confirmation of glycans containing galactose attached to the bisecting (beta1-4-GlcNAc) residue in N-glycans from IgG. <i>Rapid Communications in Mass Spectrometry</i> , 2008 , 22, 1847-50	2.2	43
64	Analysis of carbohydrates and glycoconjugates by matrix-assisted laser desorption/ionization mass spectrometry: An update for 2013-2014. <i>Mass Spectrometry Reviews</i> , 2018 , 37, 353-491	11	42
63	Fragmentation of negative ions from N-linked carbohydrates, part 4. Fragmentation of complex glycans lacking substitution on the 6-antenna. <i>Journal of Mass Spectrometry</i> , 2010 , 45, 528-35	2.2	38
62	Effect of the reducing-terminal substituents on the high energy collision-induced dissociation matrix-assisted laser desorption/ionization mass spectra of oligosaccharides. <i>Rapid Communications in Mass Spectrometry</i> , 1996 , 10, 1645-51	2.2	38
61	Molecular characterization of <i>Limulus polyphemus</i> C-reactive protein. I. Subunit composition. <i>FEBS Journal</i> , 1993 , 214, 91-7		37
60	Fucose Migration in Intact Protonated Glycan Ions: A Universal Phenomenon in Mass Spectrometry. <i>Angewandte Chemie - International Edition</i> , 2018 , 57, 7440-7443	16.4	36
59	Production, purification, and characterization of recombinant hFSH glycoforms for functional studies. <i>Molecular and Cellular Endocrinology</i> , 2015 , 405, 42-51	4.4	35
58	Symbol nomenclature for representing glycan structures: Extension to cover different carbohydrate types. <i>Proteomics</i> , 2011 , 11, 4291-5	4.8	35
57	Perspectives in the glycosciences--matrix-assisted laser desorption/ionization (MALDI) mass spectrometry of carbohydrates. <i>Glycoconjugate Journal</i> , 1998 , 15, 333-8	3	34
56	N-(2-diethylamino)ethyl-4-aminobenzamide derivative for high sensitivity mass spectrometric detection and structure determination of N-linked carbohydrates. <i>Rapid Communications in Mass Spectrometry</i> , 2000 , 14, 862-71	2.2	34
55	Picolinyl esters for the structural determination of fatty acids by GC/MS. <i>Molecular Biotechnology</i> , 1998 , 10, 251-60	3	32
54	Travelling-wave ion mobility and negative ion fragmentation of high-mannose N-glycans. <i>Journal of Mass Spectrometry</i> , 2016 , 51, 219-35	2.2	32
53	Electrospray mass spectrometry and collision-induced fragmentation of 2-aminobenzamide-labelled neutral N-linked glycans. <i>Analyst, The</i> , 2000 , 125, 609-617	5	31

52	Matrix-assisted laser desorption mass spectrometry on a magnetic sector instrument fitted with an array detector. <i>Rapid Communications in Mass Spectrometry</i> , 1994 , 8, 585-589	2.2	31
51	A new charge-associated mechanism to account for the production of fragment ions in the high-energy CID spectra of fatty acids. <i>Journal of the American Society for Mass Spectrometry</i> , 2005 , 16, 280-90	3.5	30
50	Macro- and Micro-heterogeneity in Pituitary and Urinary Follicle-Stimulating Hormone Glycosylation. <i>Journal of Glycomics & Lipidomics</i> , 2014 , 4,		28
49	Identification of N-glycans from Ebola virus glycoproteins by matrix-assisted laser desorption/ionisation time-of-flight and negative ion electrospray tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2010 , 24, 571-85	2.2	28
48	Analysis of carbohydrates and glycoconjugates by matrix-assisted laser desorption/ionization mass spectrometry: An update for 2011-2012. <i>Mass Spectrometry Reviews</i> , 2017 , 36, 255-422	11	27
47	Fragmentation and ion mobility properties of negative ions from N-linked carbohydrates: Part 7. Reduced glycans. <i>Rapid Communications in Mass Spectrometry</i> , 2016 , 30, 627-34	2.2	27
46	Travelling-wave ion mobility mass spectrometry and negative ion fragmentation of hybrid and complex N-glycans. <i>Journal of Mass Spectrometry</i> , 2016 , 51, 1064-1079	2.2	26
45	Ion Mobility Mass Spectrometry for Ion Recovery and Clean-Up of MS and MS/MS Spectra Obtained from Low Abundance Viral Samples. <i>Journal of the American Society for Mass Spectrometry</i> , 2015 , 26, 1754-67	3.5	25
44	Fragmentation of negative ions from N-linked carbohydrates: part 6. Glycans containing one N-acetylglucosamine in the core. <i>Rapid Communications in Mass Spectrometry</i> , 2014 , 28, 2008-18	2.2	25
43	Networks of HIV-1 Envelope Glycans Maintain Antibody Epitopes in the Face of Glycan Additions and Deletions. <i>Structure</i> , 2020 , 28, 897-909.e6	5.2	24
42	Comparison of Follicle-Stimulating Hormone Glycosylation Microheterogeneity by Quantitative Negative Mode Nano-Electrospray Mass Spectrometry of Peptide-N Glycanase-Released Oligosaccharides. <i>Journal of Glycomics & Lipidomics</i> , 2015 , 5,		24
41	Structural plasticity of the Semliki Forest virus glycome upon interspecies transmission. <i>Journal of Proteome Research</i> , 2014 , 13, 1702-12	5.6	23
40	Endoplasmic reticulum-associated degradation (ERAD) and free oligosaccharide generation in <i>Saccharomyces cerevisiae</i> . <i>Journal of Biological Chemistry</i> , 2011 , 286, 41786-41800	5.4	23
39	Uukuniemi Phlebovirus assembly and secretion leave a functional imprint on the virion glycome. <i>Journal of Virology</i> , 2014 , 88, 10244-51	6.6	22
38	Soluble human TLR2 ectodomain binds diacylglycerol from microbial lipopeptides and glycolipids. <i>Innate Immunity</i> , 2015 , 21, 175-93	2.7	21
37	Separation of Isomeric Glycans by Ion Mobility and Liquid Chromatography-Mass Spectrometry. <i>Analytical Chemistry</i> , 2019 , 91, 10604-10613	7.8	21
36	Structural analysis of the CD5 antigen--expression, disulphide bond analysis and physical characterisation of CD5 scavenger receptor superfamily domain 1. <i>FEBS Journal</i> , 1998 , 257, 131-41		21
35	Sugars including erythronic and threonic acids in human aqueous humour. <i>Current Eye Research</i> , 1999 , 19, 131-6	2.9	21

34	Collision Cross Sections and Ion Mobility Separation of Fragment Ions from Complex N-Glycans. <i>Journal of the American Society for Mass Spectrometry</i> , 2018 , 29, 1250-1261	3.5	20
33	Follicle-Stimulating Hormone Glycobiology. <i>Endocrinology</i> , 2019 , 160, 1515-1535	4.8	18
32	Integrity of Glycosylation Processing of a Glycan-Depleted Trimeric HIV-1 Immunogen Targeting Key B-Cell Lineages. <i>Journal of Proteome Research</i> , 2018 , 17, 987-999	5.6	18
31	Fragments of bacterial endoglycosidases and immunoglobulin g reveal subdomains of each that contribute to deglycosylation. <i>Journal of Biological Chemistry</i> , 2014 , 289, 13876-89	5.4	18
30	Structural Studies of Fucosylated N-Glycans by Ion Mobility Mass Spectrometry and Collision-Induced Fragmentation of Negative Ions. <i>Journal of the American Society for Mass Spectrometry</i> , 2018 , 29, 1179-1193	3.5	18
29	NEGATIVE ION MASS SPECTROMETRY FOR THE ANALYSIS OF N-LINKED GLYCANS. <i>Mass Spectrometry Reviews</i> , 2020 , 39, 586-679	11	17
28	Structural characterization and biological implications of sulfated N-glycans in a serine protease from the neotropical moth <i>Hylesia metabus</i> (Cramer [1775]) (Lepidoptera: Saturniidae). <i>Glycobiology</i> , 2016 , 26, 230-50	5.8	17
27	N-glycosylation pattern of E2 glycoprotein from classical swine fever virus. <i>Journal of Proteome Research</i> , 2009 , 8, 546-55	5.6	16
26	MASS SPECTROMETRIC FRAGMENTATION OF TRIMETHYLSILYL AND RELATED ALKYL-SILYL DERIVATIVES. <i>Mass Spectrometry Reviews</i> , 2020 , 39, 105-211	11	16
25	Matrix-assisted laser desorption/ionization mass spectrometry of carbohydrates 1999 , 18, 349		16
24	Isomer Information from Ion Mobility Separation of High-Mannose Glycan Fragments. <i>Journal of the American Society for Mass Spectrometry</i> , 2018 , 29, 972-988	3.5	14
23	Groove-type recognition of chlamydiae-specific lipopolysaccharide antigen by a family of antibodies possessing an unusual variable heavy chain N-linked glycan. <i>Journal of Biological Chemistry</i> , 2014 , 289, 16644-61	5.4	13
22	Application of negative ion MS/MS to the identification of N-glycans released from carcinoembryonic antigen cell adhesion molecule 1 (CEACAM1). <i>Journal of Mass Spectrometry</i> , 2009 , 44, 50-60	2.2	13
21	Mass spectrometric analysis of glycosylated viral proteins. <i>Expert Review of Proteomics</i> , 2018 , 15, 391-414	4.2	12
20	Ionization and fragmentation of N-linked glycans as silver adducts by electrospray mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2005 , 19, 484-92	2.2	12
19	Identification of high-mannose and multiantennary complex-type N-linked glycans containing alpha-galactose epitopes from Nurse shark IgM heavy chain. <i>Glycoconjugate Journal</i> , 2009 , 26, 1055-64	3	11
18	A family of novel, acidic N-glycans in Bowes melanoma tissue plasminogen activator have L2/HNK-1-bearing antennae, many with sulfation of the fucosylated chitobiose core. <i>FEBS Journal</i> , 2001 , 268, 4063-78		11
17	Antibody production using a ciliate generates unusual antibody glycoforms displaying enhanced cell-killing activity. <i>MAbs</i> , 2016 , 8, 1498-1511	6.6	10

16	Determination of N-linked Glycosylation in Viral Glycoproteins by Negative Ion Mass Spectrometry and Ion Mobility. <i>Methods in Molecular Biology</i> , 2015 , 1331, 93-121	1.4	9
15	Halogeno-substituted 2-aminobenzoic acid derivatives for negative ion fragmentation studies of N-linked carbohydrates. <i>Rapid Communications in Mass Spectrometry</i> , 2005 , 19, 397-400	2.2	9
14	Stabilization of Sialic Acids in N-linked Oligosaccharides and Gangliosides for Analysis by Positive Ion Matrix-assisted Laser Desorption/Ionization Mass Spectrometry 1996 , 10, 1027		8
13	ANALYSIS OF CARBOHYDRATES AND GLYCOCONJUGATES BY MATRIX-ASSISTED LASER DESORPTION/IONIZATION MASS SPECTROMETRY: AN UPDATE FOR 2015-2016. <i>Mass Spectrometry Reviews</i> , 2021 , 40, 408-565	11	7
12	The N-glycosylation of classical swine fever virus E2 glycoprotein extracellular domain expressed in the milk of goat. <i>Archives of Biochemistry and Biophysics</i> , 2010 , 500, 169-80	4.1	6
11	Use of a conventional point detector to record matrix-assisted laser desorption/ionization spectra from a magnetic sector instrument. <i>Rapid Communications in Mass Spectrometry</i> , 1998 , 12, 1721-1726	2.2	6
10	Determination of N-terminal myristoylation of proteins using a combined gas chromatographic/mass spectrometric assay of derived myristoylglycine: Electron impact-induced fragmentation of acylglycine derivatives. <i>Journal of Mass Spectrometry</i> , 1995 , 30, 900-910	2.2	5
9	Glycosylation profiling of dog serum reveals differences compared to human serum. <i>Glycobiology</i> , 2018 , 28, 825-831	5.8	4
8	Characterisation of tissue-specific oligosaccharides from rat brain and kidney membrane preparations enriched in Na ⁺ ,K ⁺ -ATPase. <i>Glycoconjugate Journal</i> , 1999 , 16, 437-56	3	4
7	Fucose-Migration in intakten protonierten Glykan-Ionen – ein universelles Phänomen in der Massenspektrometrie. <i>Angewandte Chemie</i> , 2018 , 130, 7562-7565	3.6	3
6	Analysis of Protein Glycosylation by Mass Spectrometry 2016 , 89-159		2
5	Ion Mobility-Mass Spectrometry of Glycoconjugates. <i>Methods in Molecular Biology</i> , 2020 , 2084, 203-219	1.4	1
4	Identification of N-glycans with GalNAc-containing antennae from recombinant HIV trimers by ion mobility and negative ion fragmentation. <i>Analytical and Bioanalytical Chemistry</i> , 2021 , 413, 7229-7240	4.4	1
3	In vivo modification of the goat mammary gland glycosylation pathway. <i>New Biotechnology</i> , 2021 , 61, 11-21	6.4	1
2	Formation and fragmentation of doubly and triply charged ions in the negative ion spectra of neutral N-glycans from viral and other glycoproteins. <i>Analytical and Bioanalytical Chemistry</i> , 2021 , 413, 7277-7294	4.4	
1	FGDB: Database of follicle stimulating hormone glycans. <i>Computational and Structural Biotechnology Journal</i> , 2021 , 19, 1635-1640	6.8	