

# Caroline Marie Fairhurst

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7442875/publications.pdf>

Version: 2024-02-01

96  
papers

1,167  
citations

430442

18  
h-index

525886

27  
g-index

103  
all docs

103  
docs citations

103  
times ranked

1634  
citing authors

#	ARTICLE	IF	CITATIONS
1	Smoking behaviours and indoor air quality: a comparative analysis of smoking-permitted versus smoke-free homes in Dhaka, Bangladesh. <i>Tobacco Control</i> , 2022, 31, 444-451.	1.8	10
2	Recruitment patterns in multicentre randomised trials fit more closely to Price's Law than the Pareto Principle: A review of trials funded and published by the United Kingdom Health Technology Assessment Programme. <i>Contemporary Clinical Trials</i> , 2022, 113, 106665.	0.8	6
3	Scaling up Quality Improvement for Surgical Teams (QIST) – avoiding surgical site infection and anaemia at the time of surgery: a cluster randomised controlled trial of the effectiveness of quality improvement collaboratives to introduce change in the NHS. <i>Implementation Science</i> , 2022, 17, 22.	2.5	1
4	Behavioural Activation for Social IsoLation (BASIL+) trial (Behavioural activation to mitigate) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 627 T fully-powered pragmatic randomised controlled trial. <i>PLoS ONE</i> , 2022, 17, e0263856.	1.1	7
5	Relationship between age, workplace slips and the effectiveness of slip-resistant footwear among healthcare workers. <i>Injury Prevention</i> , 2022, 28, 256-258.	1.2	0
6	Current practice in the measurement and interpretation of intervention adherence in randomised controlled trials: A systematic review. <i>Contemporary Clinical Trials</i> , 2022, 118, 106788.	0.8	2
7	Smoking cessation in severe mental illness: combined long-term quit rates from the UK SCIMITAR trials programme. <i>British Journal of Psychiatry</i> , 2021, 218, 95-97.	1.7	13
8	Evaluating –Enhancing Pragmatic Language skills for Young children with Social communication impairments –™ (E-PLAYS): a feasibility cluster-randomised controlled trial. <i>Pilot and Feasibility Studies</i> , 2021, 7, 5.	0.5	3
9	Slip-resistant footwear to reduce slips among health-care workers: the SSHeW RCT. <i>Public Health Research</i> , 2021, 9, 1-150.	0.5	1
10	Randomised controlled feasibility trial of an active communication education programme plus hearing aid provision versus hearing aid provision alone (ACE To HEAR). <i>BMJ Open</i> , 2021, 11, e043364.	0.8	0
11	Yoga for older adults with multimorbidity (the Gentle Years Yoga Trial): study protocol for a randomised controlled trial. <i>Trials</i> , 2021, 22, 269.	0.7	5
12	A 2x2 randomised factorial SWAT of the use of a pen and small, financial incentive to improve recruitment rates in a randomised controlled trial of yoga for older adults with multimorbidity. <i>F1000Research</i> , 2021, 10, 326.	0.8	2
13	Efficacy and cost-effectiveness of a community-based smoke-free-home intervention with or without indoor-air-quality feedback in Bangladesh (MCLASS II): a three-arm, cluster-randomised, controlled trial. <i>The Lancet Global Health</i> , 2021, 9, e639-e650.	2.9	7
14	Cost-effectiveness of surgery versus cast immobilization for adults with a bicortical fracture of the scaphoid waist. <i>Bone and Joint Journal</i> , 2021, 103-B, 1277-1283.	1.9	5
15	Home environmental assessments and modification delivered by occupational therapists to reduce falls in people aged 65 years and over: the OTIS RCT. <i>Health Technology Assessment</i> , 2021, 25, 1-118.	1.3	8
16	Slip-resistant footwear reduces slips among National Health Service workers in England: a randomised controlled trial. <i>Occupational and Environmental Medicine</i> , 2021, 78, 472-478.	1.3	6
17	Hearing dogs for people with severe and profound hearing loss: a wait-list design randomised controlled trial investigating their effectiveness and cost-effectiveness. <i>Trials</i> , 2021, 22, 700.	0.7	3
18	Negative pressure wound therapy versus usual care for surgical wounds healing by secondary intention (SWHSI-2 trial): study protocol for a pragmatic, multicentre, cross surgical specialty, randomised controlled trial. <i>Trials</i> , 2021, 22, 739.	0.7	2

#	ARTICLE	IF	CITATIONS
19	Behavioural activation to prevent depression and loneliness among socially isolated older people with long-term conditions: The BASIL COVID-19 pilot randomised controlled trial. PLoS Medicine, 2021, 18, e1003779.	3.9	31
20	Using pairwise randomisation to reduce the risk of bias. Research Methods in Medicine & Health Sciences, 2020, 1, 2-6.	0.7	3
21	Surgery versus cast immobilisation for adults with a bicortical fracture of the scaphoid waist (SWIFFT): a pragmatic, multicentre, open-label, randomised superiority trial. Lancet, The, 2020, 396, 390-401.	6.3	62
22	Preoperative iron treatment in anaemic patients undergoing elective total hip or knee arthroplasty: a systematic review and meta-analysis. BMJ Open, 2020, 10, e036592.	0.8	10
23	No excess harms from sustained-release morphine: a randomised placebo-controlled trial in chronic breathlessness. BMJ Supportive and Palliative Care, 2020, 10, 421-428.	0.8	9
24	E-cigarette use and associated factors among smokers with severe mental illness. Addictive Behaviors, 2020, 108, 106456.	1.7	5
25	Scaling up Quality Improvement for Surgical Teams (QIST) – avoiding surgical site infection and anaemia at the time of surgery: protocol for a cluster randomised controlled trial. Trials, 2020, 21, 234.	0.7	4
26	Qualitative research to inform hypothesis testing for fidelity-based sub-group analysis in clinical trials: lessons learnt from the process evaluation of a multifaceted podiatry intervention for falls prevention. Trials, 2020, 21, 348.	0.7	2
27	Cost-effectiveness of a specialist smoking cessation package compared with standard smoking cessation services for people with severe mental illness in England: a trial-based economic evaluation from the SCIMITAR+ study. Addiction, 2020, 115, 2113-2122.	1.7	8
28	Effectiveness of pre-operative anaemia screening and increased Tranexamic acid dose policies on outcomes following unilateral primary, elective total hip or knee replacement: a statistical analysis plan for an interrupted time series and regression discontinuity study. F1000Research, 2020, 9, 224.	0.8	0
29	An evaluation of a personalised text message reminder compared to a standard text message on postal questionnaire response rates: an embedded randomised controlled trial. F1000Research, 2020, 9, 154.	0.8	14
30	Enclosing a pen to improve response rate to postal questionnaire: an embedded randomised controlled trial. F1000Research, 2020, 9, 577.	0.8	10
31	Including a pen and/or cover letter, containing social incentive text, had no effect on questionnaire response rate: a factorial randomised controlled Study within a Trial. F1000Research, 2020, 9, 623.	0.8	5
32	Surgical fixation compared with cast immobilisation for adults with a bicortical fracture of the scaphoid waist: the SWIFFT RCT. Health Technology Assessment, 2020, 24, 1-234.	1.3	11
33	Effectiveness and Cost-Effectiveness of Receiving a Hearing Dog on Mental Well-Being and Health in People With Hearing Loss: Protocol for a Randomized Controlled Trial. JMIR Research Protocols, 2020, 9, e15452.	0.5	1
34	Effectiveness of pre-operative anaemia screening and increased Tranexamic acid dose on outcomes following unilateral primary, elective total hip or knee replacement: a statistical analysis plan for an interrupted time series and regression discontinuity study. F1000Research, 2020, 9, 224.	0.8	0
35	The epidemiology, management and impact of surgical wounds healing by secondary intention: a research programme including the SWHSI feasibility RCT. Programme Grants for Applied Research, 2020, 8, 1-122.	0.4	0
36	Oral modified release morphine for breathlessness in chronic heart failure: a randomized placebo-controlled trial. ESC Heart Failure, 2019, 6, 1149-1160.	1.4	28

#	ARTICLE	IF	CITATIONS
37	Brushing Reminder 4 Good oral Health (BRIGHT) trial: does an SMS behaviour change programme with a classroom-based session improve the oral health of young people living in deprived areas? A study protocol of a randomised controlled trial. <i>Trials</i> , 2019, 20, 452.	0.7	15
38	Affective and enjoyment responses to 12 weeks of high intensity interval training and moderate continuous training in adults with Crohn's disease. <i>PLoS ONE</i> , 2019, 14, e0222060.	1.1	9
39	Oral melatonin for non-respiratory sleep disturbance in children with neurodisabilities: systematic review and meta-analyses. <i>Developmental Medicine and Child Neurology</i> , 2019, 61, 880-890.	1.1	36
40	Evaluating 'enhancing pragmatic language skills for young children with social communication impairments' (E-PLAYS): protocol for a feasibility randomised controlled trial study. <i>Pilot and Feasibility Studies</i> , 2019, 5, 75.	0.5	4
41	Knee Replacement Bandaging Study (KReBS) evaluating the effect of a two-layer compression bandage system on knee function following total knee arthroplasty: study protocol for a randomised controlled trial. <i>Trials</i> , 2019, 20, 261.	0.7	6
42	Smoking cessation for people with severe mental illness (SCIMITAR+): a pragmatic randomised controlled trial. <i>Lancet Psychiatry</i> , 2019, 6, 379-390.	3.7	126
43	Outcome domains and outcome measures used in studies assessing the effectiveness of interventions to manage non-respiratory sleep disturbances in children with neurodisabilities: a systematic review. <i>BMJ Open</i> , 2019, 9, e027205.	0.8	3
44	Feasibility study of early outpatient review and early cardiac rehabilitation after cardiac surgery: mixed-methods research design—a study protocol. <i>BMJ Open</i> , 2019, 9, e035787.	0.8	4
45	Muslim Communities Learning About Second-hand Smoke in Bangladesh (MCLASS II): study protocol for a cluster randomised controlled trial of a community-based smoke-free homes intervention, with or without Indoor Air Quality feedback. <i>Trials</i> , 2019, 20, 11.	0.7	12
46	Assessing the impact of retraction on the citation of randomized controlled trial reports: an interrupted time-series analysis. <i>Journal of Health Services Research and Policy</i> , 2019, 24, 44-51.	0.8	24
47	Using pens as an incentive for trial recruitment of older adults: An embedded randomised controlled trial. <i>F1000Research</i> , 2019, 8, 315.	0.8	11
48	Does handwriting the name of a potential trial participant on an invitation letter improve recruitment rates? A randomised controlled study within a trial. <i>F1000Research</i> , 2019, 8, 659.	0.8	6
49	The effectiveness of a contingent financial incentive to improve trial follow up; a randomised study within a trial (SWAT). <i>F1000Research</i> , 2019, 8, 1937.	0.8	4
50	A bespoke smoking cessation service compared with treatment as usual for people with severe mental ill health: the SCIMITAR+ RCT. <i>Health Technology Assessment</i> , 2019, 23, 1-116.	1.3	10
51	Protocol for a factorial randomised controlled trial, embedded within WHITE 8 COPAL, of an Enhanced Trainee Principal Investigator Package and Additional Digital Nudge to increase recruitment rates. <i>F1000Research</i> , 2019, 8, 1153.	0.8	3
52	SCIMITAR+ Trial: A randomised study within a trial (SWAT) of a contingent financial reward to improve trial follow-up. <i>F1000Research</i> , 2019, 8, 1937.	0.8	3
53	Remote or on-site visits were feasible for the initial setup meetings with hospitals in a multicenter surgical trial: an embedded randomized trial. <i>Journal of Clinical Epidemiology</i> , 2018, 100, 13-21.	2.4	8
54	A simple technique investigating baseline heterogeneity helped to eliminate potential bias in meta-analyses. <i>Journal of Clinical Epidemiology</i> , 2018, 95, 55-62.	2.4	14

#	ARTICLE	IF	CITATIONS
55	Psychometric validation of the needs assessment tool: progressive disease in interstitial lung disease. <i>Thorax</i> , 2018, 73, 880-883.	2.7	15
56	Randomised controlled feasibility trial of the Active Communication Education programme plus hearing aid provision versus hearing aid provision alone (ACE to HEAR): a study protocol. <i>BMJ Open</i> , 2018, 8, e021502.	0.8	7
57	SSHeW study protocol: does slip resistant footwear reduce slips among healthcare workers? A randomised controlled trial. <i>BMJ Open</i> , 2018, 8, e026023.	0.8	6
58	Can occupational therapist-led home environmental assessment prevent falls in older people? A modified cohort randomised controlled trial protocol. <i>BMJ Open</i> , 2018, 8, e022488.	0.8	18
59	Cost-Effectiveness of a Multifaceted Podiatry Intervention for the Prevention of Falls in Older People: The REducing Falls with Orthoses and a Multifaceted Podiatry Intervention Trial Findings. <i>Gerontology</i> , 2018, 64, 503-512.	1.4	10
60	Non-pharmacological interventions for non-respiratory sleep disturbance in children with neurodisabilities: a systematic review. <i>Developmental Medicine and Child Neurology</i> , 2018, 60, 1076-1092.	1.1	17
61	A study update newsletter or Post-it® note did not increase postal questionnaire response rates in a falls prevention trial: an embedded randomised factorial trial. <i>F1000Research</i> , 2018, 7, 1083.	0.8	3
62	Pharmacological and non-pharmacological interventions for non-respiratory sleep disturbance in children with neurodisabilities: a systematic review. <i>Health Technology Assessment</i> , 2018, 22, 1-296.	1.3	25
63	A nested randomised controlled trial of a newsletter and Post-it® note did not increase postal questionnaire response rates in a falls prevention trial. <i>F1000Research</i> , 2018, 7, 1083.	0.8	3
64	Smoking Cessation Intervention for Severe Mental Ill Health Trial (SCIMITAR+): study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 44.	0.7	15
65	An optimised patient information sheet did not significantly increase recruitment or retention in a falls prevention study: an embedded randomised recruitment trial. <i>Trials</i> , 2017, 18, 144.	0.7	30
66	Cohort Randomised Controlled Trial of a Multifaceted Podiatry Intervention for the Prevention of Falls in Older People (The REFORM Trial). <i>PLoS ONE</i> , 2017, 12, e0168712.	1.1	37
67	Unloading shoes for intermittent claudication: a randomised crossover trial. <i>BMC Cardiovascular Disorders</i> , 2017, 17, 283.	0.7	3
68	Undertaking a randomised controlled trial in the police setting: methodological and practical challenges. <i>Trials</i> , 2017, 18, 615.	0.7	5
69	Effectiveness of a training program for police officers who come into contact with people with mental health problems: A pragmatic randomised controlled trial. <i>PLoS ONE</i> , 2017, 12, e0184377.	1.1	17
70	Youth social behaviour and network therapy (Y-SBNT): adaptation of a family and social network intervention for young people who misuse alcohol and drugs – a randomised controlled feasibility trial. <i>Health Technology Assessment</i> , 2017, 21, 1-260.	1.3	8
71	Clinical effectiveness and cost-effectiveness of a multifaceted podiatry intervention for falls prevention in older people: a multicentre cohort randomised controlled trial (the REducing Falls) <i>Tj ETQq1 1 0.784314 rgBT /Overlock</i> 21, 1-198.	1.3	17
72	Negative pressure wound therapy versus usual care for Surgical Wounds Healing by Secondary Intention (SWHSI trial): study protocol for a randomised controlled pilot trial. <i>Trials</i> , 2016, 17, 535.	0.7	14

#	ARTICLE	IF	CITATIONS
73	Sodium channel-inhibiting drugs and cancer survival: protocol for a cohort study using the CPRD primary care database. <i>BMJ Open</i> , 2016, 6, e011661.	0.8	13
74	Scaphoid Waist Internal Fixation for Fractures Trial (SWIFFT) protocol: a pragmatic multi-centre randomised controlled trial of cast treatment versus surgical fixation for the treatment of bi-cortical, minimally displaced fractures of the scaphoid waist in adults. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 248.	0.8	25
75	Enclosing a pen reduced time to response to questionnaire mailings. <i>Journal of Clinical Epidemiology</i> , 2016, 74, 144-150.	2.4	18
76	Effects of a lifestyle intervention on endothelial function in men on long-term androgen deprivation therapy for prostate cancer. <i>British Journal of Cancer</i> , 2016, 114, 401-408.	2.9	48
77	Sodium channel-inhibiting drugs and survival of breast, colon and prostate cancer: a population-based study. <i>Scientific Reports</i> , 2015, 5, 16758.	1.6	30
78	EverT2â€”needling versus non-surgical debridement for the treatment of verrucae: study protocol for a single-centre randomised controlled trial. <i>BMJ Open</i> , 2015, 5, e009406.	0.8	6
79	Muslim communities learning about second-hand smoke: a pilot cluster randomised controlled trial and cost-effectiveness analysis. <i>Npj Primary Care Respiratory Medicine</i> , 2015, 25, 15052.	1.1	9
80	ADAPTA: A pilot randomised controlled trial of an alcohol-focused intervention versus a healthy living intervention for problem drinkers identified in a general hospital setting. <i>Drug and Alcohol Dependence</i> , 2015, 154, 117-124.	1.6	9
81	Important outcome predictors showed greater baseline heterogeneity than age in two systematic reviews. <i>Journal of Clinical Epidemiology</i> , 2015, 68, 175-181.	2.4	10
82	Does home oxygen therapy (HOT) in addition to standard care reduce disease severity and improve symptoms in people with chronic heart failure? A randomised trial of home oxygen therapy for patients with chronic heart failure. <i>Health Technology Assessment</i> , 2015, 19, 1-120.	1.3	23
83	The REFORM study protocol: a cohort randomised controlled trial of a multifaceted podiatry intervention for the prevention of falls in older people. <i>BMJ Open</i> , 2014, 4, e006977.	0.8	21
84	Exposure to sodium channel-inhibiting drugs and cancer survival: protocol for a cohort study using the QResearch primary care database: TableÂ1. <i>BMJ Open</i> , 2014, 4, e006604.	0.8	19
85	Use of the h-index to measure the quality of the output of health services researchers. <i>Journal of Health Services Research and Policy</i> , 2014, 19, 102-109.	0.8	20
86	Factor analysis of treatment outcomes from a UK specialist addiction service: Relationship between the Leeds Dependence Questionnaire, Social Satisfaction Questionnaire and 10-item Clinical Outcomes in Routine Evaluation. <i>Drug and Alcohol Review</i> , 2014, 33, 643-650.	1.1	7
87	Primary Thromboprophylaxis in Hospices: The Association Between Risk of Venous Thromboembolism and Development of Symptoms. <i>Journal of Pain and Symptom Management</i> , 2014, 48, 56-64.	0.6	18
88	Randomized cohort trial was shown to be feasible for evaluating treatments in low back pain. <i>Journal of Clinical Epidemiology</i> , 2014, 67, 940-946.	2.4	9
89	A methodological review of recent meta-analyses has found significant heterogeneity in age between randomized groups. <i>Journal of Clinical Epidemiology</i> , 2014, 67, 1016-1024.	2.4	18
90	Home hazard assessment and environmental modification to prevent falls in older people: the OTIS trial. <i>F1000Research</i> , 0, 10, 500.	0.8	2

#	ARTICLE	IF	CITATIONS
91	An embedded randomised controlled retention trial of personalised text messages compared to non-personalised text messages in an orthopaedic setting. F1000Research, 0, 9, 591.	0.8	3
92	Using pens as an incentive for questionnaire return in an orthopaedic trial: an embedded randomised controlled retention trial. F1000Research, 0, 9, 321.	0.8	6
93	Using pens as an incentive for questionnaire return in an orthopaedic trial: an embedded randomised controlled retention trial. F1000Research, 0, 9, 321.	0.8	5
94	An embedded randomised controlled retention trial of personalised text messages compared to non-personalised text messages in an orthopaedic setting. F1000Research, 0, 9, 591.	0.8	8
95	Including a pen and/or cover letter, containing social incentive text, had no effect on questionnaire response rate: a factorial randomised controlled Study within a Trial. F1000Research, 0, 9, 623.	0.8	4
96	A 2x2 randomised factorial SWAT of the use of a pen and small, financial incentive to improve recruitment in a randomised controlled trial of yoga for older adults with multimorbidity. F1000Research, 0, 10, 326.	0.8	4