

Raquel Lopez-Mejas

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7443261/raquel-lopez-mejas-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

62

papers

875

citations

19

h-index

27

g-index

73

ext. papers

1,147

ext. citations

4.1

avg, IF

3.78

L-index

#	Paper	IF	Citations
62	Abatacept in patients with rheumatoid arthritis and interstitial lung disease: A national multicenter study of 63 patients. <i>Seminars in Arthritis and Rheumatism</i> , 2018 , 48, 22-27	5.3	79
61	Genetics of immunoglobulin-A vasculitis (Henoch-Schönlein purpura): An updated review. <i>Autoimmunity Reviews</i> , 2018 , 17, 301-315	13.6	50
60	Influence of Antisynthetase Antibodies Specificities on Antisynthetase Syndrome Clinical Spectrum Time Course. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	48
59	Anti-tumor necrosis factor-alpha therapy improves endothelial function and arterial stiffness in patients with moderate to severe psoriasis: A 6-month prospective study. <i>Journal of Dermatology</i> , 2016 , 43, 1267-1272	1.6	41
58	Increased prevalence of subclinical atherosclerosis in patients with hidradenitis suppurativa (HS). <i>Journal of the American Academy of Dermatology</i> , 2016 , 75, 329-35	4.5	32
57	A genome-wide association study suggests the HLA Class II region as the major susceptibility locus for IgA vasculitis. <i>Scientific Reports</i> , 2017 , 7, 5088	4.9	31
56	IgA Vasculitis: Genetics and Clinical and Therapeutic Management. <i>Current Rheumatology Reports</i> , 2018 , 20, 24	4.9	30
55	Timing of onset affects arthritis presentation pattern in antisynthetase syndrome. <i>Clinical and Experimental Rheumatology</i> , 2018 , 36, 44-49	2.2	29
54	Adipokines, biomarkers of endothelial activation, and metabolic syndrome in patients with ankylosing spondylitis. <i>BioMed Research International</i> , 2014 , 2014, 860651	3	28
53	HLA-DRB1 association with Henoch-Schonlein purpura. <i>Arthritis and Rheumatology</i> , 2015 , 67, 823-827	9.5	27
52	High triglycerides and low high-density lipoprotein cholesterol lipid profile in rheumatoid arthritis: A potential link among inflammation, oxidative status, and dysfunctional high-density lipoprotein. <i>Journal of Clinical Lipidology</i> , 2017 , 11, 1043-1054.e2	4.9	26
51	Expression of osteoprotegerin and its ligands, RANKL and TRAIL, in rheumatoid arthritis. <i>Scientific Reports</i> , 2016 , 6, 29713	4.9	25
50	Decreased expression of methylene tetrahydrofolate reductase (MTHFR) gene in patients with rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34, 106-10	2.2	25
49	Osteoprotegerin concentrations relate independently to established cardiovascular disease in rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2015 , 42, 39-45	4.1	23
48	IL-6: linking chronic inflammation and vascular calcification. <i>Nature Reviews Rheumatology</i> , 2019 , 15, 457-459	8.1	22
47	Paraoxonase 1 Activity Is Modulated by the rs662 Polymorphism and IgG Anti-High-Density Lipoprotein Antibodies in Patients With Rheumatoid Arthritis: Potential Implications for Cardiovascular Disease. <i>Arthritis and Rheumatology</i> , 2016 , 68, 1367-76	9.5	21
46	Association of HLA-B*41:02 with Henoch-Schönlein Purpura (IgA Vasculitis) in Spanish individuals irrespective of the HLA-DRB1 status. <i>Arthritis Research and Therapy</i> , 2015 , 17, 102	5.7	21

45	Lack of association between IL6 single nucleotide polymorphisms and cardiovascular disease in Spanish patients with rheumatoid arthritis. <i>Atherosclerosis</i> , 2011 , 219, 655-8	3.1	20
44	Anti-TNF- α therapy reduces endothelial cell activation in non-diabetic ankylosing spondylitis patients. <i>Rheumatology International</i> , 2015 , 35, 2069-78	3.6	19
43	Serum Levels of Anti-PON1 and Anti-HDL Antibodies as Potential Biomarkers of Premature Atherosclerosis in Systemic Lupus Erythematosus. <i>Thrombosis and Haemostasis</i> , 2017 , 117, 2194-2206	7	18
42	Rapid beneficial effect of the IL-6 receptor blockade on insulin resistance and insulin sensitivity in non-diabetic patients with rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2019 , 37, 465-473	2.2	18
41	Cross-phenotype analysis of ImmunoChip data identifies a relevant for the development of systemic vasculitis. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 589-595	2.4	16
40	Angiopietin-2 serum levels correlate with severity, early onset and cardiovascular disease in patients with rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2013 , 31, 761-6	2.2	16
39	Identification of a 3TUntranslated Genetic Variant of RARB Associated With Carotid Intima-Media Thickness in Rheumatoid Arthritis: A Genome-Wide Association Study. <i>Arthritis and Rheumatology</i> , 2019 , 71, 351-360	9.5	15
38	Antibodies to paraoxonase 1 are associated with oxidant status and endothelial activation in rheumatoid arthritis. <i>Clinical Science</i> , 2016 , 130, 1889-99	6.5	12
37	The lp13.3 genomic region -rs599839- is associated with endothelial dysfunction in patients with rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2012 , 14, R42	5.7	11
36	Protein tyrosine phosphatase non-receptor 22 and C-Src tyrosine kinase genes are down-regulated in patients with rheumatoid arthritis. <i>Scientific Reports</i> , 2017 , 7, 10525	4.9	10
35	Association of Trabecular Bone Score with Inflammation and Adiposity in Patients with Psoriasis: Effect of Adalimumab Therapy. <i>Journal of Osteoporosis</i> , 2016 , 2016, 5747852	2.8	10
34	Asymmetric dimethylarginine but not osteoprotegerin correlates with disease severity in patients with moderate-to-severe psoriasis undergoing anti-tumor necrosis factor- α therapy. <i>Journal of Dermatology</i> , 2016 , 43, 389-94	1.6	10
33	Insulin resistance in systemic lupus erythematosus patients: contributing factors and relationship with subclinical atherosclerosis. <i>Clinical and Experimental Rheumatology</i> , 2017 , 35, 885-892	2.2	10
32	Proprotein convertase subtilisin/kexin type 9 in rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34, 1013-1019	2.2	9
31	Role of PTPN22 and CSK gene polymorphisms as predictors of susceptibility and clinical heterogeneity in patients with Henoch-Schlelein purpura (IgA vasculitis). <i>Arthritis Research and Therapy</i> , 2015 , 17, 286	5.7	8
30	Incretins in patients with rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2017 , 19, 229	5.7	8
29	A predominant involvement of the triple seropositive patients and others with rheumatoid factor in the association of smoking with rheumatoid arthritis. <i>Scientific Reports</i> , 2020 , 10, 3355	4.9	7
28	Influence of MUC5B gene on antisyntetase syndrome. <i>Scientific Reports</i> , 2020 , 10, 1415	4.9	7

27	Association of circulating calprotectin with lipid profile in axial spondyloarthritis. <i>Scientific Reports</i> , 2018 , 8, 13728	4.9	7
26	Lack of association between IL6 gene and Henoch-Schönlein purpura. <i>Clinical and Experimental Rheumatology</i> , 2014 , 32, S141-2	2.2	7
25	Omentin: a biomarker of cardiovascular risk in individuals with axial spondyloarthritis. <i>Scientific Reports</i> , 2020 , 10, 9636	4.9	6
24	HLA-B*08 Identified as the Most Prominently Associated Major Histocompatibility Complex Locus for Anti-Carbamylated Protein Antibody-Positive/Anti-Cyclic Citrullinated Peptide-Negative Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2021 , 73, 963-969	9.5	6
23	Relationship Between Insulin Sensitivity and βCell Secretion in Nondiabetic Subjects with Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , 2019 , 46, 229-236	4.1	6
22	Relationship between endothelial dysfunction and osteoprotegerin, vitamin D, and bone mineral density in patients with rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2015 , 33, 241-9	2.2	6
21	TNF-related apoptosis-inducing ligand and cardiovascular disease in rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2015 , 33, 491-7	2.2	6
20	Lack of association between JAK3 gene polymorphisms and cardiovascular disease in Spanish patients with rheumatoid arthritis. <i>BioMed Research International</i> , 2015 , 2015, 318364	3	5
19	Carotid ultrasound is useful for the cardiovascular risk stratification in patients with hidradenitis suppurativa. <i>PLoS ONE</i> , 2018 , 13, e0190568	3.7	5
18	Endothelial Progenitor Cells as a Potential Biomarker in Interstitial Lung Disease Associated with Rheumatoid Arthritis. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	5
17	Implication of osteoprotegerin and sclerostin in axial spondyloarthritis cardiovascular disease: study of 163 Spanish patients. <i>Clinical and Experimental Rheumatology</i> , 2018 , 36, 302-309	2.2	5
16	The presence of both HLA-DRB1[*]04:01 and HLA-B[*]15:01 increases the susceptibility to cranial and extracranial giant cell arteritis. <i>Clinical and Experimental Rheumatology</i> , 2021 , 39, 21-26	2.2	5
15	HLA association with the susceptibility to anti-synthetase syndrome. <i>Joint Bone Spine</i> , 2021 , 88, 105115	2.9	3
14	Vaspin in atherosclerotic disease and cardiovascular risk in axial spondyloarthritis: a genetic and serological study. <i>Arthritis Research and Therapy</i> , 2021 , 23, 111	5.7	2
13	BAFF, APRIL and BAFFR on the pathogenesis of Immunoglobulin-A vasculitis. <i>Scientific Reports</i> , 2021 , 11, 11510	4.9	2
12	Amylin in the insulin resistance of patients with rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2018 , 36, 421-427	2.2	2
11	Implication of CXCL5 (epithelial neutrophil-activating peptide 78) in the development of insulin resistance in patients with rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2019 , 37, 373-379	3.7	2
10	Identification of a shared genetic risk locus for Kawasaki disease and IgA vasculitis by a cross-phenotype meta-analysis. <i>Rheumatology</i> , 2021 ,	3.9	1

9	Endothelial Progenitor Cells: Relevant Players in the Vasculopathy and Lung Fibrosis Associated with the Presence of Interstitial Lung Disease in Systemic Sclerosis Patients. <i>Biomedicines</i> , 2021 , 9,	4.8	1
8	Role of the IL33 and IL1RL1 pathway in the pathogenesis of Immunoglobulin A vasculitis. <i>Scientific Reports</i> , 2021 , 11, 16163	4.9	1
7	Comparable effects of traditional cardiovascular risk factors on subclinical atherosclerosis in systemic lupus erythematosus and rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2020 , 38, 917-924	2.2	1
6	The role of a functional variant of TYK2 in vasculitides and infections. <i>Clinical and Experimental Rheumatology</i> , 2020 , 38, 949-955	2.2	1
5	Clinical spectrum time course in non-Asian patients positive for anti-MDA5 antibodies. <i>Clinical and Experimental Rheumatology</i> , 2022 , 40, 274-283	2.2	1
4	Role of MUC1 rs4072037 polymorphism and serum KL-6 levels in patients with antisynthetase syndrome. <i>Scientific Reports</i> , 2021 , 11, 22574	4.9	0
3	Influence of IL17A gene on the pathogenesis of immunoglobulin-A vasculitis. <i>Clinical and Experimental Rheumatology</i> , 2020 , 38 Suppl 124, 166-170	2.2	
2	Role of IRF5 in the pathogenesis of immunoglobulin-A vasculitis. <i>Clinical and Experimental Rheumatology</i> , 2020 , 38 Suppl 124, 182-187	2.2	
1	Clinical spectrum time course in non-Asian patients positive for anti-MDA5 antibodies.. <i>Clinical and Experimental Rheumatology</i> , 2022 , 40, 274-283	2.2	