

Raquel Lopez-Mejas

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7443261/raquel-lopez-mejias-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

62

papers

875

citations

19

h-index

27

g-index

73

ext. papers

1,147

ext. citations

4.1

avg, IF

3.78

L-index

#	Paper	IF	Citations
62	Clinical spectrum time course in non-Asian patients positive for anti-MDA5 antibodies. <i>Clinical and Experimental Rheumatology</i> , 2022 , 40, 274-283	2.2	1
61	Clinical spectrum time course in non-Asian patients positive for anti-MDA5 antibodies.. <i>Clinical and Experimental Rheumatology</i> , 2022 , 40, 274-283	2.2	
60	Role of MUC1 rs4072037 polymorphism and serum KL-6 levels in patients with antisynthetase syndrome. <i>Scientific Reports</i> , 2021 , 11, 22574	4.9	0
59	Vaspin in atherosclerotic disease and cardiovascular risk in axial spondyloarthritis: a genetic and serological study. <i>Arthritis Research and Therapy</i> , 2021 , 23, 111	5.7	2
58	HLA-B*08 Identified as the Most Prominently Associated Major Histocompatibility Complex Locus for Anti-Carbamylated Protein Antibody-Positive/Anti-Cyclic Citrullinated Peptide-Negative Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2021 , 73, 963-969	9.5	6
57	Identification of a shared genetic risk locus for Kawasaki disease and IgA vasculitis by a cross-phenotype meta-analysis. <i>Rheumatology</i> , 2021 ,	3.9	1
56	BAFF, APRIL and BAFFR on the pathogenesis of Immunoglobulin-A vasculitis. <i>Scientific Reports</i> , 2021 , 11, 11510	4.9	2
55	Endothelial Progenitor Cells: Relevant Players in the Vasculopathy and Lung Fibrosis Associated with the Presence of Interstitial Lung Disease in Systemic Sclerosis Patients. <i>Biomedicines</i> , 2021 , 9,	4.8	1
54	HLA association with the susceptibility to anti-synthetase syndrome. <i>Joint Bone Spine</i> , 2021 , 88, 105115	2.9	3
53	Role of the IL33 and IL1RL1 pathway in the pathogenesis of Immunoglobulin A vasculitis. <i>Scientific Reports</i> , 2021 , 11, 16163	4.9	1
52	The presence of both HLA-DRB1[*]04:01 and HLA-B[*]15:01 increases the susceptibility to cranial and extracranial giant cell arteritis. <i>Clinical and Experimental Rheumatology</i> , 2021 , 39, 21-26	2.2	5
51	Omentin: a biomarker of cardiovascular risk in individuals with axial spondyloarthritis. <i>Scientific Reports</i> , 2020 , 10, 9636	4.9	6
50	A predominant involvement of the triple seropositive patients and others with rheumatoid factor in the association of smoking with rheumatoid arthritis. <i>Scientific Reports</i> , 2020 , 10, 3355	4.9	7
49	Influence of MUC5B gene on antisynthetase syndrome. <i>Scientific Reports</i> , 2020 , 10, 1415	4.9	7
48	Endothelial Progenitor Cells as a Potential Biomarker in Interstitial Lung Disease Associated with Rheumatoid Arthritis. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	5
47	Comparable effects of traditional cardiovascular risk factors on subclinical atherosclerosis in systemic lupus erythematosus and rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2020 , 38, 917-924	2.2	1
46	The role of a functional variant of TYK2 in vasculitides and infections. <i>Clinical and Experimental Rheumatology</i> , 2020 , 38, 949-955	2.2	1

45	Influence of IL17A gene on the pathogenesis of immunoglobulin-A vasculitis. <i>Clinical and Experimental Rheumatology</i> , 2020 , 38 Suppl 124, 166-170	2.2	
44	Role of IRF5 in the pathogenesis of immunoglobulin-A vasculitis. <i>Clinical and Experimental Rheumatology</i> , 2020 , 38 Suppl 124, 182-187	2.2	
43	IL-6: linking chronic inflammation and vascular calcification. <i>Nature Reviews Rheumatology</i> , 2019 , 15, 457-459	8.1	22
42	Influence of Antisynthetase Antibodies Specificities on Antisynthetase Syndrome Clinical Spectrum Time Course. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	48
41	Identification of a 3FUtranslated Genetic Variant of RARB Associated With Carotid Intima-Media Thickness in Rheumatoid Arthritis: A Genome-Wide Association Study. <i>Arthritis and Rheumatology</i> , 2019 , 71, 351-360	9.5	15
40	Relationship Between Insulin Sensitivity and ECell Secretion in Nondiabetic Subjects with Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , 2019 , 46, 229-236	4.1	6
39	Implication of CXCL5 (epithelial neutrophil-activating peptide 78) in the development of insulin resistance in patients with rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2019 , 37, 373-379	2.2	2
38	Rapid beneficial effect of the IL-6 receptor blockade on insulin resistance and insulin sensitivity in non-diabetic patients with rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2019 , 37, 465-473	2.2	18
37	IgA Vasculitis: Genetics and Clinical and Therapeutic Management. <i>Current Rheumatology Reports</i> , 2018 , 20, 24	4.9	30
36	Cross-phenotype analysis of ImmunoChip data identifies as a relevant for the development of systemic vasculitis. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 589-595	2.4	16
35	Genetics of immunoglobulin-A vasculitis (Henoch-Schlelein purpura): An updated review. <i>Autoimmunity Reviews</i> , 2018 , 17, 301-315	13.6	50
34	Abatacept in patients with rheumatoid arthritis and interstitial lung disease: A national multicenter study of 63 patients. <i>Seminars in Arthritis and Rheumatism</i> , 2018 , 48, 22-27	5.3	79
33	Carotid ultrasound is useful for the cardiovascular risk stratification in patients with hidradenitis suppurativa. <i>PLoS ONE</i> , 2018 , 13, e0190568	3.7	5
32	Association of circulating calprotectin with lipid profile in axial spondyloarthritis. <i>Scientific Reports</i> , 2018 , 8, 13728	4.9	7
31	Timing of onset affects arthritis presentation pattern in antisynthetase syndrome. <i>Clinical and Experimental Rheumatology</i> , 2018 , 36, 44-49	2.2	29
30	Implication of osteoprotegerin and sclerostin in axial spondyloarthritis cardiovascular disease: study of 163 Spanish patients. <i>Clinical and Experimental Rheumatology</i> , 2018 , 36, 302-309	2.2	5
29	Amylin in the insulin resistance of patients with rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2018 , 36, 421-427	2.2	2
28	High triglycerides and low high-density lipoprotein cholesterol lipid profile in rheumatoid arthritis: A potential link among inflammation, oxidative status, and dysfunctional high-density lipoprotein. <i>Journal of Clinical Lipidology</i> , 2017 , 11, 1043-1054.e2	4.9	26

27	Incretins in patients with rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2017 , 19, 229	5.7	8
26	Protein tyrosine phosphatase non-receptor 22 and C-Src tyrosine kinase genes are down-regulated in patients with rheumatoid arthritis. <i>Scientific Reports</i> , 2017 , 7, 10525	4.9	10
25	A genome-wide association study suggests the HLA Class II region as the major susceptibility locus for IgA vasculitis. <i>Scientific Reports</i> , 2017 , 7, 5088	4.9	31
24	Serum Levels of Anti-PON1 and Anti-HDL Antibodies as Potential Biomarkers of Premature Atherosclerosis in Systemic Lupus Erythematosus. <i>Thrombosis and Haemostasis</i> , 2017 , 117, 2194-2206	7	18
23	Insulin resistance in systemic lupus erythematosus patients: contributing factors and relationship with subclinical atherosclerosis. <i>Clinical and Experimental Rheumatology</i> , 2017 , 35, 885-892	2.2	10
22	Paraoxonase 1 Activity Is Modulated by the rs662 Polymorphism and IgG Anti-High-Density Lipoprotein Antibodies in Patients With Rheumatoid Arthritis: Potential Implications for Cardiovascular Disease. <i>Arthritis and Rheumatology</i> , 2016 , 68, 1367-76	9.5	21
21	Increased prevalence of subclinical atherosclerosis in patients with hidradenitis suppurativa (HS). <i>Journal of the American Academy of Dermatology</i> , 2016 , 75, 329-35	4.5	32
20	Anti-tumor necrosis factor-alpha therapy improves endothelial function and arterial stiffness in patients with moderate to severe psoriasis: A 6-month prospective study. <i>Journal of Dermatology</i> , 2016 , 43, 1267-1272	1.6	41
19	Association of Trabecular Bone Score with Inflammation and Adiposity in Patients with Psoriasis: Effect of Adalimumab Therapy. <i>Journal of Osteoporosis</i> , 2016 , 2016, 5747852	2.8	10
18	Asymmetric dimethylarginine but not osteoprotegerin correlates with disease severity in patients with moderate-to-severe psoriasis undergoing anti-tumor necrosis factor- α therapy. <i>Journal of Dermatology</i> , 2016 , 43, 389-94	1.6	10
17	Expression of osteoprotegerin and its ligands, RANKL and TRAIL, in rheumatoid arthritis. <i>Scientific Reports</i> , 2016 , 6, 29713	4.9	25
16	Antibodies to paraoxonase 1 are associated with oxidant status and endothelial activation in rheumatoid arthritis. <i>Clinical Science</i> , 2016 , 130, 1889-99	6.5	12
15	Decreased expression of methylene tetrahydrofolate reductase (MTHFR) gene in patients with rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34, 106-10	2.2	25
14	Proprotein convertase subtilisin/kexin type 9 in rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34, 1013-1019	2.2	9
13	HLA-DRB1 association with Henoch-Schonlein purpura. <i>Arthritis and Rheumatology</i> , 2015 , 67, 823-827	9.5	27
12	Anti-TNF- α therapy reduces endothelial cell activation in non-diabetic ankylosing spondylitis patients. <i>Rheumatology International</i> , 2015 , 35, 2069-78	3.6	19
11	Role of PTPN22 and CSK gene polymorphisms as predictors of susceptibility and clinical heterogeneity in patients with Henoch-Schönlein purpura (IgA vasculitis). <i>Arthritis Research and Therapy</i> , 2015 , 17, 286	5.7	8
10	Osteoprotegerin concentrations relate independently to established cardiovascular disease in rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2015 , 42, 39-45	4.1	23

9	Lack of association between JAK3 gene polymorphisms and cardiovascular disease in Spanish patients with rheumatoid arthritis. <i>BioMed Research International</i> , 2015 , 2015, 318364	3	5
8	Association of HLA-B*41:02 with Henoch-Schönlein Purpura (IgA Vasculitis) in Spanish individuals irrespective of the HLA-DRB1 status. <i>Arthritis Research and Therapy</i> , 2015 , 17, 102	5.7	21
7	Relationship between endothelial dysfunction and osteoprotegerin, vitamin D, and bone mineral density in patients with rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2015 , 33, 241-9	2.2	6
6	TNF-related apoptosis-inducing ligand and cardiovascular disease in rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2015 , 33, 491-7	2.2	6
5	Adipokines, biomarkers of endothelial activation, and metabolic syndrome in patients with ankylosing spondylitis. <i>BioMed Research International</i> , 2014 , 2014, 860651	3	28
4	Lack of association between IL6 gene and Henoch-Schönlein purpura. <i>Clinical and Experimental Rheumatology</i> , 2014 , 32, S141-2	2.2	7
3	Angiopietin-2 serum levels correlate with severity, early onset and cardiovascular disease in patients with rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2013 , 31, 761-6	2.2	16
2	The lp13.3 genomic region -rs599839- is associated with endothelial dysfunction in patients with rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2012 , 14, R42	5.7	11
1	Lack of association between IL6 single nucleotide polymorphisms and cardiovascular disease in Spanish patients with rheumatoid arthritis. <i>Atherosclerosis</i> , 2011 , 219, 655-8	3.1	20