

Katsunori Imai

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7443689/publications.pdf>

Version: 2024-02-01

173
papers

2,544
citations

236925

25
h-index

289244

40
g-index

176
all docs

176
docs citations

176
times ranked

3824
citing authors

#	ARTICLE	IF	CITATIONS
1	The microbiome and hepatobiliary-pancreatic cancers. <i>Cancer Letters</i> , 2017, 402, 9-15.	7.2	105
2	Tumour-infiltrating inflammatory and immune cells in patients with extrahepatic cholangiocarcinoma. <i>British Journal of Cancer</i> , 2018, 118, 171-180.	6.4	98
3	Identification of a Novel Tumor-Associated Antigen, Cadherin 3/P-Cadherin, as a Possible Target for Immunotherapy of Pancreatic, Gastric, and Colorectal Cancers. <i>Clinical Cancer Research</i> , 2008, 14, 6487-6495.	7.0	94
4	Early Recurrence After Hepatectomy for Colorectal Liver Metastases: What Optimal Definition and What Predictive Factors?. <i>Oncologist</i> , 2016, 21, 887-894.	3.7	87
5	Chemotherapy and Targeted Therapy for Patients with Initially Unresectable Colorectal Liver Metastases, Focusing on Conversion Hepatectomy and Long-Term Survival. <i>Annals of Surgical Oncology</i> , 2014, 21, 405-413.	1.5	80
6	Functional assessment versus conventional volumetric assessment in the prediction of operative outcomes after major hepatectomy. <i>Surgery</i> , 2015, 157, 20-26.	1.9	69
7	The role of intestinal bacteria in the development and progression of gastrointestinal tract neoplasms. <i>Surgical Oncology</i> , 2017, 26, 368-376.	1.6	67
8	Surgery of Colorectal Liver Metastases: Pushing the Limits. <i>Liver Cancer</i> , 2017, 6, 80-89.	7.7	66
9	The Prognostic Impact of Controlling Nutritional Status (CONUT) in Intrahepatic Cholangiocarcinoma Following Curative Hepatectomy: A Retrospective Single Institution Study. <i>World Journal of Surgery</i> , 2018, 42, 1085-1091.	1.6	59
10	How to increase the resectability of initially unresectable colorectal liver metastases: A surgical perspective. <i>Annals of Gastroenterological Surgery</i> , 2019, 3, 476-486.	2.4	58
11	Failure to Achieve a 2-Stage Hepatectomy for Colorectal Liver Metastases. <i>Annals of Surgery</i> , 2015, 262, 772-779.	4.2	57
12	PD-L1 expression enhancement by infiltrating macrophage-derived tumor necrosis factor- α leads to poor pancreatic cancer prognosis. <i>Cancer Science</i> , 2019, 110, 310-320.	3.9	45
13	Effects of Preoperative Neutrophil-to-Lymphocyte and Platelet-to-Lymphocyte Ratios on Survival in Patients with Extrahepatic Cholangiocarcinoma. <i>Anticancer Research</i> , 2017, 37, 3229-3237.	1.1	44
14	Lysyl oxidase induces epithelial-mesenchymal transition and predicts intrahepatic metastasis of hepatocellular carcinoma. <i>Cancer Science</i> , 2019, 110, 2033-2043.	3.9	41
15	Statin attenuates cell proliferative ability via TAZ (WWTR1) in hepatocellular carcinoma. <i>Medical Oncology</i> , 2016, 33, 123.	2.5	40
16	Effect of branched-chain amino acid supplementation on functional liver regeneration in patients undergoing portal vein embolization and sequential hepatectomy: a randomized controlled trial. <i>Journal of Gastroenterology</i> , 2015, 50, 1197-1205.	5.1	38
17	Primary tumour location affects survival after resection of colorectal liver metastases: A two-institutional cohort study with international validation, systematic meta-analysis and a clinical risk score. <i>PLoS ONE</i> , 2019, 14, e0217411.	2.5	36
18	C5a receptor (CD88) promotes motility and invasiveness of gastric cancer by activating RhoA. <i>Oncotarget</i> , 2016, 7, 84798-84809.	1.8	36

#	ARTICLE	IF	CITATIONS
19	High CD44s expression is associated with the EMT expression profile and intrahepatic dissemination of hepatocellular carcinoma after local ablation therapy. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2013, 20, 429-434.	2.6	34
20	Downregulation of 15 α -hydroxyprostaglandin dehydrogenase by interleukin α 1 β from activated macrophages leads to poor prognosis in pancreatic cancer. <i>Cancer Science</i> , 2018, 109, 462-470.	3.9	33
21	Sarcopenia Affects Systemic and Local Immune System and Impacts Postoperative Outcome in Patients with Extrahepatic Cholangiocarcinoma. <i>World Journal of Surgery</i> , 2019, 43, 2271-2280.	1.6	33
22	Cellular Senescence, Represented by Expression of Caveolin-1, in Cancer-Associated Fibroblasts Promotes Tumor Invasion in Pancreatic Cancer. <i>Annals of Surgical Oncology</i> , 2019, 26, 1552-1559.	1.5	33
23	Clinical Significance of PD-L1 Expression in Both Cancer and Stroma Cells of Cholangiocarcinoma Patients. <i>Annals of Surgical Oncology</i> , 2020, 27, 599-607.	1.5	33
24	The Prognostic Impact of Primary Tumor Site Differs According to the KRAS Mutational Status. <i>Annals of Surgery</i> , 2021, 273, 1165-1172.	4.2	33
25	Salvage treatment for local recurrence of hepatocellular carcinoma after local ablation therapy. <i>Hepatology Research</i> , 2014, 44, E335-45.	3.4	29
26	Impact of Surgical Treatment for Recurrence After 2-Stage Hepatectomy for Colorectal Liver Metastases, on Patient Outcome. <i>Annals of Surgery</i> , 2019, 269, 322-330.	4.2	29
27	Clinical usefulness of postoperative C-reactive protein/albumin ratio in pancreatic ductal adenocarcinoma. <i>American Journal of Surgery</i> , 2018, 216, 111-115.	1.8	26
28	KRAS, BRAF, and PIK3CA mutations, and patient prognosis in 126 pancreatic cancers: pyrosequencing technology and literature review. <i>Medical Oncology</i> , 2016, 33, 32.	2.5	25
29	Combined Hepatic Resection and Radio-frequency Ablation for Patients with Colorectal Cancer Liver Metastasis: A Viable Option for Patients with a Large Number of Tumors. <i>Anticancer Research</i> , 2018, 38, 6353-6360.	1.1	25
30	Relationship between <i>Fusobacterium nucleatum</i> and antitumor immunity in colorectal cancer liver metastasis. <i>Cancer Science</i> , 2021, 112, 4470-4477.	3.9	25
31	Post-chemotherapeutic CEA and CA19-9 are prognostic factors in patients with colorectal liver metastases treated with hepatic resection after oxaliplatin-based chemotherapy. <i>Anticancer Research</i> , 2015, 35, 2359-68.	1.1	25
32	Clinicopathological and Prognostic Significance of Preoperative Serum Zinc Status in Patients with Hepatocellular Carcinoma After Initial Hepatectomy. <i>Annals of Surgical Oncology</i> , 2014, 21, 3817-3826.	1.5	24
33	Preoperative platelet-to-lymphocyte ratio can predict recurrence beyond the Milan criteria after hepatectomy for patients with hepatocellular carcinoma. <i>Hepatology Research</i> , 2017, 47, 991-999.	3.4	24
34	Microvascular Invasion in Small-sized Hepatocellular Carcinoma: Significance for Outcomes Following Hepatectomy and Radiofrequency Ablation. <i>Anticancer Research</i> , 2018, 38, 1053-1060.	1.1	24
35	The diagnostic role of the neutrophil-to-lymphocyte ratio in predicting pancreatic ductal adenocarcinoma in patients with pancreatic diseases. <i>International Journal of Clinical Oncology</i> , 2016, 21, 940-945.	2.2	22
36	Remnant liver volume-based predictors of postoperative liver dysfunction after hepatectomy: analysis of 625 consecutive patients from a single institution. <i>International Journal of Clinical Oncology</i> , 2014, 19, 614-621.	2.2	21

#	ARTICLE	IF	CITATIONS
37	Shape and Enhancement Characteristics of Pancreatic Neuroendocrine Tumor on Preoperative Contrast-enhanced Computed Tomography May be Prognostic Indicators. <i>Annals of Surgical Oncology</i> , 2017, 24, 1399-1405.	1.5	21
38	Inhibition of 15-PGDH causes Kras-driven tumor expansion through prostaglandin E2-ALDH1 signaling in the pancreas. <i>Oncogene</i> , 2019, 38, 1211-1224.	5.9	21
39	CYLD downregulation is correlated with tumor development in patients with hepatocellular carcinoma. <i>Molecular and Clinical Oncology</i> , 2013, 1, 309-314.	1.0	20
40	Frailty is associated with poor prognosis after resection for pancreatic cancer. <i>International Journal of Clinical Oncology</i> , 2021, 26, 1938-1946.	2.2	20
41	Significance of P-cadherin overexpression and possible mechanism of its regulation in intrahepatic cholangiocarcinoma and pancreatic cancer. <i>Cancer Science</i> , 2015, 106, 1153-1162.	3.9	19
42	Diverse Basis of β -Catenin Activation in Human Hepatocellular Carcinoma: Implications in Biology and Prognosis. <i>PLoS ONE</i> , 2016, 11, e0152695.	2.5	18
43	Antiviral therapy and long-term outcome for hepatitis B virus-related hepatocellular carcinoma after curative liver resection in a Japanese cohort. <i>Anticancer Research</i> , 2015, 35, 1647-55.	1.1	18
44	Anterior approach for right hepatectomy with hanging maneuver for hepatocellular carcinoma: a multi-institutional propensity score-matching study. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2017, 24, 127-136.	2.6	17
45	LINE-1 methylation level and prognosis in pancreas cancer: pyrosequencing technology and literature review. <i>Surgery Today</i> , 2017, 47, 1450-1459.	1.5	16
46	Multicentre study of perioperative versus adjuvant chemotherapy for resectable colorectal liver metastases. <i>BJS Open</i> , 2019, 3, 678-686.	1.7	16
47	Clinical Usefulness of Perioperative C-reactive Protein/Albumin Ratio in Patients With Intrahepatic Cholangiocarcinoma: A Retrospective Single Institutional Study. <i>Anticancer Research</i> , 2019, 39, 2641-2646.	1.1	16
48	Metabolic shift to serine biosynthesis through 3-PG accumulation and PHGDH induction promotes tumor growth in pancreatic cancer. <i>Cancer Letters</i> , 2021, 523, 29-42.	7.2	16
49	Clinical Significances of Preoperative Classification of Intrahepatic Cholangiocarcinoma: Different Characteristics of Perihilar vs. Peripheral ICC. <i>Anticancer Research</i> , 2016, 36, 6563-6570.	1.1	16
50	Using Artificial Intelligence to Find the Optimal Margin Width in Hepatectomy for Colorectal Cancer Liver Metastases. <i>JAMA Surgery</i> , 2022, 157, e221819.	4.3	16
51	Preoperative prediction of poorly differentiated components in small-sized hepatocellular carcinoma for safe local ablation therapy. <i>Journal of Surgical Oncology</i> , 2009, 100, 121-126.	1.7	15
52	Multimodal radiofrequency ablation versus laparoscopic hepatic resection for the treatment of primary hepatocellular carcinoma within Milan criteria in severely cirrhotic patients: long-term favorable outcomes over 10 years. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2019, 33, 46-51.	2.4	15
53	Effectiveness of surgery for recurrent cholangiocarcinoma: A single center experience and brief literature review. <i>American Journal of Surgery</i> , 2020, 219, 175-180.	1.8	15
54	Histological architectural classification determines recurrence pattern and prognosis after curative hepatectomy in patients with hepatocellular carcinoma. <i>PLoS ONE</i> , 2018, 13, e0203856.	2.5	14

#	ARTICLE	IF	CITATIONS
55	The optimal cut-off values for tumor size, number of lesions, and CEA levels in patients with surgically treated colorectal cancer liver metastases: An international, multi-institutional study. <i>Journal of Surgical Oncology</i> , 2021, 123, 939-948.	1.7	14
56	Prognostic value of LINE-1 methylation level in 321 patients with primary liver cancer including hepatocellular carcinoma and intrahepatic cholangiocarcinoma. <i>Oncotarget</i> , 2018, 9, 20795-20806.	1.8	14
57	Predictive factors of pathological vascular invasion in hepatocellular carcinoma within 3 cm and three nodules without radiological vascular invasion. <i>Hepatology Research</i> , 2016, 46, 985-991.	3.4	13
58	Clinical role of fludeoxyglucose (18F) positron emission tomography/computed tomography (18F-FDG) Tj ETQq0 0.0rgBT /Overlock 10	1.5	13
59	Implication of primary tumor location for the indication of preoperative chemotherapy in patients with colorectal liver metastases. <i>Hpb</i> , 2019, 21, 405-412.	0.3	13
60	Ectopic hepatocellular carcinoma mimicking a retroperitoneal tumor: A case report. <i>World Journal of Gastroenterology</i> , 2020, 26, 2268-2275.	3.3	13
61	Prognostic impacts of postoperative complications in patients with intrahepatic cholangiocarcinoma after curative operations. <i>International Journal of Clinical Oncology</i> , 2017, 22, 526-532.	2.2	12
62	Survival impact of lymphocyte infiltration into the tumor of hepatocellular carcinoma in hepatitis B virus-positive or non-B non-C patients who underwent curative resection. <i>Hepatology Research</i> , 2018, 48, E126-E132.	3.4	12
63	Clinical significance of half-lives of tumor markers α -fetoprotein and des- γ -carboxy prothrombin after hepatectomy for hepatocellular carcinoma. <i>Hepatology Research</i> , 2018, 48, E183-E193.	3.4	12
64	Perioperative Allogeneic Blood Transfusion Does not Influence Patient Survival After Hepatectomy for Hepatocellular Carcinoma: A Propensity Score Matching Analysis. <i>World Journal of Surgery</i> , 2019, 43, 2894-2901.	1.6	12
65	A Novel Oxygen Carrier (M101) Attenuates Ischemia-Reperfusion Injuries during Static Cold Storage in Steatotic Livers. <i>International Journal of Molecular Sciences</i> , 2021, 22, 8542.	4.1	12
66	Multicystic biliary hamartoma with extremely elevated CA19-9: a case report. <i>Scandinavian Journal of Gastroenterology</i> , 2017, 52, 916-919.	1.5	11
67	Linear Stapling Device with Pre-attached Bioabsorbable Polyglycolic Acid Felt Reduces Postoperative Pancreatic Fistula After Distal Pancreatectomy. <i>Anticancer Research</i> , 2017, 37, 1865-1868.	1.1	11
68	The predictors and oncological outcomes of repeat surgery for recurrence after hepatectomy for colorectal liver metastases. <i>International Journal of Clinical Oncology</i> , 2018, 23, 908-916.	2.2	10
69	Hepatic sclerosed hemangioma with special attention to diffusion-weighted magnetic resonance imaging. <i>Surgical Case Reports</i> , 2018, 4, 3.	0.6	10
70	Clinical significance of evaluating endoscopic response to neoadjuvant chemotherapy in esophageal squamous cell carcinoma. <i>Digestive Endoscopy</i> , 2020, 32, 39-48.	2.3	10
71	Preoperative C-reactive protein-to-albumin ratio and clinical outcomes after resection of colorectal liver metastases. <i>Surgical Oncology</i> , 2020, 35, 243-248.	1.6	10
72	Proposal of a novel H category-based classification of colorectal liver metastases based on a Japanese nationwide survey. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2021, 28, 317-326.	2.6	10

#	ARTICLE	IF	CITATIONS
73	Carcinoembryonic antigen half-life is an early predictor of therapeutic effects in induction chemotherapy for liver metastases from colorectal cancer. <i>Anticancer Research</i> , 2014, 34, 5529-35.	1.1	10
74	Suitability of livers for transplantation when treated by normothermic machine perfusion. <i>Clinical Transplantation</i> , 2018, 32, e13256.	1.6	9
75	Surgical treatment strategy for hepatocellular carcinoma in patients with impaired liver function: hepatic resection or radiofrequency ablation?. <i>Hpb</i> , 2018, 20, 244-250.	0.3	9
76	Usefulness of 18-FDG PET/CT in Detecting Malignancy in Intraductal Papillary Mucinous Neoplasms of the Pancreas. <i>Anticancer Research</i> , 2019, 39, 2493-2499.	1.1	9
77	Is disease progression a contraindication for the strategy of portal vein embolization followed by hepatectomy for hepatocellular carcinoma?. <i>Surgery</i> , 2019, 165, 696-702.	1.9	9
78	Varied application of intercostal trans-diaphragmatic ports for laparoscopic hepatectomy. <i>PLoS ONE</i> , 2020, 15, e0234919.	2.5	9
79	The Impact of Histologic Liver Inflammation on Oncology and the Prognosis of Patients Undergoing Hepatectomy for Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , 2022, 29, 893-902.	1.5	9
80	The interplay of KRAS mutational status with tumor laterality in non-metastatic colorectal cancer: An international, multi-institutional study in patients with known KRAS, BRAF, and MSI status. <i>Journal of Surgical Oncology</i> , 2021, 123, 1005-1014.	1.7	9
81	Clinical Benefits of Lymph Node Dissection in Intrahepatic Cholangiocarcinoma: A Retrospective Single-institution Study. <i>Anticancer Research</i> , 2017, 37, 2673-2677.	1.1	9
82	Endoscopic radiofrequency ablation in elderly patients with hepatocellular carcinoma. <i>Anticancer Research</i> , 2015, 35, 3033-40.	1.1	9
83	Successful conservative treatment of pneumatosis intestinalis associated with intraperitoneal free air: report of a case. <i>Surgery Today</i> , 2012, 42, 992-996.	1.5	8
84	Successful treatment for sorafenib-induced liver dysfunction: a report of case with liver biopsy. <i>Surgical Case Reports</i> , 2016, 2, 4.	0.6	8
85	Clinical Significance of Preoperative Hepatocellular Carcinoma With High Lens culinaris Agglutinin-reactive Fraction of Alpha-Fetoprotein, But Low Alpha-Fetoprotein. <i>Anticancer Research</i> , 2019, 39, 883-889.	1.1	8
86	Endoscopic hepatic resection and endoscopic radiofrequency ablation as initial treatments for hepatocellular carcinoma within the Milan criteria. <i>Surgery Today</i> , 2020, 50, 402-412.	1.5	8
87	Prognostic Value of the Preoperative Tumor Marker Index in Resected Pancreatic Ductal Adenocarcinoma: A Retrospective Single-Institution Study. <i>Annals of Surgical Oncology</i> , 2021, 28, 1572-1580.	1.5	8
88	Novel Approach via the Round Ligament in Portal Vein Embolization. <i>World Journal of Surgery</i> , 2021, 45, 2878-2885.	1.6	8
89	Hybrid-including endoscopic versus open hepatic resection for patients with hepatocellular carcinoma meeting the Milan criteria: a propensity case-matched analysis. <i>Anticancer Research</i> , 2015, 35, 1583-90.	1.1	8
90	Scoring system based on tumor markers and Child-Pugh classification for HCC patients who underwent liver resection. <i>Anticancer Research</i> , 2015, 35, 2157-63.	1.1	8

#	ARTICLE	IF	CITATIONS
91	Conversion Surgery for Hepatocellular Carcinoma Following Molecular Therapy. <i>Anticancer Research</i> , 2022, 42, 35-44.	1.1	8
92	Survival impact of immune cells infiltrating peritumoral area of hepatocellular carcinoma. <i>Cancer Science</i> , 2022, 113, 4048-4058.	3.9	8
93	KRAS mutational status impacts pathologic response to pre-hepatectomy chemotherapy: a study from the International Genetic Consortium for Liver Metastases. <i>Hpb</i> , 2019, 21, 1527-1534.	0.3	7
94	Postoperative nonalcoholic fatty liver disease is correlated with malnutrition leading to an unpreferable clinical course for pancreatic cancer patients undergoing pancreaticoduodenectomy. <i>Surgery Today</i> , 2020, 50, 193-199.	1.5	7
95	Fibrosis-4 Index, a Noninvasive Fibrosis Marker, Predicts Survival Outcomes After Hepatectomy for Colorectal Cancer Liver Metastases. <i>Annals of Surgical Oncology</i> , 2020, 27, 3534-3541.	1.5	7
96	Clinicopathological features and menin expression of pancreatic neuroendocrine neoplasm associated with multiple endocrine neoplasia type 1. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2020, 27, 984-991.	2.6	7
97	MicroRNA-25 Exerts an Oncogenic Function by Regulating the Ubiquitin Ligase Fbxw7 in Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , 2021, 28, 7973-7982.	1.5	7
98	Performance of two prognostic scores that incorporate genetic information to predict long-term outcomes following resection of colorectal cancer liver metastases: An external validation of the MD Anderson and JHMSK scores. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2021, 28, 581-592.	2.6	7
99	Borderline resectable for colorectal liver metastases: Present status and future perspective. <i>World Journal of Gastrointestinal Surgery</i> , 2021, 13, 756-763.	1.5	7
100	Inducible factors for cancer-associated fibroblasts in liver cancer versus myofibroblasts in inflammatory liver disease. <i>Histology and Histopathology</i> , 2016, 31, 141-8.	0.7	7
101	A case of primary hepatic mucosa-associated lymphoid tissue lymphoma incidentally found in the sustained virological response state of chronic hepatitis C: review of the literature of this rare disease. <i>International Cancer Conference Journal</i> , 2020, 9, 59-65.	0.5	6
102	The pivotal predictor of severe postoperative complications of pancreatoduodenectomy: complex links of bacterial contamination from preoperative biliary drainage. <i>Surgery Today</i> , 2020, 50, 1594-1600.	1.5	6
103	Is Portal Vein Embolization Followed by Hepatectomy for Hepatocellular Carcinoma Justified in Patients with Impaired Liver Function?. <i>Annals of Surgical Oncology</i> , 2021, 28, 854-862.	1.5	6
104	Oncological benefits of portal vein embolization for patients with hepatocellular carcinoma. <i>Annals of Gastroenterological Surgery</i> , 2021, 5, 287-295.	2.4	6
105	High ARHGEF2 (GEF-H1) Expression is Associated with Poor Prognosis Via Cell Cycle Regulation in Patients with Pancreatic Cancer. <i>Annals of Surgical Oncology</i> , 2021, 28, 4733-4743.	1.5	6
106	Alteration of prognostic efficacy of albumin-bilirubin grade and Child-Pugh score according to liver fibrosis in hepatocellular carcinoma patients with Child-Pugh A following hepatectomy. <i>Annals of Gastroenterological Surgery</i> , 2022, 6, 127-134.	2.4	6
107	Liver Function in Areas of Hepatic Venous Congestion After Hepatectomy for Liver Cancer: 99mTc-GSA SPECT/CT Fused Imaging Study. <i>Anticancer Research</i> , 2018, 38, 3089-3095.	1.1	6
108	Clinical Impact of Operative Order in Laparoscopic Simultaneous Resection for Synchronous Colorectal Liver Metastases. <i>Cancer Diagnosis & Prognosis</i> , 2021, 1, 151-156.	0.7	6

#	ARTICLE	IF	CITATIONS
109	Impairment of perioperative activities of daily living is associated with poor prognosis following hepatectomy for hepatocellular carcinoma. <i>Journal of Surgical Oncology</i> , 2022, 126, 995-1002.	1.7	6
110	Mutant <i>KRAS</i> as a prognostic biomarker after hepatectomy for rectal cancer metastases: Does the primary disease site matter?. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2022, 29, 417-427.	2.6	5
111	Toward an Optimized Staging System for Pancreatic Ductal Adenocarcinoma: A Clinically Interpretable, Artificial Intelligence-Based Model. <i>JCO Clinical Cancer Informatics</i> , 2021, 5, 1220-1231.	2.1	5
112	A long-term survivor of hilar cholangiocarcinoma with resection of recurrent peritoneal dissemination after R0 surgery: a case report. <i>Surgical Case Reports</i> , 2017, 3, 110.	0.6	4
113	Perforation of the esophagus due to thermal injury after laparoscopic radiofrequency ablation for hepatocellular carcinoma: a case for caution. <i>Surgical Case Reports</i> , 2018, 4, 127.	0.6	4
114	Impact of Repeated Hepatectomy on Liver Regeneration in Hepatocellular Carcinoma: A Propensity Score-based Analysis. <i>Anticancer Research</i> , 2019, 39, 965-970.	1.1	4
115	Validation of Functional Assessment for Liver Resection Considering Venous Occlusive Area after Extended Hepatectomy. <i>Journal of Gastrointestinal Surgery</i> , 2020, 24, 1510-1519.	1.7	4
116	Prognostic Impact of Coagulation Activity in Patients Undergoing Curative Resection for Pancreatic Ductal Adenocarcinoma. <i>In Vivo</i> , 2020, 34, 2845-2850.	1.3	4
117	Intraoperative bile culture helps choosing antibiotics in pancreaticoduodenectomy: Mechanistic profiling study of complex link between bacterobilia and postoperative complications. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2021, 28, 1107-1114.	2.6	4
118	Optimal patient selection for successful two-stage hepatectomy of bilateral colorectal liver metastases. <i>Annals of Gastroenterological Surgery</i> , 2021, 5, 634-638.	2.4	4
119	Proteomic Analysis of Malignant Ascites From Patients With Pancreatic Ductal Adenocarcinoma. <i>Anticancer Research</i> , 2021, 41, 2895-2900.	1.1	4
120	The Number of Positive Tumor Marker Status Is Beneficial for the Selection of Therapeutic Modalities in Patients with Hepatocellular Carcinoma. <i>Journal of Clinical and Translational Hepatology</i> , 2017, XX, 1-4.	1.4	4
121	Hepatic Resection Followed by Hepatic Arterial Infusion Chemotherapy for Hepatocellular Carcinoma with Intrahepatic Dissemination. <i>Anticancer Research</i> , 2018, 38, 525-531.	1.1	4
122	Liver resection for hepatocellular carcinoma associated with hepatic vein invasion: is it time to reconsider the current treatment guidelines?. <i>Hepatobiliary Surgery and Nutrition</i> , 2018, 7, 300-301.	1.5	3
123	Predicting Poorly Differentiated Hepatocellular Carcinoma that Meets the Milan Criteria. <i>Anticancer Research</i> , 2018, 38, 4093-4099.	1.1	3
124	Clinical role of serum programmed death ligand 1 in patients with hepatocellular carcinoma: Where does it come from?. <i>Surgery Today</i> , 2020, 50, 569-576.	1.5	3
125	Inflammatory Liver Tumor Caused by <i>Fasciola hepatica</i> Mimicking Intrahepatic Cholangiocarcinoma. <i>Anticancer Research</i> , 2020, 40, 2795-2800.	1.1	3
126	Four gene intrahepatic metastasis risk signature predicts hepatocellular carcinoma malignant potential and early recurrence from intrahepatic metastasis. <i>Surgery</i> , 2021, 169, 903-910.	1.9	3

#	ARTICLE	IF	CITATIONS
127	Successful surgical rescue of delayed onset diaphragmatic hernia following radiofrequency ablation using a thoracoscopic approach for hepatocellular carcinoma: a case report. <i>Surgical Case Reports</i> , 2021, 7, 130.	0.6	3
128	A Case of 15-Year Recurrence-free Survival After Microwave Coagulation Therapy for Liver Metastasis from Gastric Cancer. <i>Anticancer Research</i> , 2018, 38, 1595-1598.	1.1	3
129	Colon cancer metastasis mimicking a hilar cholangiocarcinoma: a case report and literature review. <i>Surgical Case Reports</i> , 2020, 6, 225.	0.6	3
130	Clinical significance of preoperative inflammation-based score for the prognosis of patients with hepatocellular carcinoma who underwent hepatectomy. <i>Surgery Today</i> , 2022, 52, 1008-1015.	1.5	3
131	Comment on "ALPPS Improves Survival Compared With TSH in Patients Affected of CRLM: Survival Analysis From the Randomized Controlled Trial LIGRO" - Survival Benefit of ALPPS Versus TSH: A Proof of Concept or a Concept to be Proved?. <i>Annals of Surgery</i> , 2021, 274, e764-e765.	4.2	3
132	Hepatic angiomyolipoma with special attention to radiologic imaging. <i>Surgical Case Reports</i> , 2015, 1, 38.	0.6	2
133	Two-Stage Liver Surgery. , 2017, , 203-215.		2
134	Thoracoscopic surgery for hepatocellular carcinoma located in the hepatic dome: Technical aspect and oncological results. <i>Asian Journal of Endoscopic Surgery</i> , 2020, 13, 375-381.	0.9	2
135	Multiple hepatic inflammatory pseudotumors with elevated alpha-fetoprotein and alpha-fetoprotein lectin 3 fraction with various PET accumulations: a case report. <i>Surgical Case Reports</i> , 2021, 7, 107.	0.6	2
136	A case of primary carcinosarcoma of the liver with combined hepatocellular carcinoma and cholangiocarcinoma. <i>Clinical Journal of Gastroenterology</i> , 2021, 14, 1476-1483.	0.8	2
137	A rare anastomosis between the root of common hepatic artery and proper hepatic artery: implications for pancreaticoduodenectomy. <i>Surgical Case Reports</i> , 2019, 5, 180.	0.6	2
138	Coexisting schwannoma of the gallbladder and sarcoidosis: a case report. <i>Surgical Case Reports</i> , 2020, 6, 76.	0.6	2
139	CD44 expression enhances chemoresistance and implies occult micrometastases after conversion hepatectomy for initially unresectable colorectal liver metastases. <i>American Journal of Translational Research (discontinued)</i> , 2020, 12, 5955-5966.	0.0	2
140	Nontumor related risk score: A new tool to improve prediction of prognosis after hepatectomy for colorectal liver metastases. <i>Surgery</i> , 2022, 171, 1580-1587.	1.9	2
141	High Expression of Bloom Syndrome Helicase is a Key Factor for Poor Prognosis and Advanced Malignancy in Patients with Pancreatic Cancer: A Retrospective Study. <i>Annals of Surgical Oncology</i> , 2022, 29, 3551.	1.5	2
142	Major postoperative complications are associated with early recurrence of hepatocellular carcinoma following hepatectomy. <i>Langenbeck's Archives of Surgery</i> , 2022, 407, 2373-2380.	1.9	2
143	Irinotecan Plus S-1 Followed by Hepatectomy for a Patient with Initially Unresectable Colorectal Liver Metastases, Who Showed Severe Drug Rash with Oxaliplatin Plus 5-FU and Leucovorin (FOLFOX). <i>Case Reports in Gastrointestinal Medicine</i> , 2014, 2014, 1-4.	0.3	1
144	A 5-year recurrence-free survivor with over ten colorectal liver metastases undergoing FOLFOX plus bevacizumab followed by two-stage hepatectomy. <i>Surgical Case Reports</i> , 2015, 1, 111.	0.6	1

#	ARTICLE	IF	CITATIONS
145	A long survivor with local relapse of hilar cholangiocarcinoma after R1 surgery treated with chemoradiotherapy: a case report and literature review. <i>Surgical Case Reports</i> , 2016, 2, 69.	0.6	1
146	Hepatobiliary and Pancreatic: Degenerative hepatic hemangioma mimicking biliary cystadenocarcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016, 31, 1385-1385.	2.8	1
147	Selective Venous Occlusions for Reducing Blood Loss During Right Anterior Sectionectomy of the Liver for Hepatocellular Carcinoma. <i>Journal of the American College of Surgeons</i> , 2017, 224, e5-e9.	0.5	1
148	Acquired factor V deficiency following transcatheter arterial chemoembolization for hepatocellular carcinoma: a case report. <i>International Cancer Conference Journal</i> , 2017, 6, 126-130.	0.5	1
149	Complete remission of advanced hepatocellular carcinoma following transient chemoembolization and portal vein ligation. <i>Surgical Case Reports</i> , 2018, 4, 102.	0.6	1
150	A 12-year Recurrence-free Survival After Multidisciplinary Treatment for a Patient With Combined Hepatocellular and Cholangiocarcinoma. <i>Anticancer Research</i> , 2019, 39, 2139-2144.	1.1	1
151	Ultrasonography-guided Suction Thrombectomy for an Isolated Portal Vein Thrombus in Liver Surgery. <i>In Vivo</i> , 2019, 33, 209-212.	1.3	1
152	A case of acute perforated cholecystitis with intracystic tumor thrombus of hepatocellular carcinoma. <i>International Cancer Conference Journal</i> , 2019, 8, 43-45.	0.5	1
153	ASO Author Reflections: Portal Vein Embolization Followed by Hepatectomy for Hepatocellular Carcinoma in Patients with Impaired Liver Function: Is It Justified?. <i>Annals of Surgical Oncology</i> , 2020, 27, 876-877.	1.5	1
154	Renal metastasis from intrahepatic cholangiocarcinoma. <i>International Cancer Conference Journal</i> , 2020, 9, 66-71.	0.5	1
155	ASO Visual Abstract: The Impact of Histological Liver Inflammation on Oncology and the Prognosis of Patients Undergoing Hepatectomy for Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , 2021, 28, 689.	1.5	1
156	A Glissonean Approach with Individual Isolation During Right Hemi-Hepatectomy After Portal Vein Embolization. <i>Anticancer Research</i> , 2017, 37, 7069-7071.	1.1	1
157	Ongoing 5-year+ survival after multiple metastasectomies, followed by CAPOX plus bevacizumab, for metastatic colorectal cancer. <i>Surgical Case Reports</i> , 2020, 6, 149.	0.6	1
158	Gastrointestinal: Superior mesenteric vein aneurysm treated using interventional radiology. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2022, , .	2.8	1
159	Assessment for the minimal invasiveness of laparoscopic liver resection by interleukin-6 and thrombospondin-1. <i>World Journal of Hepatology</i> , 2022, 14, 234-243.	2.0	1
160	A novel technique for treatment of intrahepatic biliary obstruction using an endobronchial ultrasound system. <i>Clinical Journal of Gastroenterology</i> , 2012, 5, 195-198.	0.8	0
161	Neuroendocrine tumor in the Glissonean pedicle of the hepatic hilum. <i>International Cancer Conference Journal</i> , 2014, 3, 72-76.	0.5	0
162	A patient with colorectal liver metastases with para-aortic regional lymph node metastases who survived for 7 years. <i>International Cancer Conference Journal</i> , 2014, 3, 153-157.	0.5	0

#	ARTICLE	IF	CITATIONS
163	Early recurrence and abnormal serum DCP level are poor prognostic factors for HCC patients undergoing radio-frequency ablation therapy on intrahepatic recurrence after curative hepatectomy. <i>Journal of Microwave Surgery</i> , 2017, 35, 1-5.	0.3	0
164	A case of successful transarterial stenting for pseudoaneurysm after pancreaticoduodenectomy. <i>JGH Open</i> , 2020, 4, 764-765.	1.6	0
165	Reply to the letter. <i>Surgery Today</i> , 2020, 50, 1320-1321.	1.5	0
166	A case of chest wall recurrence of hilar cholangiocarcinoma 10 years after R1 surgery with positive ductal margin of carcinoma in situ. <i>International Cancer Conference Journal</i> , 2020, 9, 77-81.	0.5	0
167	A case of inferior right hepatic vein right hepatic vein bypass with interrupted inferior vena cava compressed by focal nodular hyperplasia in caudate lobe. <i>International Cancer Conference Journal</i> , 2021, 10, 11-14.	0.5	0
168	A case of primary nonleukemic myeloid sarcoma of the spleen, successfully treated by surgery and hematopoietic stem cell transplantation. <i>Surgical Case Reports</i> , 2021, 7, 180.	0.6	0
169	Bright side and dark side of thermal ablation for hepatocellular carcinoma. <i>Journal of Microwave Surgery</i> , 2012, 30, 109-117.	0.3	0
170	Multiple utilities of portal vein embolization for patients with hepatocellular carcinoma. <i>Journal of Clinical Oncology</i> , 2012, 30, 319-319.	1.6	0
171	Efficacy of Ring Drape and Unused Sterile Instruments for Incisional SSI After Hepatectomy. <i>Anticancer Research</i> , 2022, 42, 1007-1012.	1.1	0
172	Simultaneous Portal Vein Embolization and Colorectal Resection in a Hybrid Interventional Radiology/Operating Suite for Synchronous Colorectal Liver Metastases. <i>Journal of Gastrointestinal Surgery</i> , 2022, 26, 1307-1310.	1.7	0
173	ASO Visual Abstract: High Expression of Bloom Syndrome Helicase is a Key Factor for Poor Prognosis and Advanced Malignancy in Patients with Pancreatic Cancer: A Retrospective Study. <i>Annals of Surgical Oncology</i> , 2022, , 1.	1.5	0