

Katsunori Imai

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7443689/publications.pdf>

Version: 2024-02-01

173
papers

2,544
citations

236925

25
h-index

289244

40
g-index

176
all docs

176
docs citations

176
times ranked

3824
citing authors

#	ARTICLE	IF	CITATIONS
1	The Impact of Histologic Liver Inflammation on Oncology and the Prognosis of Patients Undergoing Hepatectomy for Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , 2022, 29, 893-902.	1.5	9
2	Alteration of prognostic efficacy of albuminâ€bilirubin grade and Childâ€Pugh score according to liver fibrosis in hepatocellular carcinoma patients with Childâ€Pugh A following hepatectomy. <i>Annals of Gastroenterological Surgery</i> , 2022, 6, 127-134.	2.4	6
3	Mutant <i>KRAS</i> as a prognostic biomarker after hepatectomy for rectal cancer metastases: Does the primary disease site matter?. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2022, 29, 417-427.	2.6	5
4	Gastrointestinal: Superior mesenteric vein aneurysm treated using interventional radiology. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2022, , .	2.8	1
5	Assessment for the minimal invasiveness of laparoscopic liver resection by interleukin-6 and thrombospondin-1. <i>World Journal of Hepatology</i> , 2022, 14, 234-243.	2.0	1
6	Efficacy of Ring Drape and Unused Sterile Instruments for Incisional SSI After Hepatectomy. <i>Anticancer Research</i> , 2022, 42, 1007-1012.	1.1	0
7	Simultaneous Portal Vein Embolization and Colorectal Resection in a Hybrid Interventional Radiology/Operating Suite for Synchronous Colorectal Liver Metastases. <i>Journal of Gastrointestinal Surgery</i> , 2022, 26, 1307-1310.	1.7	0
8	Clinical significance of preoperative inflammation-based score for the prognosis of patients with hepatocellular carcinoma who underwent hepatectomy. <i>Surgery Today</i> , 2022, 52, 1008-1015.	1.5	3
9	Nontumor related risk score: A new tool to improve prediction of prognosis after hepatectomy for colorectal liver metastases. <i>Surgery</i> , 2022, 171, 1580-1587.	1.9	2
10	ASO Visual Abstract: High Expression of Bloom Syndrome Helicase is a Key Factor for Poor Prognosis and Advanced Malignancy in Patients with Pancreatic Cancer: A Retrospective Study. <i>Annals of Surgical Oncology</i> , 2022, , 1.	1.5	0
11	Conversion Surgery for Hepatocellular Carcinoma Following Molecular Therapy. <i>Anticancer Research</i> , 2022, 42, 35-44.	1.1	8
12	High Expression of Bloom Syndrome Helicase is a Key Factor for Poor Prognosis and Advanced Malignancy in Patients with Pancreatic Cancer: A Retrospective Study. <i>Annals of Surgical Oncology</i> , 2022, 29, 3551.	1.5	2
13	Major postoperative complications are associated with early recurrence of hepatocellular carcinoma following hepatectomy. <i>Langenbeck's Archives of Surgery</i> , 2022, 407, 2373-2380.	1.9	2
14	Survival impact of immune cells infiltrating peritumoral area of hepatocellular carcinoma. <i>Cancer Science</i> , 2022, 113, 4048-4058.	3.9	8
15	Using Artificial Intelligence to Find the Optimal Margin Width in Hepatectomy for Colorectal Cancer Liver Metastases. <i>JAMA Surgery</i> , 2022, 157, e221819.	4.3	16
16	Impairment of perioperative activities of daily living is associated with poor prognosis following hepatectomy for hepatocellular carcinoma. <i>Journal of Surgical Oncology</i> , 2022, 126, 995-1002.	1.7	6
17	Four gene intrahepatic metastasisâ€risk signature predicts hepatocellular carcinoma malignant potential and early recurrence from intrahepatic metastasis. <i>Surgery</i> , 2021, 169, 903-910.	1.9	3
18	Is Portal Vein Embolization Followed by Hepatectomy for Hepatocellular Carcinoma Justified in Patients with Impaired Liver Function?. <i>Annals of Surgical Oncology</i> , 2021, 28, 854-862.	1.5	6

#	ARTICLE	IF	CITATIONS
19	Oncological benefits of portal vein embolization for patients with hepatocellular carcinoma. <i>Annals of Gastroenterological Surgery</i> , 2021, 5, 287-295.	2.4	6
20	Prognostic Value of the Preoperative Tumor Marker Index in Resected Pancreatic Ductal Adenocarcinoma: A Retrospective Single-Institution Study. <i>Annals of Surgical Oncology</i> , 2021, 28, 1572-1580.	1.5	8
21	A case of inferior right hepatic veinâ€“right hepatic vein bypass with interrupted inferior vena cava compressed by focal nodular hyperplasia in caudate lobe. <i>International Cancer Conference Journal</i> , 2021, 10, 11-14.	0.5	0
22	The Prognostic Impact of Primary Tumor Site Differs According to the KRAS Mutational Status. <i>Annals of Surgery</i> , 2021, 273, 1165-1172.	4.2	33
23	High ARHGEF2 (GEF-H1) Expression is Associated with Poor Prognosis Via Cell Cycle Regulation in Patients with Pancreatic Cancer. <i>Annals of Surgical Oncology</i> , 2021, 28, 4733-4743.	1.5	6
24	Intraoperative bile culture helps choosing antibiotics in pancreaticoduodenectomy: Mechanistic profiling study of complex link between bacterobilia and postoperative complications. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2021, 28, 1107-1114.	2.6	4
25	Proposal of a novel H categoryâ€“based classification of colorectal liver metastases based on a Japanese nationwide survey. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2021, 28, 317-326.	2.6	10
26	MicroRNA-25 Exerts an Oncogenic Function by Regulating the Ubiquitin Ligase Fbxw7 in Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , 2021, 28, 7973-7982.	1.5	7
27	Performance of two prognostic scores that incorporate genetic information to predict longâ€“term outcomes following resection of colorectal cancer liver metastases: An external validation of the MD Anderson and JHHâ€“MSK scores. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2021, 28, 581-592.	2.6	7
28	Multiple hepatic inflammatory pseudotumors with elevated alpha-fetoprotein and alpha-fetoprotein lectin 3 fraction with various PET accumulations: a case report. <i>Surgical Case Reports</i> , 2021, 7, 107.	0.6	2
29	Successful surgical rescue of delayed onset diaphragmatic hernia following radiofrequency ablation using a thoracoscopic approach for hepatocellular carcinoma: a case report. <i>Surgical Case Reports</i> , 2021, 7, 130.	0.6	3
30	Optimal patient selection for successful twoâ€“stage hepatectomy of bilateral colorectal liver metastases. <i>Annals of Gastroenterological Surgery</i> , 2021, 5, 634-638.	2.4	4
31	Novel Approach via the Round Ligament in Portal Vein Embolization. <i>World Journal of Surgery</i> , 2021, 45, 2878-2885.	1.6	8
32	Proteomic Analysis of Malignant Ascites From Patients With Pancreatic Ductal Adenocarcinoma. <i>Anticancer Research</i> , 2021, 41, 2895-2900.	1.1	4
33	A case of primary carcinosarcoma of the liver with combined hepatocellular carcinoma and cholangiocarcinoma. <i>Clinical Journal of Gastroenterology</i> , 2021, 14, 1476-1483.	0.8	2
34	Frailty is associated with poor prognosis after resection for pancreatic cancer. <i>International Journal of Clinical Oncology</i> , 2021, 26, 1938-1946.	2.2	20
35	A Novel Oxygen Carrier (M101) Attenuates Ischemia-Reperfusion Injuries during Static Cold Storage in Steatotic Livers. <i>International Journal of Molecular Sciences</i> , 2021, 22, 8542.	4.1	12
36	A case of primary nonleukemic myeloid sarcoma of the spleen, successfully treated by surgery and hematopoietic stem cell transplantation. <i>Surgical Case Reports</i> , 2021, 7, 180.	0.6	0

#	ARTICLE	IF	CITATIONS
37	Borderline resectable for colorectal liver metastases: Present status and future perspective. <i>World Journal of Gastrointestinal Surgery</i> , 2021, 13, 756-763.	1.5	7
38	Relationship between <i>Fusobacterium nucleatum</i> and antitumor immunity in colorectal cancer liver metastasis. <i>Cancer Science</i> , 2021, 112, 4470-4477.	3.9	25
39	ASO Visual Abstract: The Impact of Histological Liver Inflammation on Oncology and the Prognosis of Patients Undergoing Hepatectomy for Hepatocellular Carcinoma. <i>Annals of Surgical Oncology</i> , 2021, 28, 689.	1.5	1
40	Metabolic shift to serine biosynthesis through 3-PG accumulation and PHGDH induction promotes tumor growth in pancreatic cancer. <i>Cancer Letters</i> , 2021, 523, 29-42.	7.2	16
41	The optimal cutoff values for tumor size, number of lesions, and CEA levels in patients with surgically treated colorectal cancer liver metastases: An international, multi-institutional study. <i>Journal of Surgical Oncology</i> , 2021, 123, 939-948.	1.7	14
42	The interplay of KRAS mutational status with tumor laterality in non-metastatic colorectal cancer: An international, multi-institutional study in patients with known KRAS, BRAF, and MSI status. <i>Journal of Surgical Oncology</i> , 2021, 123, 1005-1014.	1.7	9
43	Clinical Impact of Operative Order in Laparoscopic Simultaneous Resection for Synchronous Colorectal Liver Metastases. <i>Cancer Diagnosis & Prognosis</i> , 2021, 1, 151-156.	0.7	6
44	Toward an Optimized Staging System for Pancreatic Ductal Adenocarcinoma: A Clinically Interpretable, Artificial Intelligence-Based Model. <i>JCO Clinical Cancer Informatics</i> , 2021, 5, 1220-1231.	2.1	5
45	Comment on "ALPPS Improves Survival Compared With TSH in Patients Affected of CRLM: Survival Analysis From the Randomized Controlled Trial LIGRO-Survival Benefit of ALPPS Versus TSH: A Proof of Concept or a Concept to be Proved?". <i>Annals of Surgery</i> , 2021, 274, e764-e765.	4.2	3
46	Effectiveness of surgery for recurrent cholangiocarcinoma: A single center experience and brief literature review. <i>American Journal of Surgery</i> , 2020, 219, 175-180.	1.8	15
47	Validation of Functional Assessment for Liver Resection Considering Venous Occlusive Area after Extended Hepatectomy. <i>Journal of Gastrointestinal Surgery</i> , 2020, 24, 1510-1519.	1.7	4
48	Clinical significance of evaluating endoscopic response to neoadjuvant chemotherapy in esophageal squamous cell carcinoma. <i>Digestive Endoscopy</i> , 2020, 32, 39-48.	2.3	10
49	Clinical Significance of PD-L1 Expression in Both Cancer and Stroma Cells of Cholangiocarcinoma Patients. <i>Annals of Surgical Oncology</i> , 2020, 27, 599-607.	1.5	33
50	Postoperative nonalcoholic fatty liver disease is correlated with malnutrition leading to an unpreferable clinical course for pancreatic cancer patients undergoing pancreaticoduodenectomy. <i>Surgery Today</i> , 2020, 50, 193-199.	1.5	7
51	Endoscopic hepatic resection and endoscopic radiofrequency ablation as initial treatments for hepatocellular carcinoma within the Milan criteria. <i>Surgery Today</i> , 2020, 50, 402-412.	1.5	8
52	Thoracoscopic surgery for hepatocellular carcinoma located in the hepatic dome: Technical aspect and oncological results. <i>Asian Journal of Endoscopic Surgery</i> , 2020, 13, 375-381.	0.9	2
53	A case of primary hepatic mucosa-associated lymphoid tissue lymphoma incidentally found in the sustained virological response state of chronic hepatitis C: review of the literature of this rare disease. <i>International Cancer Conference Journal</i> , 2020, 9, 59-65.	0.5	6
54	Clinical role of serum programmed death ligand 1 in patients with hepatocellular carcinoma: Where does it come from?. <i>Surgery Today</i> , 2020, 50, 569-576.	1.5	3

#	ARTICLE	IF	CITATIONS
55	Fibrosis-4 Index, a Noninvasive Fibrosis Marker, Predicts Survival Outcomes After Hepatectomy for Colorectal Cancer Liver Metastases. <i>Annals of Surgical Oncology</i> , 2020, 27, 3534-3541.	1.5	7
56	ASO Author Reflections: Portal Vein Embolization Followed by Hepatectomy for Hepatocellular Carcinoma in Patients with Impaired Liver Function: Is It Justified?. <i>Annals of Surgical Oncology</i> , 2020, 27, 876-877.	1.5	1
57	Prognostic Impact of Coagulation Activity in Patients Undergoing Curative Resection for Pancreatic Ductal Adenocarcinoma. <i>In Vivo</i> , 2020, 34, 2845-2850.	1.3	4
58	Preoperative C-reactive protein-to-albumin ratio and clinical outcomes after resection of colorectal liver metastases. <i>Surgical Oncology</i> , 2020, 35, 243-248.	1.6	10
59	The pivotal predictor of severe postoperative complications of pancreatoduodenectomy: complex links of bacterial contamination from preoperative biliary drainage. <i>Surgery Today</i> , 2020, 50, 1594-1600.	1.5	6
60	A case of successful transarterial stenting for pseudoaneurysm after pancreaticoduodenectomy. <i>JGH Open</i> , 2020, 4, 764-765.	1.6	0
61	Inflammatory Liver Tumor Caused by <i>Fasciola hepatica</i> Mimicking Intrahepatic Cholangiocarcinoma. <i>Anticancer Research</i> , 2020, 40, 2795-2800.	1.1	3
62	Varied application of intercostal trans-diaphragmatic ports for laparoscopic hepatectomy. <i>PLoS ONE</i> , 2020, 15, e0234919.	2.5	9
63	Reply to the letter. <i>Surgery Today</i> , 2020, 50, 1320-1321.	1.5	0
64	Renal metastasis from intrahepatic cholangiocarcinoma. <i>International Cancer Conference Journal</i> , 2020, 9, 66-71.	0.5	1
65	Clinicopathological features and menin expression of pancreatic neuroendocrine neoplasm associated with multiple endocrine neoplasia type 1. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2020, 27, 984-991.	2.6	7
66	A case of chest wall recurrence of hilar cholangiocarcinoma 10 years after R1 surgery with positive ductal margin of carcinoma in situ. <i>International Cancer Conference Journal</i> , 2020, 9, 77-81.	0.5	0
67	Coexisting schwannoma of the gallbladder and sarcoidosis: a case report. <i>Surgical Case Reports</i> , 2020, 6, 76.	0.6	2
68	Ectopic hepatocellular carcinoma mimicking a retroperitoneal tumor: A case report. <i>World Journal of Gastroenterology</i> , 2020, 26, 2268-2275.	3.3	13
69	Ongoing 5-year+ survival after multiple metastasectomies, followed by CAPOX plus bevacizumab, for metastatic colorectal cancer. <i>Surgical Case Reports</i> , 2020, 6, 149.	0.6	1
70	Colon cancer metastasis mimicking a hilar cholangiocarcinoma: a case report and literature review. <i>Surgical Case Reports</i> , 2020, 6, 225.	0.6	3
71	CD44 expression enhances chemoresistance and implies occult micrometastases after conversion hepatectomy for initially unresectable colorectal liver metastases. <i>American Journal of Translational Research (discontinued)</i> , 2020, 12, 5955-5966.	0.0	2
72	PD-L1 expression enhancement by infiltrating macrophage-derived tumor necrosis factor leads to poor pancreatic cancer prognosis. <i>Cancer Science</i> , 2019, 110, 310-320.	3.9	45

#	ARTICLE	IF	CITATIONS
73	Multimodal radiofrequency ablation versus laparoscopic hepatic resection for the treatment of primary hepatocellular carcinoma within Milan criteria in severely cirrhotic patients: long-term favorable outcomes over 10 years. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2019, 33, 46-51.	2.4	15
74	Perioperative Allogeneic Blood Transfusion Does not Influence Patient Survival After Hepatectomy for Hepatocellular Carcinoma: A Propensity Score Matching Analysis. <i>World Journal of Surgery</i> , 2019, 43, 2894-2901.	1.6	12
75	How to increase the resectability of initially unresectable colorectal liver metastases: A surgical perspective. <i>Annals of Gastroenterological Surgery</i> , 2019, 3, 476-486.	2.4	58
76	KRAS mutational status impacts pathologic response to pre-hepatectomy chemotherapy: a study from the International Genetic Consortium for Liver Metastases. <i>Hpb</i> , 2019, 21, 1527-1534.	0.3	7
77	Multicentre study of perioperative versus adjuvant chemotherapy for resectable colorectal liver metastases. <i>BJS Open</i> , 2019, 3, 678-686.	1.7	16
78	Clinical Significance of Preoperative Hepatocellular Carcinoma With High Lens culinaris Agglutinin-reactive Fraction of Alpha-Fetoprotein, But Low Alpha-Fetoprotein. <i>Anticancer Research</i> , 2019, 39, 883-889.	1.1	8
79	Impact of Repeated Hepatectomy on Liver Regeneration in Hepatocellular Carcinoma: A Propensity Score-based Analysis. <i>Anticancer Research</i> , 2019, 39, 965-970.	1.1	4
80	Primary tumour location affects survival after resection of colorectal liver metastases: A two-institutional cohort study with international validation, systematic meta-analysis and a clinical risk score. <i>PLoS ONE</i> , 2019, 14, e0217411.	2.5	36
81	Clinical Usefulness of Perioperative C-reactive Protein/Albumin Ratio in Patients With Intrahepatic Cholangiocarcinoma: A Retrospective Single Institutional Study. <i>Anticancer Research</i> , 2019, 39, 2641-2646.	1.1	16
82	Usefulness of 18-FDG PET/CT in Detecting Malignancy in Intraductal Papillary Mucinous Neoplasms of the Pancreas. <i>Anticancer Research</i> , 2019, 39, 2493-2499.	1.1	9
83	Lysyl oxidase induces epithelial-mesenchymal transition and predicts intrahepatic metastasis of hepatocellular carcinoma. <i>Cancer Science</i> , 2019, 110, 2033-2043.	3.9	41
84	Sarcopenia Affects Systemic and Local Immune System and Impacts Postoperative Outcome in Patients with Extrahepatic Cholangiocarcinoma. <i>World Journal of Surgery</i> , 2019, 43, 2271-2280.	1.6	33
85	A 12-year Recurrence-free Survival After Multidisciplinary Treatment for a Patient With Combined Hepatocellular Cholangiocarcinoma. <i>Anticancer Research</i> , 2019, 39, 2139-2144.	1.1	1
86	Ultrasonography-guided Suction Thrombectomy for an Isolated Portal Vein Thrombus in Liver Surgery. <i>In Vivo</i> , 2019, 33, 209-212.	1.3	1
87	Cellular Senescence, Represented by Expression of Caveolin-1, in Cancer-Associated Fibroblasts Promotes Tumor Invasion in Pancreatic Cancer. <i>Annals of Surgical Oncology</i> , 2019, 26, 1552-1559.	1.5	33
88	Clinical role of fludeoxyglucose (18F) positron emission tomography/computed tomography (18F-FDG) Tj ETQq0 0 0 r gBT /Overlock 10	1.5	13
89	A case of acute perforated cholecystitis with intracystic tumor thrombus of hepatocellular carcinoma. <i>International Cancer Conference Journal</i> , 2019, 8, 43-45.	0.5	1
90	Is disease progression a contraindication for the strategy of portal vein embolization followed by hepatectomy for hepatocellular carcinoma?. <i>Surgery</i> , 2019, 165, 696-702.	1.9	9

#	ARTICLE	IF	CITATIONS
91	Inhibition of 15-PGDH causes Kras-driven tumor expansion through prostaglandin E2-ALDH1 signaling in the pancreas. <i>Oncogene</i> , 2019, 38, 1211-1224.	5.9	21
92	Implication of primary tumor location for the indication of preoperative chemotherapy in patients with colorectal liver metastases. <i>Hpb</i> , 2019, 21, 405-412.	0.3	13
93	Impact of Surgical Treatment for Recurrence After 2-Stage Hepatectomy for Colorectal Liver Metastases, on Patient Outcome. <i>Annals of Surgery</i> , 2019, 269, 322-330.	4.2	29
94	A rare anastomosis between the root of common hepatic artery and proper hepatic artery: implications for pancreaticoduodenectomy. <i>Surgical Case Reports</i> , 2019, 5, 180.	0.6	2
95	The predictors and oncological outcomes of repeat surgery for recurrence after hepatectomy for colorectal liver metastases. <i>International Journal of Clinical Oncology</i> , 2018, 23, 908-916.	2.2	10
96	Suitability of livers for transplantation when treated by normothermic machine perfusion. <i>Clinical Transplantation</i> , 2018, 32, e13256.	1.6	9
97	Downregulation of 15 α -hydroxyprostaglandin dehydrogenase by interleukin β from activated macrophages leads to poor prognosis in pancreatic cancer. <i>Cancer Science</i> , 2018, 109, 462-470.	3.9	33
98	Hepatic sclerosed hemangioma with special attention to diffusion-weighted magnetic resonance imaging. <i>Surgical Case Reports</i> , 2018, 4, 3.	0.6	10
99	Survival impact of lymphocyte infiltration into the tumor of hepatocellular carcinoma in hepatitis B virus \pm positive or non \pm non \pm patients who underwent curative resection. <i>Hepatology Research</i> , 2018, 48, E126-E132.	3.4	12
100	Surgical treatment strategy for hepatocellular carcinoma in patients with impaired liver function: hepatic resection or radiofrequency ablation?. <i>Hpb</i> , 2018, 20, 244-250.	0.3	9
101	Clinical usefulness of postoperative C-reactive protein/albumin ratio in pancreatic ductal adenocarcinoma. <i>American Journal of Surgery</i> , 2018, 216, 111-115.	1.8	26
102	The Prognostic Impact of Controlling Nutritional Status (CONUT) in Intrahepatic Cholangiocarcinoma Following Curative Hepatectomy: A Retrospective Single Institution Study. <i>World Journal of Surgery</i> , 2018, 42, 1085-1091.	1.6	59
103	Tumour-infiltrating inflammatory and immune cells in patients with extrahepatic cholangiocarcinoma. <i>British Journal of Cancer</i> , 2018, 118, 171-180.	6.4	98
104	Clinical significance of half \pm lives of tumor markers β -fetoprotein and des \pm carboxy prothrombin after hepatectomy for hepatocellular carcinoma. <i>Hepatology Research</i> , 2018, 48, E183-E193.	3.4	12
105	Liver resection for hepatocellular carcinoma associated with hepatic vein invasion: is it time to reconsider the current treatment guidelines?. <i>Hepatobiliary Surgery and Nutrition</i> , 2018, 7, 300-301.	1.5	3
106	Complete remission of advanced hepatocellular carcinoma following transient chemoembolization and portal vein ligation. <i>Surgical Case Reports</i> , 2018, 4, 102.	0.6	1
107	Perforation of the esophagus due to thermal injury after laparoscopic radiofrequency ablation for hepatocellular carcinoma: a case for caution. <i>Surgical Case Reports</i> , 2018, 4, 127.	0.6	4
108	Combined Hepatic Resection and Radio-frequency Ablation for Patients with Colorectal Cancer Liver Metastasis: A Viable Option for Patients with a Large Number of Tumors. <i>Anticancer Research</i> , 2018, 38, 6353-6360.	1.1	25

#	ARTICLE	IF	CITATIONS
109	Histological architectural classification determines recurrence pattern and prognosis after curative hepatectomy in patients with hepatocellular carcinoma. PLoS ONE, 2018, 13, e0203856.	2.5	14
110	Predicting Poorly Differentiated Hepatocellular Carcinoma that Meets the Milan Criteria. Anticancer Research, 2018, 38, 4093-4099.	1.1	3
111	Prognostic value of LINE-1 methylation level in 321 patients with primary liver cancer including hepatocellular carcinoma and intrahepatic cholangiocarcinoma. Oncotarget, 2018, 9, 20795-20806.	1.8	14
112	Microvascular Invasion in Small-sized Hepatocellular Carcinoma: Significance for Outcomes Following Hepatectomy and Radiofrequency Ablation. Anticancer Research, 2018, 38, 1053-1060.	1.1	24
113	Liver Function in Areas of Hepatic Venous Congestion After Hepatectomy for Liver Cancer: 99mTc-GSA SPECT/CT Fused Imaging Study. Anticancer Research, 2018, 38, 3089-3095.	1.1	6
114	Hepatic Resection Followed by Hepatic Arterial Infusion Chemotherapy for Hepatocellular Carcinoma with Intrahepatic Dissemination. Anticancer Research, 2018, 38, 525-531.	1.1	4
115	A Case of 15-Year Recurrence-free Survival After Microwave Coagulation Therapy for Liver Metastasis from Gastric Cancer. Anticancer Research, 2018, 38, 1595-1598.	1.1	3
116	Selective Venous Occlusions for Reducing Blood Loss During Right Anterior Sectionectomy of the Liver for Hepatocellular Carcinoma. Journal of the American College of Surgeons, 2017, 224, e5-e9.	0.5	1
117	Prognostic impacts of postoperative complications in patients with intrahepatic cholangiocarcinoma after curative operations. International Journal of Clinical Oncology, 2017, 22, 526-532.	2.2	12
118	Anterior approach for right hepatectomy with hanging maneuver for hepatocellular carcinoma: a multi-institutional propensity score-matching study. Journal of Hepato-Biliary-Pancreatic Sciences, 2017, 24, 127-136.	2.6	17
119	Multicystic biliary hamartoma with extremely elevated CA19-9: a case report. Scandinavian Journal of Gastroenterology, 2017, 52, 916-919.	1.5	11
120	Surgery of Colorectal Liver Metastases: Pushing the Limits. Liver Cancer, 2017, 6, 80-89.	7.7	66
121	Shape and Enhancement Characteristics of Pancreatic Neuroendocrine Tumor on Preoperative Contrast-enhanced Computed Tomography May be Prognostic Indicators. Annals of Surgical Oncology, 2017, 24, 1399-1405.	1.5	21
122	The microbiome and hepatobiliary-pancreatic cancers. Cancer Letters, 2017, 402, 9-15.	7.2	105
123	LINE-1 methylation level and prognosis in pancreas cancer: pyrosequencing technology and literature review. Surgery Today, 2017, 47, 1450-1459.	1.5	16
124	Preoperative platelet-to-lymphocyte ratio can predict recurrence beyond the Milan criteria after hepatectomy for patients with hepatocellular carcinoma. Hepatology Research, 2017, 47, 991-999.	3.4	24
125	The role of intestinal bacteria in the development and progression of gastrointestinal tract neoplasms. Surgical Oncology, 2017, 26, 368-376.	1.6	67
126	Two-Stage Liver Surgery. , 2017, , 203-215.		2

#	ARTICLE	IF	CITATIONS
127	Acquired factor V deficiency following transcatheter arterial chemoembolization for hepatocellular carcinoma: a case report. <i>International Cancer Conference Journal</i> , 2017, 6, 126-130.	0.5	1
128	A long-term survivor of hilar cholangiocarcinoma with resection of recurrent peritoneal dissemination after R0 surgery: a case report. <i>Surgical Case Reports</i> , 2017, 3, 110.	0.6	4
129	Early recurrence and abnormal serum DCP level are poor prognostic factors for HCC patients undergoing radio-frequency ablation therapy on intrahepatic recurrence after curative hepatectomy. <i>Journal of Microwave Surgery</i> , 2017, 35, 1-5.	0.3	0
130	Linear Stapling Device with Pre-attached Bioabsorbable Polyglycolic Acid Felt Reduces Postoperative Pancreatic Fistula After Distal Pancreatectomy. <i>Anticancer Research</i> , 2017, 37, 1865-1868.	1.1	11
131	Clinical Benefits of Lymph Node Dissection in Intrahepatic Cholangiocarcinoma: A Retrospective Single-institution Study. <i>Anticancer Research</i> , 2017, 37, 2673-2677.	1.1	9
132	Effects of Preoperative Neutrophil-to-Lymphocyte and Platelet-to-Lymphocyte Ratios on Survival in Patients with Extrahepatic Cholangiocarcinoma. <i>Anticancer Research</i> , 2017, 37, 3229-3237.	1.1	44
133	The Number of Positive Tumor Marker Status Is Beneficial for the Selection of Therapeutic Modalities in Patients with Hepatocellular Carcinoma. <i>Journal of Clinical and Translational Hepatology</i> , 2017, XX, 1-4.	1.4	4
134	A Glissonean Approach with Individual Isolation During Right Hemi-Hepatectomy After Portal Vein Embolization. <i>Anticancer Research</i> , 2017, 37, 7069-7071.	1.1	1
135	A long survivor with local relapse of hilar cholangiocarcinoma after R1 surgery treated with chemoradiotherapy: a case report and literature review. <i>Surgical Case Reports</i> , 2016, 2, 69.	0.6	1
136	Diverse Basis of β -Catenin Activation in Human Hepatocellular Carcinoma: Implications in Biology and Prognosis. <i>PLoS ONE</i> , 2016, 11, e0152695.	2.5	18
137	Predictive factors of pathological vascular invasion in hepatocellular carcinoma within 3 cm and three nodules without radiological vascular invasion. <i>Hepatology Research</i> , 2016, 46, 985-991.	3.4	13
138	Hepatobiliary and Pancreatic: Degenerative hepatic hemangioma mimicking biliary cystadenocarcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016, 31, 1385-1385.	2.8	1
139	The diagnostic role of the neutrophil-to-lymphocyte ratio in predicting pancreatic ductal adenocarcinoma in patients with pancreatic diseases. <i>International Journal of Clinical Oncology</i> , 2016, 21, 940-945.	2.2	22
140	Early Recurrence After Hepatectomy for Colorectal Liver Metastases: What Optimal Definition and What Predictive Factors?. <i>Oncologist</i> , 2016, 21, 887-894.	3.7	87
141	KRAS, BRAF, and PIK3CA mutations, and patient prognosis in 126 pancreatic cancers: pyrosequencing technology and literature review. <i>Medical Oncology</i> , 2016, 33, 32.	2.5	25
142	Statin attenuates cell proliferative ability via TAZ (WWTR1) in hepatocellular carcinoma. <i>Medical Oncology</i> , 2016, 33, 123.	2.5	40
143	Successful treatment for sorafenib-induced liver dysfunction: a report of case with liver biopsy. <i>Surgical Case Reports</i> , 2016, 2, 4.	0.6	8
144	Inducible factors for cancer-associated fibroblasts in liver cancer versus myofibroblasts in inflammatory liver disease. <i>Histology and Histopathology</i> , 2016, 31, 141-8.	0.7	7

#	ARTICLE	IF	CITATIONS
145	C5a receptor (CD88) promotes motility and invasiveness of gastric cancer by activating RhoA. <i>Oncotarget</i> , 2016, 7, 84798-84809.	1.8	36
146	Clinical Significances of Preoperative Classification of Intrahepatic Cholangiocarcinoma: Different Characteristics of Perihilar vs. Peripheral ICC. <i>Anticancer Research</i> , 2016, 36, 6563-6570.	1.1	16
147	Significance of Pâ€cadherin overexpression and possible mechanism of its regulation in intrahepatic cholangiocarcinoma and pancreatic cancer. <i>Cancer Science</i> , 2015, 106, 1153-1162.	3.9	19
148	Hepatic angiomyolipoma with special attention to radiologic imaging. <i>Surgical Case Reports</i> , 2015, 1, 38.	0.6	2
149	A 5-year recurrence-free survivor with over ten colorectal liver metastases undergoing FOLFOX plus bevacizumab followed by two-stage hepatectomy. <i>Surgical Case Reports</i> , 2015, 1, 111.	0.6	1
150	Failure to Achieve a 2-Stage Hepatectomy for Colorectal Liver Metastases. <i>Annals of Surgery</i> , 2015, 262, 772-779.	4.2	57
151	Effect of branched-chain amino acid supplementation on functional liver regeneration in patients undergoing portal vein embolization and sequential hepatectomy: a randomized controlled trial. <i>Journal of Gastroenterology</i> , 2015, 50, 1197-1205.	5.1	38
152	Functional assessment versus conventional volumetric assessment in the prediction of operative outcomes after major hepatectomy. <i>Surgery</i> , 2015, 157, 20-26.	1.9	69
153	Hybrid-including endoscopic versus open hepatic resection for patients with hepatocellular carcinoma meeting the Milan criteria: a propensity case-matched analysis. <i>Anticancer Research</i> , 2015, 35, 1583-90.	1.1	8
154	Antiviral therapy and long-term outcome for hepatitis B virus-related hepatocellular carcinoma after curative liver resection in a Japanese cohort. <i>Anticancer Research</i> , 2015, 35, 1647-55.	1.1	18
155	Scoring system based on tumor markers and Child-Pugh classification for HCC patients who underwent liver resection. <i>Anticancer Research</i> , 2015, 35, 2157-63.	1.1	8
156	Post-chemotherapeutic CEA and CA19-9 are prognostic factors in patients with colorectal liver metastases treated with hepatic resection after oxaliplatin-based chemotherapy. <i>Anticancer Research</i> , 2015, 35, 2359-68.	1.1	25
157	Endoscopic radiofrequency ablation in elderly patients with hepatocellular carcinoma. <i>Anticancer Research</i> , 2015, 35, 3033-40.	1.1	9
158	Irinotecan Plus S-1 Followed by Hepatectomy for a Patient with Initially Unresectable Colorectal Liver Metastases, Who Showed Severe Drug Rash with Oxaliplatin Plus 5-FU and Leucovorin (FOLFOX). <i>Case Reports in Gastrointestinal Medicine</i> , 2014, 2014, 1-4.	0.3	1
159	Salvage treatment for local recurrence of hepatocellular carcinoma after local ablation therapy. <i>Hepatology Research</i> , 2014, 44, E335-45.	3.4	29
160	Neuroendocrine tumor in the Glissonean pedicle of the hepatic hilum. <i>International Cancer Conference Journal</i> , 2014, 3, 72-76.	0.5	0
161	Remnant liver volume-based predictors of postoperative liver dysfunction after hepatectomy: analysis of 625 consecutive patients from a single institution. <i>International Journal of Clinical Oncology</i> , 2014, 19, 614-621.	2.2	21
162	A patient with colorectal liver metastases with para-aortic regional lymph node metastases who survived for 7Âyears. <i>International Cancer Conference Journal</i> , 2014, 3, 153-157.	0.5	0

#	ARTICLE	IF	CITATIONS
163	Chemotherapy and Targeted Therapy for Patients with Initially Unresectable Colorectal Liver Metastases, Focusing on Conversion Hepatectomy and Long-Term Survival. <i>Annals of Surgical Oncology</i> , 2014, 21, 405-413.	1.5	80
164	Clinicopathological and Prognostic Significance of Preoperative Serum Zinc Status in Patients with Hepatocellular Carcinoma After Initial Hepatectomy. <i>Annals of Surgical Oncology</i> , 2014, 21, 3817-3826.	1.5	24
165	Carcinoembryonic antigen half-life is an early predictor of therapeutic effects in induction chemotherapy for liver metastases from colorectal cancer. <i>Anticancer Research</i> , 2014, 34, 5529-35.	1.1	10
166	High CD44s expression is associated with the EMT expression profile and intrahepatic dissemination of hepatocellular carcinoma after local ablation therapy. <i>Journal of Hepato-Biliary-Pancreatic Sciences</i> , 2013, 20, 429-434.	2.6	34
167	CYLD downregulation is correlated with tumor development in patients with hepatocellular carcinoma. <i>Molecular and Clinical Oncology</i> , 2013, 1, 309-314.	1.0	20
168	Successful conservative treatment of pneumatosis intestinalis associated with intraperitoneal free air: report of a case. <i>Surgery Today</i> , 2012, 42, 992-996.	1.5	8
169	A novel technique for treatment of intrahepatic biliary obstruction using an endobronchial ultrasound system. <i>Clinical Journal of Gastroenterology</i> , 2012, 5, 195-198.	0.8	0
170	Bright side and dark side of thermal ablation for hepatocellular carcinoma. <i>Journal of Microwave Surgery</i> , 2012, 30, 109-117.	0.3	0
171	Multiple utilities of portal vein embolization for patients with hepatocellular carcinoma.. <i>Journal of Clinical Oncology</i> , 2012, 30, 319-319.	1.6	0
172	Preoperative prediction of poorly differentiated components in small-sized hepatocellular carcinoma for safe local ablation therapy. <i>Journal of Surgical Oncology</i> , 2009, 100, 121-126.	1.7	15
173	Identification of a Novel Tumor-Associated Antigen, Cadherin 3/P-Cadherin, as a Possible Target for Immunotherapy of Pancreatic, Gastric, and Colorectal Cancers. <i>Clinical Cancer Research</i> , 2008, 14, 6487-6495.	7.0	94