

# Iván De La Hera

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7444526/publications.pdf>

Version: 2024-02-01

39  
papers

741  
citations

567281

15  
h-index

580821

25  
g-index

40  
all docs

40  
docs citations

40  
times ranked

1056  
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of Spring Temperatures on the Strength of Selection on Timing of Reproduction in a Long-Distance Migratory Bird. <i>PLoS Biology</i> , 2015, 13, e1002120.	5.6	106
2	Migratory behaviour affects the trade-off between feather growth rate and feather quality in a passerine bird. <i>Biological Journal of the Linnean Society</i> , 0, 97, 98-105.	1.6	68
3	Climate change leads to differential shifts in the timing of annual cycle stages in a migratory bird. <i>Global Change Biology</i> , 2018, 24, 823-835.	9.5	66
4	Finding the appropriate variables to model the distribution of vector-borne parasites with different environmental preferences: climate is not enough. <i>Global Change Biology</i> , 2013, 19, 3245-3253.	9.5	42
5	Relationships among timing of moult, moult duration and feather mass in long-distance migratory passerines. <i>Journal of Avian Biology</i> , 2010, 41, 609-614.	1.2	35
6	A comparative study of migratory behaviour and body mass as determinants of moult duration in passerines. <i>Journal of Avian Biology</i> , 2009, 40, 461-465.	1.2	34
7	Variation in the mechanical properties of flight feathers of the blackcap <i>Sylvia atricapilla</i> in relation to migration. <i>Journal of Avian Biology</i> , 2010, 41, 342-347.	1.2	32
8	Vertical transmission in feather mites: insights into its adaptive value. <i>Ecological Entomology</i> , 2017, 42, 492-499.	2.2	30
9	How Much Variation in the Molt Duration of Passerines can be Explained by the Growth Rate of Tail Feathers?. <i>Auk</i> , 2011, 128, 321-329.	1.4	29
10	Habitat distribution of migratory and sedentary blackcaps <i>Sylvia atricapilla</i> wintering in southern Iberia: a morphological and biogeochemical approach. <i>Journal of Avian Biology</i> , 2012, 43, 333-340.	1.2	23
11	Global warming will reshuffle the areas of high prevalence and richness of three genera of avian blood parasites. <i>Global Change Biology</i> , 2014, 20, 2406-2416.	9.5	22
12	Morphological Variation as a Tool for Monitoring Bird Populations: A Review. <i>Ardeola</i> , 2013, 60, 191-224.	0.7	21
13	Longitudinal data reveal ontogenetic changes in the wing morphology of a long-distance migratory bird. <i>Ibis</i> , 2014, 156, 209-214.	1.9	21
14	Different space preferences and within-host competition promote niche partitioning between symbiotic feather mite species. <i>International Journal for Parasitology</i> , 2015, 45, 655-662.	3.1	21
15	Feather mass and winter moult extent are heritable but not associated with fitness-related traits in a long-distance migratory bird. <i>Evolutionary Ecology</i> , 2013, 27, 1199-1216.	1.2	18
16	Feather growth rate and mass in Nearctic passerines with variable migratory behavior and molt pattern. <i>Auk</i> , 2012, 129, 222-230.	1.4	17
17	Migratory and resident blackcaps <i>Sylvia atricapilla</i> wintering in southern Spain show no resource partitioning. <i>Ibis</i> , 2013, 155, 750-761.	1.9	17
18	Repeatable Length and Mass but Not Growth Rate of Individual Feathers between Moults in a Passerine Bird. <i>Acta Ornithologica</i> , 2009, 44, 95-99.	0.5	15

#	ARTICLE	IF	CITATIONS
19	Evolution of seasonal transmission patterns in avian blood-borne parasites. <i>International Journal for Parasitology</i> , 2015, 45, 605-611.	3.1	15
20	Migratory Behavior and Differential Resource Allocation between Wing and Tail Feathers in a Passerine Bird. <i>Auk</i> , 2010, 127, 647-652.	1.4	14
21	Early arrival is not associated with more extra-pair fertilizations in a long-distance migratory bird. <i>Journal of Avian Biology</i> , 2017, 48, 854-861.	1.2	14
22	Conservation Opportunities in Spanish Juniper ( <i>Juniperus thurifera</i> ) Woodlands: The Case of Migratory Thrushes ( <i>Turdus</i> spp.). <i>Ardeola</i> , 2011, 58, 57-70.	0.7	8
23	Inferring the Migratory Status of Woodland Birds using Ringing Data: The Case of a Constant-Effort Site Located in the Iberian Highlands. <i>Ardeola</i> , 2014, 61, 77-95.	0.7	8
24	Divergent host phenotypes create opportunities and constraints on the distribution of two wing-dwelling feather mites. <i>Oikos</i> , 2013, 122, 1227-1237.	2.7	7
25	Timing manipulations reveal the lack of a causal link across timing of annual-cycle stages in a long-distance migrant. <i>Journal of Experimental Biology</i> , 2019, 222, .	1.7	6
26	Mechanical and structural adaptations to migration in the flight feathers of a Palaeartic passerine. <i>Journal of Evolutionary Biology</i> , 2020, 33, 979-989.	1.7	6
27	Inhibitory control performance is repeatable over time and across contexts in a wild bird population. <i>Animal Behaviour</i> , 2022, 187, 305-318.	1.9	6
28	Habitat segregation by breeding origin in the declining populations of European Robins wintering in southern Iberia. <i>Ibis</i> , 2018, 160, 355-364.	1.9	5
29	High diversity and low genetic structure of feather mites associated with a phenotypically variable bird host. <i>Parasitology</i> , 2018, 145, 1243-1250.	1.5	4
30	Stopover ecology of autumn-migrating Bluethroats ( <i>Luscinia svecica</i> ) in a highly anthropogenic river basin. <i>Journal of Ornithology</i> , 2020, 161, 89-101.	1.1	4
31	Integrating Causal and Evolutionary Analysis of Life-History Evolution: Arrival Date in a Long-Distant Migrant. <i>Frontiers in Ecology and Evolution</i> , 2021, 9, .	2.2	4
32	Water content in diet affects growth and timing of female first mating, but not coloration, in the admirable grasshopper ( <i>Syrbula admirabilis</i> ). <i>Invertebrate Biology</i> , 2021, 140, .	0.9	4
33	Attraction of other Species by Bluethroat <i>Luscinia svecica</i> Song Playback During Autumn Migration: An Experimental Test Using Bird-Ringing Data. <i>Ardeola</i> , 2017, 64, 5-13.	0.7	3
34	Stable Isotope Analysis Reveals Biases in the Performance of a Morphological Method to Distinguish the Migratory Behaviour of European Robins ( <i>Erithacus Rubecula</i> ). <i>Ardeola</i> , 2017, 64, 67-76.	0.7	3
35	Feather traits in four southern populations of the Eurasian blackcap ( <i>Sylvia atricapilla</i> ): do altitudinal movements explain the differences?. <i>Journal of Avian Biology</i> , 2021, 52, .	1.2	2
36	A longitudinal analysis of the growth rate and mass of tail feathers in a great tit population: ontogeny, genetic effects and relationship between both traits. <i>Journal of Avian Biology</i> , 2022, 2022, .	1.2	2

#	ARTICLE	IF	CITATIONS
37	Altitudinal seasonality as a potential driver of morphological diversification in rear-edge bird populations. <i>Avian Research</i> , 2022, 13, 100039.	1.2	2
38	Adventitious feather replacement favours a more rapid regeneration of primaries over rectrices in two passerine bird species. <i>Ibis</i> , 2015, 157, 883-887.	1.9	1
39	Wintering grounds, population size and evolutionary history of a cryptic passerine species from isotopic and genetic data. <i>Journal of Avian Biology</i> , 2020, 51, .	1.2	0