

# Diaz-Maroto Ignacio Javier

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7445259/publications.pdf>

Version: 2024-02-01

17  
papers

195  
citations

933264

10  
h-index

1058333

14  
g-index

17  
all docs

17  
docs citations

17  
times ranked

208  
citing authors

#	ARTICLE	IF	CITATIONS
1	Evaluation of the Storage Conditions and Type of Cork Stopper on the Quality of Bottled White Wines. <i>Molecules</i> , 2021, 26, 232.	1.7	11
2	Pre-Dispersive Predation Influence on Natural Regeneration of <i>Quercus robur</i> L., 2021, 13, .		0
3	Fingerprints of acacia aging treatments by barrels or chips based on volatile profile, sensorial properties, and multivariate analysis. <i>Journal of the Science of Food and Agriculture</i> , 2018, 98, 5795-5806.	1.7	15
4	The different occurrence conditions of <i>Quercus robur</i> L. and <i>Quercus petraea</i> (Mattuschka) Liebl. on current habitat in Galicia, NW Iberian Peninsula. <i>Scandinavian Journal of Forest Research</i> , 2015, 30, 122-134.	0.5	1
5	PLANNING AND MANAGEMENT OF DECIDUOUS HARDWOODS STANDS IN NORTH-WESTERN SPAIN: A BASIS FOR SUSTAINABLE RURAL DEVELOPMENT., 2015, , .		0
6	Influence of the canopy in the natural regeneration of <i>Quercus robur</i> in NW Spain. <i>Biologia (Poland)</i> , 2014, 69, 1678-1684.	0.8	10
7	Enological potential of chestnut wood for aging Tempranillo wines part I: Volatile compounds and sensorial properties. <i>Food Research International</i> , 2013, 51, 325-334.	2.9	21
8	Cyclic Polyalcohols: Fingerprints To Identify the Botanical Origin of Natural Woods Used in Wine Aging. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 1269-1274.	2.4	15
9	Influence of geographical location, site and silvicultural parameters, on volatile composition of <i>Quercus pyrenaica</i> Willd. wood used in wine aging. <i>Forest Ecology and Management</i> , 2011, 262, 124-130.	1.4	21
10	Natural forests of sessile oak ( <i>Quercus petraea</i> Liebl.) in the northwest of the Iberian Peninsula "influence of soil type and site on the composition of the mineral topsoil. <i>Acta Agriculturae Scandinavica - Section B Soil and Plant Science</i> , 2009, 59, 506-513.	0.3	0
11	Pedunculate oak ( <i>Quercus robur</i> L.) silviculture in natural stands of NW Spain: Environmental conditioners. <i>Forest Ecology and Management</i> , 2008, 256, 702-711.	1.4	5
12	Historical evolution and land-use changes in natural broadleaved forests in the north-west Iberian Peninsula. <i>Scandinavian Journal of Forest Research</i> , 2008, 23, 371-379.	0.5	9
13	Deciduous and semi-deciduous oak forests ( <i>Quercus robur</i> , <i>Q. petraea</i> and <i>Q. pyrenaica</i> ) floristic composition in the Northwest Iberian Peninsula. <i>Biologia (Poland)</i> , 2007, 62, 163-172.	0.8	12
14	Influence of the Species and Geographical Location on Volatile Composition of Spanish Oak Wood ( <i>Quercus petraea</i> Liebl. and <i>Quercus robur</i> L.). <i>Journal of Agricultural and Food Chemistry</i> , 2006, 54, 3062-3066.	2.4	34
15	Autécologie du châtaignier taubin ( <i>Quercus pyrenaica</i> Willd.) en Galice (Espagne). <i>Annals of Forest Science</i> , 2006, 63, 157-167.	0.8	11
16	Autecology of sessile oak ( <i>Quercus petraea</i> ) in the north-west Iberian Peninsula. <i>Scandinavian Journal of Forest Research</i> , 2006, 21, 458-469.	0.5	10
17	Autécologie des châtaigniers de <i>Quercus robur</i> L. en Galice (Espagne). <i>Annals of Forest Science</i> , 2005, 62, 737-749.	0.8	20