

Mrio Pacheco

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7445506/mario-pacheco-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

148
papers

4,617
citations

39
h-index

59
g-index

154
ext. papers

4,995
ext. citations

6
avg, IF

5.5
L-index

#	Paper	IF	Citations
148	Steroid Hormones Protect against Fluoranthene Ethoxyresorufin-O-Deethylase (EROD) Activity Inhibition. <i>Applied Sciences (Switzerland)</i> , 2022 , 12, 3098	2.6	0
147	Ex vivo exposure to titanium dioxide and silver nanoparticles mildly affect sperm of gilthead seabream (<i>Sparus aurata</i>) - A multiparameter spermotoxicity approach.. <i>Marine Pollution Bulletin</i> , 2022 , 177, 113487	6.7	0
146	Genoprotection and metabolic benefits of marine macroalgae - Insights into the concept of functional foods through direct and indirect consumption. <i>Food Bioscience</i> , 2022 , 47, 101649	4.9	0
145	Effects of Benzo[a]pyrene, Cortisol, and 17 β Estradiol on Liver Microsomal EROD Activity of <i>Anguilla anguilla</i> : An In Vitro Approach. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 2533	2.6	2
144	Invasive clams (<i>Ruditapes philippinarum</i>) are better equipped to deal with harmful algal blooms toxins than native species (<i>R. decussatus</i>): evidence of species-specific toxicokinetics and DNA vulnerability. <i>Science of the Total Environment</i> , 2021 , 767, 144887	10.2	1
143	Secondary Metabolites from Marine Sources with Potential Use as Leads for Anticancer Applications. <i>Molecules</i> , 2021 , 26,	4.8	2
142	Comparative genoprotection ability of wild-harvested vs. aqua-cultured <i>Ulva rigida</i> coupled with phytochemical profiling. <i>European Journal of Phycology</i> , 2021 , 56, 105-118	2.2	0
141	Mild Effects of Sunscreen Agents on a Marine Flatfish: Oxidative Stress, Energetic Profiles, Neurotoxicity and Behaviour in Response to Titanium Dioxide Nanoparticles and Oxybenzone. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	2
140	Red seaweeds strengthening the nexus between nutrition and health: phytochemical characterization and bioactive properties of <i>Grateloupia turuturu</i> and <i>Porphyra umbilicalis</i> extracts. <i>Journal of Applied Phycology</i> , 2021 , 33, 3365-3381	3.2	2
139	Organ-Specific Metabolome Deciphering Cell Pathways to Cope with Mercury in Wild Fish (Golden Grey Mullet). <i>Animals</i> , 2021 , 12,	3.1	5
138	DNA of crayfish spermatozoa as a target of waterborne pesticides - An ex vivo approach as a tool to short-term spermotoxicity screening. <i>Journal of Hazardous Materials</i> , 2020 , 400, 123300	12.8	2
137	Hg and Se composition in demersal deep-sea fish from the North-East Atlantic. <i>Environmental Science and Pollution Research</i> , 2020 , 27, 33649-33657	5.1	5
136	Macroalgae-enriched diet protects gilthead seabream (<i>Sparus aurata</i>) against erythrocyte population instability and chromosomal damage induced by aqua-medicines. <i>Journal of Applied Phycology</i> , 2020 , 32, 1477-1493	3.2	4
135	DNA damage and oxidative stress responses of mussels <i>Mytilus galloprovincialis</i> to paralytic shellfish toxins under warming and acidification conditions - Elucidation on the organ-specificity. <i>Aquatic Toxicology</i> , 2020 , 228, 105619	5.1	5
134	DNA and chromosomal damage in Senegalese sole (<i>Solea senegalensis</i>) as side effects of ozone-based water treatment - Contribution to optimization of fish-farming practices. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2019 , 219, 68-76	3.2	3
133	Marine macroalgae as a dietary source of genoprotection in gilthead seabream (<i>Sparus aurata</i>) against endogenous and exogenous challenges. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2019 , 219, 12-24	3.2	5
132	as a tool for environmental risk assessment: emerging and promising applications for a "nobelized worm". <i>Critical Reviews in Toxicology</i> , 2019 , 49, 411-429	5.7	25

131	Red seaweeds <i>Porphyra umbilicalis</i> and <i>Grateloupia turuturu</i> display antigenotoxic and longevity-promoting potential in <i>Drosophila melanogaster</i> . <i>European Journal of Phycology</i> , 2019 , 54, 519-530	2.2	6
130	Advances on assessing nanotoxicity in marine fish - the pros and cons of combining an ex vivo approach and histopathological analysis in gills. <i>Aquatic Toxicology</i> , 2019 , 217, 105322	5.1	6
129	Dietary Supplementation with the Red Seaweed Protects against DNA Damage and Pre-Malignant Dysplastic Skin Lesions in HPV-Transgenic Mice. <i>Marine Drugs</i> , 2019 , 17,	6	8
128	A multidimensional concept for mercury neuronal and sensory toxicity in fish - From toxicokinetics and biochemistry to morphometry and behavior. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2019 , 1863, 129298	4	21
127	Combined effects of warming and acidification on accumulation and elimination dynamics of paralytic shellfish toxins in mussels <i>Mytilus galloprovincialis</i> . <i>Environmental Research</i> , 2018 , 164, 647-654	7.9	16
126	Addressing the impact of mercury estuarine contamination in the European eel (<i>Anguilla anguilla</i> L., 1758) - An early diagnosis in glass eel stage based on erythrocytic nuclear morphology. <i>Marine Pollution Bulletin</i> , 2018 , 127, 733-742	6.7	9
125	Brain morphometric profiles and their seasonal modulation in fish (<i>Liza aurata</i>) inhabiting a mercury contaminated estuary. <i>Environmental Pollution</i> , 2018 , 237, 318-328	9.3	6
124	Metals(loids) targeting fish eyes and brain in a contaminated estuary - Uncovering neurosensory (un)susceptibility through bioaccumulation, antioxidant and morphometric profiles. <i>Marine Environmental Research</i> , 2018 , 140, 403-411	3.3	3
123	Phytoplankton community-level bio-optical assessment in a naturally mercury contaminated Antarctic ecosystem (Deception Island). <i>Marine Environmental Research</i> , 2018 , 140, 412-421	3.3	17
122	The role of contamination history and gender on the genotoxic responses of the crayfish <i>Procambarus clarkii</i> to a penoxsulam-based herbicide. <i>Ecotoxicology</i> , 2018 , 27, 908-918	2.9	5
121	Metal bioaccumulation and oxidative stress profiles in <i>Ruditapes philippinarum</i> Insights towards its suitability as bioindicator of estuarine metal contamination. <i>Ecological Indicators</i> , 2018 , 95, 1087-1099	5.8	14
120	Searching for antigenotoxic properties of marine macroalgae dietary supplementation against endogenous and exogenous challenges. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2018 , 81, 939-956	3.2	6
119	Native (<i>Ruditapes decussatus</i>) and non-indigenous (<i>R. philippinarum</i>) shellfish species living in sympatry: Comparison of regulated and non-regulated biotoxins accumulation. <i>Marine Environmental Research</i> , 2017 , 129, 147-155	3.3	5
118	An effective and potentially safe blood disinfection protocol using tetrapyrrolic photosensitizers. <i>Future Medicinal Chemistry</i> , 2017 , 9, 365-379	4.1	34
117	Short-term effects of increased temperature and lowered pH on a temperate grazer-seaweed interaction (<i>Littorina obtusata</i> / <i>Ascophyllum nodosum</i>). <i>Estuarine, Coastal and Shelf Science</i> , 2017 , 197, 35-44	2.9	14
116	Oxidative stress profiles in brain point out a higher susceptibility of fish to waterborne divalent mercury compared to dietary organic mercury. <i>Marine Pollution Bulletin</i> , 2017 , 122, 110-121	6.7	11
115	Fish and mercury: Influence of fish fillet culinary practices on human risk. <i>Food Control</i> , 2016 , 60, 575-581	6.2	22
114	Advances in understanding the mechanisms of mercury toxicity in 'wild golden grey mullet (<i>Liza aurata</i>) by H NMR-based metabolomics. <i>Environmental Pollution</i> , 2016 , 219, 139-148	9.3	72

113	Unveiling the neurotoxicity of methylmercury in fish (<i>Diplodus sargus</i>) through a regional morphometric analysis of brain and swimming behavior assessment. <i>Aquatic Toxicology</i> , 2016 , 180, 320-333	5.1	19
112	Insights into the mechanisms underlying mercury-induced oxidative stress in gills of wild fish (<i>Liza aurata</i>) combining (1)H NMR metabolomics and conventional biochemical assays. <i>Science of the Total Environment</i> , 2016 , 548-549, 13-24	10.2	103
111	Inorganic mercury accumulation in brain following waterborne exposure elicits a deficit on the number of brain cells and impairs swimming behavior in fish (white seabream- <i>Diplodus sargus</i>). <i>Aquatic Toxicology</i> , 2016 , 170, 400-412	5.1	38
110	Propensity to metal accumulation and oxidative stress responses of two benthic species (<i>Cerastoderma edule</i> and <i>Nephtys hombergii</i>): are tolerance processes limiting their responsiveness?. <i>Ecotoxicology</i> , 2016 , 25, 664-76	2.9	24
109	Insights into neurosensory toxicity of mercury in fish eyes stemming from tissue burdens, oxidative stress and synaptic transmission profiles. <i>Marine Environmental Research</i> , 2016 , 113, 70-9	3.3	10
108	Evidences of DNA and chromosomal damage induced by the mancozeb-based fungicide Mancozan in fish (<i>Anguilla anguilla</i> L.). <i>Pesticide Biochemistry and Physiology</i> , 2016 , 133, 52-58	4.9	13
107	Unravelling the mechanisms of mercury hepatotoxicity in wild fish (<i>Liza aurata</i>) through a triad approach: bioaccumulation, metabolomic profiles and oxidative stress. <i>Metallomics</i> , 2015 , 7, 1352-63	4.5	96
106	The sub-cellular fate of mercury in the liver of wild mullets (<i>Liza aurata</i>)--Contribution to the understanding of metal-induced cellular toxicity. <i>Marine Pollution Bulletin</i> , 2015 , 95, 412-8	6.7	8
105	Genotoxicity evaluation of the herbicide Garlon(®) and its active ingredient (triclopyr) in fish (<i>Anguilla anguilla</i> L.) using the comet assay. <i>Environmental Toxicology</i> , 2015 , 30, 1073-81	4.2	16
104	The Comet Assay and its applications in the field of ecotoxicology: a mature tool that continues to expand its perspectives. <i>Frontiers in Genetics</i> , 2015 , 6, 180	4.5	74
103	Elemental mapping inventory of the fish <i>Liza aurata</i> brain: a biomarker of metal pollution vulnerability. <i>Metallomics</i> , 2015 , 7, 277-82	4.5	
102	Inside the Redbox: applications of haematology in wildlife monitoring and ecosystem health assessment. <i>Science of the Total Environment</i> , 2015 , 514, 322-32	10.2	62
101	A new page on the road book of inorganic mercury in fish body - tissue distribution and elimination following waterborne exposure and post-exposure periods. <i>Metallomics</i> , 2015 , 7, 525-35	4.5	22
100	Metal accumulation and oxidative stress responses in <i>Ulva</i> spp. in the presence of nocturnal pulses of metals from sediment: a field transplantation experiment under eutrophic conditions. <i>Marine Environmental Research</i> , 2014 , 94, 56-64	3.3	4
99	Progression of DNA damage induced by a glyphosate-based herbicide in fish (<i>Anguilla anguilla</i>) upon exposure and post-exposure periods--insights into the mechanisms of genotoxicity and DNA repair. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2014 , 166, 126-33	3.2	22
98	Fish eyes and brain as primary targets for mercury accumulation - a new insight on environmental risk assessment. <i>Science of the Total Environment</i> , 2014 , 494-495, 290-8	10.2	27
97	Assessment of chromosomal damage induced by a deltamethrin-based insecticide in fish (<i>Anguilla anguilla</i> L.) - a follow-up study upon exposure and post-exposure periods. <i>Pesticide Biochemistry and Physiology</i> , 2014 , 113, 40-6	4.9	19
96	Are DNA-damaging effects induced by herbicide formulations (Roundup® and Garlon®) in fish transient and reversible upon cessation of exposure?. <i>Aquatic Toxicology</i> , 2014 , 155, 213-21	5.1	25

95	DNA and chromosomal damage induced in fish (<i>Anguilla anguilla</i> L.) by aminomethylphosphonic acid (AMPA)--the major environmental breakdown product of glyphosate. <i>Environmental Science and Pollution Research</i> , 2014 , 21, 8730-9	5.1	33
94	Mercury accumulation and tissue-specific antioxidant efficiency in the wild European sea bass (<i>Dicentrarchus labrax</i>) with emphasis on seasonality. <i>Environmental Science and Pollution Research</i> , 2014 , 21, 10638-51	5.1	12
93	EPR detection of paramagnetic chromium in liver of fish (<i>Anguilla anguilla</i>) treated with dichromate(VI) and associated oxidative stress responses-contribution to elucidation of toxicity mechanisms. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2013 , 157, 132-40	3.2	6
92	Looking at the aquatic contamination through fish eyes--a faithful picture based on metals burden. <i>Marine Pollution Bulletin</i> , 2013 , 77, 375-9	6.7	11
91	Eriophorum angustifolium and <i>Lolium perenne</i> metabolic adaptations to metals- and metalloids-induced anomalies in the vicinity of a chemical industrial complex. <i>Environmental Science and Pollution Research</i> , 2013 , 20, 568-81	5.1	23
90	Mercury's mitochondrial targeting with increasing age in <i>Scrobicularia plana</i> inhabiting a contaminated lagoon: damage-protection dichotomy and organ specificities. <i>Chemosphere</i> , 2013 , 92, 1231-7	8.4	4
89	Morphological, compositional and ultrastructural changes in the <i>Scrobicularia plana</i> shell in response to environmental mercury--an indelible fingerprint of metal exposure?. <i>Chemosphere</i> , 2013 , 90, 2697-704	8.4	1
88	Role of non-enzymatic antioxidants on the bivalves' adaptation to environmental mercury: Organ-specificities and age effect in <i>Scrobicularia plana</i> inhabiting a contaminated lagoon. <i>Environmental Pollution</i> , 2012 , 163, 218-25	9.3	21
87	Hydroxybenzoate paralytic shellfish toxins induce transient GST activity depletion and chromosomal damage in white seabream (<i>Diplodus sargus</i>). <i>Marine Environmental Research</i> , 2012 , 79, 63-9	3.3	7
86	Trace elements in two marine fish species during estuarine residency: non-essential versus essential. <i>Marine Pollution Bulletin</i> , 2012 , 64, 2844-8	6.7	8
85	Environmental quality assessment combining sediment metal levels, biomarkers and macrobenthic communities: application to the Bidos coastal lagoon (Portugal). <i>Environmental Monitoring and Assessment</i> , 2012 , 184, 7141-51	3.1	13
84	Biotransformation modulation and genotoxicity in white seabream upon exposure to paralytic shellfish toxins produced by <i>Gymnodinium catenatum</i> . <i>Aquatic Toxicology</i> , 2012 , 106-107, 42-7	5.1	25
83	DNA damage in fish (<i>Anguilla anguilla</i>) exposed to a glyphosate-based herbicide -- elucidation of organ-specificity and the role of oxidative stress. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2012 , 743, 1-9	3	88
82	Understanding Stress-Responsive Mechanisms in Plants: An Overview of Transcriptomics and Proteomics Approaches 2012 , 337-355		7
81	Mercury-induced chromosomal damage in wild fish (<i>Dicentrarchus labrax</i> L.) reflecting aquatic contamination in contrasting seasons. <i>Archives of Environmental Contamination and Toxicology</i> , 2012 , 63, 554-62	3.2	11
80	Differential genotoxicity of Roundup(®) formulation and its constituents in blood cells of fish (<i>Anguilla anguilla</i>): considerations on chemical interactions and DNA damaging mechanisms. <i>Ecotoxicology</i> , 2012 , 21, 1381-90	2.9	71
79	Evaluation of species-specific dissimilarities in two marine fish species: mercury accumulation as a function of metal levels in consumed prey. <i>Archives of Environmental Contamination and Toxicology</i> , 2012 , 63, 125-36	3.2	21
78	Mercury contaminated systems under recovery can represent an increased risk to seafood human consumers [A paradox depicted in bivalves]body burdens. <i>Food Chemistry</i> , 2012 , 133, 665-670	8.5	21

77	Nucella lapillus ecotypes at the southern distributional limit in Europe: variation in shell morphology is not correlated with chromosome counts on the Portuguese Atlantic coast. <i>Journal of Molluscan Studies</i> , 2012 , 78, 147-150	1.1	1
76	Salt marsh macrophyte Phragmites australis strategies assessment for its dominance in mercury-contaminated coastal lagoon (Ria de Aveiro, Portugal). <i>Environmental Science and Pollution Research</i> , 2011 , 19, 2879-88	5.1	21
75	Nucella lapillus L. imposex levels after legislation prohibiting TBT antifoulants: temporal trends from 2003 to 2008 along the Portuguese coast. <i>Journal of Environmental Monitoring</i> , 2011 , 13, 304-12		32
74	Ozonated seawater induces genotoxicity and hematological alterations in turbot (Scophthalmus maximus) Implications for management of recirculation aquaculture systems. <i>Aquaculture</i> , 2011 , 318, 180-184	4.4	8
73	Lipid peroxidation vs. antioxidant modulation in the bivalve Scrobicularia plana in response to environmental mercury--organ specificities and age effect. <i>Aquatic Toxicology</i> , 2011 , 103, 150-8	5.1	48
72	Brain as a critical target of mercury in environmentally exposed fish (Dicentrarchus labrax)--bioaccumulation and oxidative stress profiles. <i>Aquatic Toxicology</i> , 2011 , 103, 233-40	5.1	46
71	Fish thyroidal and stress responses in contamination monitoring--an integrated biomarker approach. <i>Ecotoxicology and Environmental Safety</i> , 2011 , 74, 1265-70	7	26
70	Mercury accumulation patterns and biochemical endpoints in wild fish (Liza aurata): a multi-organ approach. <i>Ecotoxicology and Environmental Safety</i> , 2011 , 74, 2225-32	7	16
69	Fish consumption and risk of contamination by mercury---considerations on the definition of edible parts based on the case study of European sea bass. <i>Marine Pollution Bulletin</i> , 2011 , 62, 2850-3	6.7	14
68	Modulation of glutathione and its related enzymes in plantsResponses to toxic metals and metalloidsA review. <i>Environmental and Experimental Botany</i> , 2011 , 75, 307-307	5.9	43
67	Immunosuppression in the infaunal bivalve Scrobicularia plana environmentally exposed to mercury and association with its accumulation. <i>Chemosphere</i> , 2011 , 82, 1541-6	8.4	19
66	Metallothioneins failed to reflect mercury external levels of exposure and bioaccumulation in marine fish--considerations on tissue and species specific responses. <i>Chemosphere</i> , 2011 , 85, 114-21	8.4	40
65	Impact of Seasonal Fluctuations on the Sediment-Mercury, its Accumulation and Partitioning in Halimione portulacoides and Juncus maritimus Collected from Ria de Aveiro Coastal Lagoon (Portugal). <i>Water, Air, and Soil Pollution</i> , 2011 , 222, 1-15	2.6	36
64	Mercury organotropism in feral European sea bass (Dicentrarchus labrax). <i>Archives of Environmental Contamination and Toxicology</i> , 2011 , 61, 135-43	3.2	21
63	Bioaccumulation and biochemical markers in feral crab (Carcinus maenas) exposed to moderate environmental contamination--the impact of non-contamination-related variables. <i>Environmental Toxicology</i> , 2011 , 26, 524-40	4.2	14
62	European eel (Anguilla anguilla) genotoxic and pro-oxidant responses following short-term exposure to Roundup--a glyphosate-based herbicide. <i>Mutagenesis</i> , 2010 , 25, 523-30	2.8	100
61	Evaluation of oxidative DNA lesions in plasma and nuclear abnormalities in erythrocytes of wild fish (Liza aurata) as an integrated approach to genotoxicity assessment. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2010 , 703, 83-9	3	28
60	Combined use of environmental data and biomarkers in fish (Liza aurata) inhabiting a eutrophic and metal-contaminated coastal system - Gills reflect environmental contamination. <i>Marine Environmental Research</i> , 2010 , 69, 53-62	3.3	59

59	Hepatic metallothionein concentrations in the golden grey mullet (<i>Liza aurata</i>) - Relationship with environmental metal concentrations in a metal-contaminated coastal system in Portugal. <i>Marine Environmental Research</i> , 2010 , 69, 227-33	3.3	30
58	The relevance of temporal and organ specific factors on metals accumulation and biochemical effects in feral fish (<i>Liza aurata</i>) under a moderate contamination scenario. <i>Ecotoxicology and Environmental Safety</i> , 2010 , 73, 805-16	7	24
57	Golden grey mullet and sea bass oxidative DNA damage and clastogenic/aneugenic responses in a contaminated coastal lagoon. <i>Ecotoxicology and Environmental Safety</i> , 2010 , 73, 1907-13	7	12
56	Factors affecting RPSI in imposex monitoring studies using <i>Nucella lapillus</i> (L.) as bioindicator. <i>Journal of Environmental Monitoring</i> , 2010 , 12, 1055-63		14
55	<i>Hydrobia ulvae</i> imposex levels at Ria de Aveiro (NW Portugal) between 1998 and 2007: a counter-current bioindicator?. <i>Journal of Environmental Monitoring</i> , 2010 , 12, 500-7		20
54	Evaluation of DNA damage induced by environmental exposure to mercury in <i>Liza aurata</i> using the comet assay. <i>Archives of Environmental Contamination and Toxicology</i> , 2010 , 58, 112-22	3.2	19
53	Antioxidant responses versus DNA damage and lipid peroxidation in golden grey mullet liver: a field study at Ria de Aveiro (Portugal). <i>Archives of Environmental Contamination and Toxicology</i> , 2010 , 59, 454-63	3.2	17
52	Monitoring pollution of coastal lagoon using <i>Liza aurata</i> kidney oxidative stress and genetic endpoints: an integrated biomarker approach. <i>Ecotoxicology</i> , 2010 , 19, 643-53	2.9	23
51	Antioxidant system breakdown in brain of feral golden grey mullet (<i>Liza aurata</i>) as an effect of mercury exposure. <i>Ecotoxicology</i> , 2010 , 19, 1034-45	2.9	44
50	Seasonal <i>Liza aurata</i> tissue-specific DNA integrity in a multi-contaminated coastal lagoon (Ria de Aveiro, Portugal). <i>Marine Pollution Bulletin</i> , 2010 , 60, 1755-61	6.7	8
49	Daily availability of nutrients and metals in a eutrophic meso-tidal coastal lagoon (Obidos lagoon, Portugal). <i>Marine Pollution Bulletin</i> , 2010 , 60, 1868-72	6.7	12
48	Anchoring novel molecular biomarker responses to traditional responses in fish exposed to environmental contamination. <i>Environmental Pollution</i> , 2010 , 158, 1783-90	9.3	19
47	Juvenile sea bass (<i>Dicentrarchus labrax</i> L.) enzymatic and non-enzymatic antioxidant responses following 17beta-estradiol exposure. <i>Ecotoxicology</i> , 2009 , 18, 974-82	2.9	17
46	Biochemical responses of the shore crab (<i>Carcinus maenas</i>) in a eutrophic and metal-contaminated coastal system (Obidos lagoon, Portugal). <i>Ecotoxicology and Environmental Safety</i> , 2009 , 72, 1471-80	7	53
45	Wild juvenile <i>Dicentrarchus labrax</i> L. liver antioxidant and damage responses at Aveiro Lagoon, Portugal. <i>Ecotoxicology and Environmental Safety</i> , 2009 , 72, 1861-70	7	37
44	Contamination assessment of a coastal lagoon (Ria de Aveiro, Portugal) using defence and damage biochemical indicators in gill of <i>Liza aurata</i> --an integrated biomarker approach. <i>Environmental Pollution</i> , 2009 , 157, 959-67	9.3	124
43	Metal accumulation and oxidative stress in <i>Ulva</i> sp. substantiated by response integration into a general stress index. <i>Aquatic Toxicology</i> , 2009 , 91, 336-45	5.1	36
42	Transcript profiling and DNA damage in the European eel (<i>Anguilla anguilla</i> L.) exposed to 7,12-dimethylbenz[a]anthracene. <i>Aquatic Toxicology</i> , 2009 , 94, 123-30	5.1	14

41	Imposex levels and tributyltin pollution in Ria de Aveiro (NW Portugal) between 1997 and 2007: evaluation of legislation effectiveness. <i>Journal of Environmental Monitoring</i> , 2009 , 11, 1405-11		25
40	Mercury distribution in key tissues of fish (<i>Liza aurata</i>) inhabiting a contaminated estuary-implications for human and ecosystem health risk assessment. <i>Journal of Environmental Monitoring</i> , 2009 , 11, 1004-12		82
39	Organ specific antioxidant responses in golden grey mullet (<i>Liza aurata</i>) following a short-term exposure to phenanthrene. <i>Science of the Total Environment</i> , 2008 , 396, 70-8	10.2	89
38	DNA damage and lipid peroxidation vs. protection responses in the gill of <i>Dicentrarchus labrax</i> L. from a contaminated coastal lagoon (Ria de Aveiro, Portugal). <i>Science of the Total Environment</i> , 2008 , 406, 298-307	10.2	38
37	Antioxidant and biotransformation responses in <i>Liza aurata</i> under environmental mercury exposure - relationship with mercury accumulation and implications for public health. <i>Marine Pollution Bulletin</i> , 2008 , 56, 845-59	6.7	74
36	Erythrocytic nuclear abnormalities in wild and caged fish (<i>Liza aurata</i>) along an environmental mercury contamination gradient. <i>Ecotoxicology and Environmental Safety</i> , 2008 , 70, 411-21	7	80
35	European eel (<i>Anguilla anguilla</i> L.) metallothionein, endocrine, metabolic and genotoxic responses to copper exposure. <i>Ecotoxicology and Environmental Safety</i> , 2008 , 70, 20-6	7	49
34	Modulatory role of copper on β -naphthoflavone-induced DNA damage in European eel (<i>Anguilla anguilla</i> L.). <i>Ecotoxicology and Environmental Safety</i> , 2008 , 71, 806-12	7	4
33	Environmental chemical data and <i>Carcinus maenas</i> biochemical responses in a coastal eutrophic ecosystem (Bidos Lagoon, Portugal). <i>Ciencias Marinas</i> , 2008 , 34, 317-327	1.7	2
32	Endocrine and metabolic responses of <i>Anguilla anguilla</i> L. caged in a freshwater-wetland (Pateira de Fermentelos--Portugal). <i>Science of the Total Environment</i> , 2007 , 372, 562-70	10.2	24
31	Cytochrome P4501A, genotoxic and stress responses in golden grey mullet (<i>Liza aurata</i>) following short-term exposure to phenanthrene. <i>Chemosphere</i> , 2007 , 66, 1284-91	8.4	61
30	Responses of European eel (<i>Anguilla anguilla</i> L.) circulating phagocytes to an in situ closed pulp mill effluent exposure and its association with organ-specific peroxidative damage. <i>Chemosphere</i> , 2006 , 63, 794-801	8.4	17
29	<i>Anguilla anguilla</i> L. oxidative stress biomarkers: an in situ study of freshwater wetland ecosystem (Pateira de Fermentelos, Portugal). <i>Chemosphere</i> , 2006 , 65, 952-62	8.4	70
28	<i>Anguilla anguilla</i> L. Genotoxic responses after in situ exposure to freshwater wetland (Pateira de Fermentelos, Portugal). <i>Environment International</i> , 2006 , 32, 510-5	12.9	8
27	Biotransformation, stress and genotoxic effects of 17β -estradiol in juvenile sea bass (<i>Dicentrarchus labrax</i> L.). <i>Environment International</i> , 2006 , 32, 470-7	12.9	35
26	Oxidative stress and genotoxic effects in gill and kidney of <i>Anguilla anguilla</i> L. exposed to chromium with or without pre-exposure to beta-naphthoflavone. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2006 , 608, 16-28	3	134
25	Complete and partial replacement of <i>Artemia nauplii</i> by <i>Moina micrura</i> during early postlarval culture of white shrimp (<i>Litopenaeus schmitti</i>). <i>Aquaculture Nutrition</i> , 2006 , 12, 89-96	3.2	20
24	<i>Anguilla anguilla</i> L. oxidative stress biomarkers responses to copper exposure with or without beta-naphthoflavone pre-exposure. <i>Chemosphere</i> , 2005 , 61, 267-75	8.4	81

23	Endocrine and metabolic changes in <i>Anguilla anguilla</i> L. following exposure to beta-naphthoflavone--a microsomal enzyme inducer. <i>Environment International</i> , 2005 , 31, 99-104	12.9	29
22	<i>Sparus aurata</i> L. liver EROD and GST activities, plasma cortisol, lactate, glucose and erythrocytic nuclear anomalies following short-term exposure either to 17beta-estradiol (E2) or E2 combined with 4-nonylphenol. <i>Science of the Total Environment</i> , 2005 , 336, 57-69	10.2	51
21	Biotransformation and genotoxic biomarkers in mullet species (<i>Liza</i> sp.) from a contaminated coastal lagoon (Ria de Aveiro, Portugal). <i>Environmental Monitoring and Assessment</i> , 2005 , 107, 133-53	3.1	53
20	Physiological and genetic responses of European eel (<i>Anguilla anguilla</i> L.) to short-term chromium or copper exposure-Influence of preexposure to a PAH-like compound. <i>Environmental Toxicology</i> , 2005 , 20, 92-9	4.2	36
19	Juvenile sea bass biotransformation, genotoxic and endocrine responses to beta-naphthoflavone, 4-nonylphenol and 17 beta-estradiol individual and combined exposures. <i>Chemosphere</i> , 2004 , 57, 147-58	8.4	63
18	Responses of European eel (<i>Anguilla anguilla</i> L.) in two polluted environments: in situ experiments. <i>Ecotoxicology and Environmental Safety</i> , 2004 , 58, 373-8	7	25
17	Glutathione protects heavy metal-induced inhibition of hepatic microsomal ethoxyresorufin O-deethylase activity in <i>Dicentrarchus labrax</i> L. <i>Ecotoxicology and Environmental Safety</i> , 2004 , 58, 379-85	7	60
16	Enzymatic and nonenzymatic antioxidants as an adaptation to phagocyte-induced damage in <i>Anguilla anguilla</i> L. following in situ harbor water exposure. <i>Ecotoxicology and Environmental Safety</i> , 2004 , 57, 290-302	7	108
15	<i>Anguilla anguilla</i> L. plasma cortisol, lactate and glucose responses to abietic acid, dehydroabietic acid and retene. <i>Environment International</i> , 2004 , 29, 995-1000	12.9	23
14	<i>Anguilla anguilla</i> L. antioxidants responses to in situ bleached kraft pulp mill effluent outlet exposure. <i>Environment International</i> , 2004 , 30, 301-8	12.9	53
13	Naphthalene-induced differential tissue damage association with circulating fish phagocyte induction. <i>Ecotoxicology and Environmental Safety</i> , 2003 , 54, 7-15	7	32
12	<i>Anguilla anguilla</i> L. liver ethoxyresorufin O-deethylation, glutathione S-transferase, erythrocytic nuclear abnormalities, and endocrine responses to naphthalene and beta-naphthoflavone. <i>Ecotoxicology and Environmental Safety</i> , 2003 , 55, 98-107	7	68
11	Biotransformation, genotoxic, and histopathological effects of environmental contaminants in European eel (<i>Anguilla anguilla</i> L.). <i>Ecotoxicology and Environmental Safety</i> , 2002 , 53, 331-47	7	188
10	Naphthalene and beta-naphthoflavone effects on <i>Anguilla anguilla</i> L. hepatic metabolism and erythrocytic nuclear abnormalities. <i>Environment International</i> , 2002 , 28, 285-93	12.9	42
9	Biotransformation, endocrine, and genetic responses of <i>Anguilla anguilla</i> L. to petroleum distillate products and environmentally contaminated waters. <i>Ecotoxicology and Environmental Safety</i> , 2001 , 49, 64-75	7	109
8	Tissue distribution and temperature-dependence of <i>Anguilla anguilla</i> L. EROD activity following exposure to model inducers and relationship with plasma cortisol, lactate and glucose levels. <i>Environment International</i> , 2001 , 26, 149-55	12.9	23
7	Biochemical and genotoxic responses of adult eel (<i>Anguilla anguilla</i> L.) to resin acids and pulp mill effluent: laboratory and field experiments. <i>Ecotoxicology and Environmental Safety</i> , 1999 , 42, 81-93	7	51
6	Induction of liver EROD and erythrocytic nuclear abnormalities by cyclophosphamide and PAHs in <i>Anguilla anguilla</i> L. <i>Ecotoxicology and Environmental Safety</i> , 1998 , 40, 71-6	7	118

5	Induction of EROD activity and genotoxic effects by polycyclic aromatic hydrocarbons and resin acids on the juvenile eel (<i>Anguilla anguilla</i> L.). <i>Ecotoxicology and Environmental Safety</i> , 1997 , 38, 252-9	7	88
4	<i>Anguilla anguilla</i> L. stress biomarkers recovery in clean water and secondary-treated pulp mill effluent. <i>Ecotoxicology and Environmental Safety</i> , 1996 , 35, 96-100	7	52
3	Mutagenicity of cyclophosphamide and kraft mill effluent and sediment on the eel <i>Anguilla anguilla</i> L.. <i>Science of the Total Environment</i> , 1995 , 171, 127-130	10.2	23
2	The ecotoxicological relevance of <i>Anguilla anguilla</i> L. as a proposed cytogenetic model for brackish-water genetic toxicological studies. <i>Science of the Total Environment</i> , 1993 , 134, 817-822	10.2	14
1	Study of recovery after short-term exposure to kraft mill effluents of <i>Anguilla Anguilla</i> L.. <i>Science of the Total Environment</i> , 1993 , 134, 1173-1178	10.2	8