

Harry Michael Georgiou

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7445998/harry-michael-georgiou-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

71
papers

2,497
citations

24
h-index

49
g-index

76
ext. papers

2,692
ext. citations

4
avg, IF

4.51
L-index

#	Paper	IF	Citations
71	Transgenic expression of CD95 ligand on islet beta cells induces a granulocytic infiltration but does not confer immune privilege upon islet allografts. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997 , 94, 3943-7	11.5	335
70	Nuclear factor kappa B regulation of proinflammatory cytokines in human gestational tissues in vitro. <i>Biology of Reproduction</i> , 2002 , 67, 668-73	3.9	302
69	An approach to remove albumin for the proteomic analysis of low abundance biomarkers in human serum. <i>Proteomics</i> , 2003 , 3, 1980-7	4.8	178
68	Altered placental oxidative stress status in gestational diabetes mellitus. <i>Placenta</i> , 2004 , 25, 78-84	3.4	164
67	Mouse thymus dendritic cells: kinetics of development and changes in surface markers during maturation. <i>European Journal of Immunology</i> , 1995 , 25, 418-25	6.1	118
66	Screening for biomarkers predictive of gestational diabetes mellitus. <i>Acta Diabetologica</i> , 2008 , 45, 157-65	3.9	112
65	Proteomic analysis of human plasma: failure of centrifugal ultrafiltration to remove albumin and other high molecular weight proteins. <i>Proteomics</i> , 2001 , 1, 1503-6	4.8	103
64	Glucose-induced release of tumour necrosis factor-alpha from human placental and adipose tissues in gestational diabetes mellitus. <i>Diabetic Medicine</i> , 2001 , 18, 921-7	3.5	79
63	Regulation of proinflammatory cytokines in human gestational tissues by peroxisome proliferator-activated receptor-gamma: effect of 15-deoxy-Delta(12,14)-PGJ(2) and troglitazone. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002 , 87, 4667-72	5.6	69
62	Regulation of phospholipase isozymes by nuclear factor-kappaB in human gestational tissues in vitro. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004 , 89, 2365-72	5.6	68
61	Proteomic analysis and characterisation of human cervico-vaginal fluid proteins. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2007 , 47, 9-15	1.7	57
60	The prediction of type 2 diabetes in women with previous gestational diabetes mellitus using lipidomics. <i>Diabetologia</i> , 2015 , 58, 1436-42	10.3	51
59	New biomarkers for the prediction of spontaneous preterm labour in symptomatic pregnant women: a comparison with fetal fibronectin. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2015 , 122, 370-9	3.7	50
58	T cell dysfunction in the diabetes-prone BB rat. A role for thymic migrants that are not T cell precursors. <i>Journal of Experimental Medicine</i> , 1988 , 167, 132-48	16.6	50
57	Repression of oxidant-induced nuclear factor-kappaB activity mediates placental cytokine responses in gestational diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004 , 89, 3585-94	5.6	48
56	Omentin-1 is decreased in maternal plasma, placenta and adipose tissue of women with pre-existing obesity. <i>PLoS ONE</i> , 2012 , 7, e42943	3.7	47
55	Predicting Preterm Labour: Current Status and Future Prospects. <i>Disease Markers</i> , 2015 , 2015, 435014	3.2	45

54	Human cervicovaginal fluid biomarkers to predict term and preterm labor. <i>Frontiers in Physiology</i> , 2015 , 6, 151	4.6	36
53	Protective effect of CTLA4Ig secreted by transgenic fetal pancreas allografts. <i>Transplantation</i> , 2000 , 69, 1806-12	1.8	33
52	The interplay of the interleukin 1 system in pregnancy and labor. <i>Reproductive Sciences</i> , 2014 , 21, 122-303		32
51	The effect of vascular coiling on venous perfusion during experimental umbilical cord encirclement. <i>American Journal of Obstetrics and Gynecology</i> , 2001 , 184, 673-8	6.4	29
50	Association between maternal serum cytokine profiles at 7-10 weeks gestation and birthweight in small for gestational age infants. <i>American Journal of Obstetrics and Gynecology</i> , 2011 , 204, 415.e1-415.e12	6.4	25
49	Proteomic analysis of human cervico-vaginal fluid displays differential protein expression in association with labor onset at term. <i>Journal of Proteome Research</i> , 2008 , 7, 1916-21	5.6	24
48	Is vitamin D binding protein a novel predictor of labour?. <i>PLoS ONE</i> , 2013 , 8, e76490	3.7	24
47	Prediction of spontaneous preterm labour in at-risk pregnant women. <i>Reproduction</i> , 2013 , 146, 335-45	3.8	22
46	Protection of Xenografts by a Combination of Immunoisolation and a Single Dose of Anti-CD4 Antibody. <i>Cell Transplantation</i> , 2001 , 10, 183-193	4	20
45	Proteomic analysis of human cervicovaginal fluid collected before preterm premature rupture of the fetal membranes. <i>Reproduction</i> , 2013 , 145, 137-47	3.8	18
44	Translational proteomics: developing a predictive capacity -- a review. <i>Placenta</i> , 2006 , 27 Suppl A, S76-86	3.4	18
43	Secretion of CTLA4Ig by an SV40 T antigen-transformed islet cell line inhibits graft rejection against the neoantigen. <i>Transplantation</i> , 1996 , 62, 83-9	1.8	18
42	Transplantation of organ cultured fetal pig pancreas in non-obese diabetic (NOD) mice and primates (<i>Macaca fascicularis</i>). <i>Xenotransplantation</i> , 1995 , 2, 128-132	2.8	17
41	A requirement for the CD5 antigen in T cell activation. <i>European Journal of Immunology</i> , 1988 , 18, 1111-7	6.1	17
40	Post-partum plasma C-peptide and ghrelin concentrations are predictive of type 2 diabetes in women with previous gestational diabetes mellitus. <i>Journal of Diabetes</i> , 2015 , 7, 506-11	3.8	16
39	Type II phospholipase A2 in preterm human gestational tissues. <i>Placenta</i> , 2001 , 22, 64-9	3.4	16
38	The effect of cyclophosphamide treatment on lymphocyte subsets in the nonobese diabetic mouse: a comparison of various lymphoid organs. <i>Autoimmunity</i> , 1993 , 15, 1-10	3	16
37	Temporal expression of antioxidants in human cervicovaginal fluid associated with spontaneous labor. <i>Antioxidants and Redox Signaling</i> , 2010 , 13, 951-7	8.4	15

36	Temporal proteomic analysis of human cervicovaginal fluid with impending term labor. <i>Journal of Proteome Research</i> , 2010 , 9, 1344-50	5.6	15
35	Temporal investigation of matrix metalloproteinases and their inhibitors in human cervicovaginal fluid in late pregnancy and labor. <i>Reproductive Sciences</i> , 2012 , 19, 55-63	3	15
34	Changes in gene expressions elicited by physiological concentrations of genistein on human endometrial cancer cells. <i>Molecular Carcinogenesis</i> , 2006 , 45, 752-63	5	15
33	Interleukin-1 receptor antagonist in human cervicovaginal fluid in term pregnancy and labor. <i>American Journal of Obstetrics and Gynecology</i> , 2008 , 199, 656.e1-7	6.4	14
32	Anti-CD45RB antibody deters xenograft rejection by modulating T cell priming and homing. <i>International Immunology</i> , 2002 , 14, 953-62	4.9	13
31	Lymphocyte subsets in thymus and peripheral lymphoid tissues of aging and diabetic NOD mice. <i>Autoimmunity</i> , 1994 , 17, 41-8	3	12
30	The effect of breastfeeding on postpartum glucose tolerance and lipid profiles in women with gestational diabetes mellitus. <i>International Breastfeeding Journal</i> , 2019 , 14, 46	3.8	11
29	Prevention of autoimmunity in nonobese diabetic (NOD) mice by neonatal transfer of allogeneic thymic macrophages. <i>Autoimmunity</i> , 1995 , 21, 89-97	3	10
28	Induction of limited growth and differentiation of early thymic precursor cells by thymic epithelial cell lines. <i>Immunology Letters</i> , 1995 , 47, 45-51	4.1	9
27	Postpartum circulating microRNA enhances prediction of future type 2 diabetes in women with previous gestational diabetes. <i>Diabetologia</i> , 2021 , 64, 1516-1526	10.3	9
26	Placental Vitamin D-Binding Protein Expression in Human Idiopathic Fetal Growth Restriction. <i>Journal of Pregnancy</i> , 2017 , 2017, 5120267	2.5	8
25	Genetic modification of an islet tumor cell line inhibits its rejection. <i>Transplantation Proceedings</i> , 1997 , 29, 1032-3	1.1	8
24	Decidual mesenchymal stem/stromal cell-derived extracellular vesicles ameliorate endothelial cell proliferation, inflammation, and oxidative stress in a cell culture model of preeclampsia. <i>Pregnancy Hypertension</i> , 2020 , 22, 37-46	2.6	8
23	Postpartum IGF-I and IGFBP-2 levels are prospectively associated with the development of type 2 diabetes in women with previous gestational diabetes mellitus. <i>Diabetes and Metabolism</i> , 2016 , 42, 442-447	5.4	8
22	Low-dose aspirin treatment enhances the adhesion of preeclamptic decidual mesenchymal stem/stromal cells and reduces their production of pro-inflammatory cytokines. <i>Journal of Molecular Medicine</i> , 2018 , 96, 1215-1225	5.5	8
21	Myostatin in the placentae of pregnancies complicated with gestational diabetes mellitus. <i>Placenta</i> , 2015 , 36, 1-6	3.4	7
20	Functional changes in decidual mesenchymal stem/stromal cells are associated with spontaneous onset of labour. <i>Molecular Human Reproduction</i> , 2020 , 26, 636-651	4.4	6
19	Cystatin A protease inhibitor and cysteine proteases in human cervicovaginal fluid in term pregnancy and labor. <i>American Journal of Obstetrics and Gynecology</i> , 2011 , 204, 254.e1-7	6.4	6

18	Inhibition of mitochondrial oxidative phosphorylation induces hyper-expression of glutamic acid decarboxylase in pancreatic islet cells. <i>Autoimmunity</i> , 1999 , 30, 43-51	3	6
17	An human placental vessel perfusion method to study mesenchymal stem/stromal cell migration. <i>Stem Cell Investigation</i> , 2019 , 6, 2	5.1	4
16	Activin A as a marker of intrauterine infection in women with preterm prelabour rupture of membranes. <i>Journal of Perinatology</i> , 2010 , 30, 22-6	3.1	4
15	Factors affecting umbilical venous perfusion during experimental cord knotting. <i>Placenta</i> , 2005 , 26, 753-74	3.4	4
14	Production and characterization of mouse thymic epithelial cell clones. <i>Immunology and Cell Biology</i> , 1994 , 72, 57-67	5	4
13	Valproic acid stimulates migration of the placenta-derived mesenchymal stem/stromal cell line CMSC29. <i>Stem Cell Investigation</i> , 2019 , 6, 3	5.1	3
12	Expression of Myostatin in Intrauterine Growth Restriction and Preeclampsia Complicated Pregnancies and Alterations to Cytokine Production by First-Trimester Placental Explants Following Myostatin Treatment. <i>Reproductive Sciences</i> , 2015 , 22, 1202-11	3	3
11	Ageing in human parturition: impetus of the gestation clock in the decidua. <i>Biology of Reproduction</i> , 2020 , 103, 695-710	3.9	3
10	Persistent immunogenicity of rat thymic epithelium. <i>Transplantation</i> , 1989 , 48, 302-6	1.8	3
9	Preterm birth prediction in asymptomatic women at mid-gestation using a panel of novel protein biomarkers: the Prediction of PreTerm Labor (PPeTaL) study. <i>American Journal of Obstetrics & Gynecology</i> , 2020 , 2, 100084	7.4	2
8	Genistein-induced proteome changes in the human endometrial carcinoma cell line, ishikawa. <i>Clinical Proteomics</i> , 2006 , 2, 153-167	5	2
7	Local secretion of a chimeric anti-CD4 antibody protects against graft rejection in the NOD mouse. <i>Transplantation</i> , 2000 , 69, 1745-8	1.8	2
6	Postpartum Circulating Cell-Free Insulin DNA Levels Are Higher in Women with Previous Gestational Diabetes Mellitus Who Develop Type 2 Diabetes in Later Life. <i>Journal of Diabetes Research</i> , 2019 , 2019, 3264184	3.9	1
5	Do Postpartum Levels of Apolipoproteins Prospectively Predict the Development of Type 2 Diabetes in Women with Previous Gestational Diabetes Mellitus?. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2019 , 127, 353-358	2.3	1
4	Late/post-term decidual basalis-derived mesenchymal stem/stromal cells show evidence of advanced ageing and downregulation of microRNA-516b-5p. <i>Placenta</i> , 2021 , 109, 43-54	3.4	0
3	Postpartum maternal adipokines and infant weight for length at 1 year in women with gestational diabetes. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2019 , 32, 1571-1574	2	0
2	The effect of endothelial cell activation and hypoxia on placental chorionic mesenchymal stem/stromal cell migration. <i>Placenta</i> , 2017 , 59, 131-138	3.4	
1	Mesenchymal Stem/Stromal Cells and Their Role in Oxidative Stress Associated with Preeclampsia.. <i>Yale Journal of Biology and Medicine</i> , 2022 , 95, 115-127	2.4	

