

# Yuri E M Van Der Burgt

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7447263/yuri-e-m-van-der-burgt-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

80  
papers

2,428  
citations

26  
h-index

46  
g-index

81  
ext. papers

2,728  
ext. citations

4.5  
avg, IF

4.72  
L-index

#	Paper	IF	Citations
80	Analysis of Synthetic Monodisperse Polysaccharides by Wide Mass Range Ultrahigh-Resolution MALDI Mass Spectrometry. <i>Analytical Chemistry</i> , <b>2021</b> , 93, 4666-4675	7.8	7
79	Serum N-glycan profiles differ for various breast cancer subtypes. <i>Glycoconjugate Journal</i> , <b>2021</b> , 38, 387-395		1
78	The Time Has Come for Quantitative Protein Mass Spectrometry Tests That Target Unmet Clinical Needs. <i>Journal of the American Society for Mass Spectrometry</i> , <b>2021</b> , 32, 636-647	3.5	5
77	Clinical Perspective on Proteomic and Glycomic Biomarkers for Diagnosis, Prognosis, and Prediction of Pancreatic Cancer. <i>International Journal of Molecular Sciences</i> , <b>2021</b> , 22,	6.3	5
76	HILIC-MRM-MS for Linkage-Specific Separation of Sialylated Glycopeptides to Quantify Prostate-Specific Antigen Proteoforms. <i>Journal of Proteome Research</i> , <b>2020</b> , 19, 2708-2716	5.6	12
75	Evaluation of Sibling and Twin Fragment Ions Improves the Structural Characterization of Proteins by Top-Down MALDI In-Source Decay Mass Spectrometry. <i>Analytical Chemistry</i> , <b>2020</b> , 92, 5871-5881	7.8	3
74	Monitoring glycation levels of a bispecific monoclonal antibody at subunit level by ultrahigh-resolution MALDI FT-ICR mass spectrometry. <i>MAbs</i> , <b>2020</b> , 12, 1682403	6.6	20
73	O- and N-glycosylation analysis of cell lines by ultrahigh resolution MALDI-FTICR-MS. <i>International Journal of Mass Spectrometry</i> , <b>2020</b> , 448, 116267	1.9	4
72	Interlaboratory Study for Characterizing Monoclonal Antibodies by Top-Down and Middle-Down Mass Spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , <b>2020</b> , 31, 1783-1802	3.5	32
71	Serum N-Glycome analysis reveals pancreatic cancer disease signatures. <i>Cancer Medicine</i> , <b>2020</b> , 9, 8519-8529	4.8	9
70	Improved N- and C-Terminal Sequencing of Proteins by Combining Positive and Negative Ion MALDI In-Source Decay Mass Spectrometry. <i>Analytical Chemistry</i> , <b>2020</b> , 92, 12429-12436	7.8	2
69	Protein biomarker discovery is still relevant and has entered a new phase. <i>EBioMedicine</i> , <b>2019</b> , 43, 15	8.8	2
68	Dried blood spot N-glycome analysis by MALDI mass spectrometry. <i>Talanta</i> , <b>2019</b> , 205, 120104	6.2	12
67	Structural Analysis of Monoclonal Antibodies by Ultrahigh Resolution MALDI In-Source Decay FT-ICR Mass Spectrometry. <i>Analytical Chemistry</i> , <b>2019</b> , 91, 2079-2085	7.8	28
66	Robust and Accurate 2-Year Performance of a Quantitative Mass Spectrometry-Based Apolipoprotein Test in a Clinical Chemistry Laboratory. <i>Clinical Chemistry</i> , <b>2018</b> , 64, 747-749	5.5	15
65	Proteoform Analysis to Fulfill Unmet Clinical Needs and Reach Global Standardization of Protein Measurands in Clinical Chemistry Proteomics. <i>Clinics in Laboratory Medicine</i> , <b>2018</b> , 38, 487-497	2.1	11
64	Serum -glycome alterations in colorectal cancer associate with survival. <i>Oncotarget</i> , <b>2018</b> , 9, 30610-30623	3.3	29

63	Automated Plasma Glycomics with Linkage-Specific Sialic Acid Esterification and Ultrahigh Resolution MS. <i>Analytical Chemistry</i> , <b>2018</b> , 90, 11955-11961	7.8	31
62	IgA N- and O-glycosylation profiling reveals no association with the pregnancy-related improvement in rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , <b>2017</b> , 19, 160	5.7	16
61	Serum Protein -Glycosylation Changes with Rheumatoid Arthritis Disease Activity during and after Pregnancy. <i>Frontiers in Medicine</i> , <b>2017</b> , 4, 241	4.9	32
60	Structural Characterization of Biofunctionalized Gold Nanoparticles by Ultrahigh-Resolution Mass Spectrometry. <i>ACS Nano</i> , <b>2017</b> , 11, 8257-8264	16.7	36
59	Prospective applications of ultrahigh resolution proteomics in clinical mass spectrometry. <i>Expert Review of Proteomics</i> , <b>2016</b> , 13, 1063-1071	4.2	10
58	In-Depth Characterization of Protein Disulfide Bonds by Online Liquid Chromatography-Electrochemistry-Mass Spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , <b>2016</b> , 27, 50-8	3.5	16
57	Automated Multiplex LC-MS/MS Assay for Quantifying Serum Apolipoproteins A-I, B, C-I, C-II, C-III, and E with Qualitative Apolipoprotein E Phenotyping. <i>Clinical Chemistry</i> , <b>2016</b> , 62, 188-97	5.5	66
56	Comparative mass spectrometric and immunoassay-based proteome analysis in serum of Duchenne muscular dystrophy patients. <i>Proteomics - Clinical Applications</i> , <b>2016</b> , 10, 290-9	3.1	21
55	Differentiating samples and experimental protocols by direct comparison of tandem mass spectra. <i>Rapid Communications in Mass Spectrometry</i> , <b>2016</b> , 30, 731-8	2.2	2
54	Longitudinal monitoring of immunoglobulin A glycosylation during pregnancy by simultaneous MALDI-FTICR-MS analysis of N- and O-glycopeptides. <i>Scientific Reports</i> , <b>2016</b> , 6, 27955	4.9	29
53	Typing <i>Pseudomonas aeruginosa</i> Isolates with Ultrahigh Resolution MALDI-FTICR Mass Spectrometry. <i>Analytical Chemistry</i> , <b>2016</b> , 88, 5996-6003	7.8	15
52	Application of a Serum Protein Signature for Pancreatic Cancer to Separate Cases from Controls in a Pancreatic Surveillance Cohort. <i>Translational Oncology</i> , <b>2016</b> , 9, 242-7	4.9	9
51	Accounting for isotopic clustering in Fourier transform mass spectrometry data analysis for clinical diagnostic studies. <i>Statistical Applications in Genetics and Molecular Biology</i> , <b>2016</b> , 15, 415-430	1.2	4
50	Automation of High-Throughput Mass Spectrometry-Based Plasma N-Glycome Analysis with Linkage-Specific Sialic Acid Esterification. <i>Journal of Proteome Research</i> , <b>2015</b> , 14, 4080-6	5.6	64
49	Quantification of serum apolipoproteins A-I and B-100 in clinical samples using an automated SISCAPA-MALDI-TOF-MS workflow. <i>Methods</i> , <b>2015</b> , 81, 74-85	4.6	32
48	Top-down MALDI-in-source decay-FTICR mass spectrometry of isotopically resolved proteins. <i>Analytical Chemistry</i> , <b>2015</b> , 87, 3429-37	7.8	37
47	Structure characterization of unexpected covalent O-sulfonation and ion-pairing on an extremely hydrophilic peptide with CE-MS and FT-ICR-MS. <i>Analytical and Bioanalytical Chemistry</i> , <b>2015</b> , 407, 6637-544	4.4	4
46	SPE-MALDI Profiling of Serum Peptides and Proteins by Ultrahigh Resolution FTICR-MS. <i>Chromatographia</i> , <b>2015</b> , 78, 445-449	2.1	3

45	Developments in FTICR-MS and Its Potential for Body Fluid Signatures. <i>International Journal of Molecular Sciences</i> , <b>2015</b> , 16, 27133-44	6.3	17
44	Solid-phase extraction strategies to surmount body fluid sample complexity in high-throughput mass spectrometry-based proteomics. <i>Journal of Analytical Methods in Chemistry</i> , <b>2015</b> , 2015, 250131	2	24
43	Serum peptide signatures for pancreatic cancer based on mass spectrometry: a comparison to CA19-9 levels and routine imaging techniques. <i>Journal of Cancer Research and Clinical Oncology</i> , <b>2015</b> , 141, 531-41	4.9	7
42	Quantifying protein measurands by peptide measurements: where do errors arise?. <i>Journal of Proteome Research</i> , <b>2015</b> , 14, 928-42	5.6	34
41	Fibronectin is a serum biomarker for Duchenne muscular dystrophy. <i>Proteomics - Clinical Applications</i> , <b>2014</b> , 8, 269-78	3.1	55
40	Metrological traceability in mass spectrometry-based targeted protein quantitation: a proof-of-principle study for serum apolipoproteins A-I and B100. <i>Journal of Proteomics</i> , <b>2014</b> , 109, 143-61	3.9	26
39	Structural analysis of an intact monoclonal antibody by online electrochemical reduction of disulfide bonds and Fourier transform ion cyclotron resonance mass spectrometry. <i>Analytical Chemistry</i> , <b>2014</b> , 86, 5376-82	7.8	45
38	Ultrahigh resolution profiles lead to more detailed serum peptidome signatures of pancreatic cancer. <i>Translational Proteomics</i> , <b>2014</b> , 2, 39-51		10
37	Urinary signatures of Renal Cell Carcinoma investigated by peptidomic approaches. <i>PLoS ONE</i> , <b>2014</b> , 9, e106684	3.7	26
36	On-line electrochemical reduction of disulfide bonds: improved FTICR-CID and -ETD coverage of oxytocin and hepcidin. <i>Journal of the American Society for Mass Spectrometry</i> , <b>2013</b> , 24, 1980-7	3.5	21
35	Evaluation of interspecimen trypsin digestion efficiency prior to multiple reaction monitoring-based absolute protein quantification with native protein calibrators. <i>Journal of Proteome Research</i> , <b>2013</b> , 12, 5760-74	5.6	36
34	Identification of new apolipoprotein-CIII glycoforms with ultrahigh resolution MALDI-FTICR mass spectrometry of human sera. <i>Journal of Proteome Research</i> , <b>2013</b> , 12, 2260-8	5.6	37
33	Detection and structural elucidation of esterified oxylipids in human synovial fluid by electrospray ionization-fourier transform ion-cyclotron mass spectrometry and liquid chromatography-ion trap-MS(3): detection of esterified hydroxylated docosapentaenoic acid containing phospholipids. <i>Analytical Chemistry</i> , <b>2013</b> , 85, 6003-10	7.8	13
32	Detection of pancreatic cancer using serum protein profiling. <i>Hpb</i> , <b>2013</b> , 15, 602-10	3.8	7
31	Mapping O-glycosylation of apolipoprotein C-III in MALDI-FT-ICR protein profiles. <i>Proteomics</i> , <b>2013</b> , 13, 992-1001	4.8	23
30	Alterations of the serum peptidome in renal cell carcinoma discriminating benign and malignant kidney tumors. <i>Journal of Proteomics</i> , <b>2012</b> , 76 Spec No., 125-40	3.9	38
29	Improved classification of breast cancer peptide and protein profiles by combining two serum workup procedures. <i>Journal of Cancer Research and Clinical Oncology</i> , <b>2012</b> , 138, 1983-92	4.9	13
28	Standardized and automated solid-phase extraction procedures for high-throughput proteomics of body fluids. <i>Journal of Proteomics</i> , <b>2012</b> , 77, 144-53	3.9	20

27	Top-down FTICR MS for the identification of fluorescent labeling efficiency and specificity of the Cu-protein azurin. <i>Analytical Chemistry</i> , <b>2012</b> , 84, 2512-20	7.8	9
26	Temperature-dependent instability of the cTnI subunit in NIST SRM2921 characterized by tryptic peptide mapping. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2012</b> , 902, 147-50	3.2	2
25	Identification of human serum peptides in fourier transform ion cyclotron resonance precision profiles. <i>International Journal of Proteomics</i> , <b>2012</b> , 2012, 804036		4
24	Mass spectrometry analysis of hepcidin peptides in experimental mouse models. <i>PLoS ONE</i> , <b>2011</b> , 6, e16362	3.62	24
23	Precision profiling and identification of human serum peptides using Fourier transform ion cyclotron resonance mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , <b>2011</b> , 25, 3457-63	2.2	15
22	Mass spectrometric glycan rearrangements. <i>Mass Spectrometry Reviews</i> , <b>2011</b> , 30, 664-80	11	106
21	Proteomic serum biomarkers and their potential application in cancer screening programs. <i>International Journal of Molecular Sciences</i> , <b>2010</b> , 11, 4175-93	6.3	32
20	A novel mass spectrometry cluster for high-throughput quantitative proteomics. <i>Journal of the American Society for Mass Spectrometry</i> , <b>2010</b> , 21, 1002-11	3.5	10
19	"Lossless" compression of high resolution mass spectra of small molecules. <i>Metabolomics</i> , <b>2010</b> , 6, 335-349	3.49	2
18	Quality control based on isotopic distributions for high-throughput MALDI-TOF and MALDI-FTICR serum peptide profiling. <i>Journal of the American Society for Mass Spectrometry</i> , <b>2010</b> , 21, 1515-25	3.5	21
17	On-the-fly targeted selection of labeled peptides in liquid chromatography/mass spectrometry based quantitative proteomics. <i>Rapid Communications in Mass Spectrometry</i> , <b>2010</b> , 24, 239-41	2.2	0
16	Biomarkers discovery by peptide and protein profiling in biological fluids based on functionalized magnetic beads purification and mass spectrometry. <i>Blood Transfusion</i> , <b>2010</b> , 8 Suppl 3, s92-7	3.6	15
15	Electron capture dissociation of peptide hormone changes upon opening of the tocin ring and complexation with transition metal cations. <i>Rapid Communications in Mass Spectrometry</i> , <b>2009</b> , 23, 31-8	2.2	16
14	Improving mass measurement accuracy in mass spectrometry based proteomics by combining open source tools for chromatographic alignment and internal calibration. <i>Journal of Proteomics</i> , <b>2009</b> , 72, 722-4	3.9	15
13	A novel workflow control system for Fourier transform ion cyclotron resonance mass spectrometry allows for unique on-the-fly data-dependent decisions. <i>Rapid Communications in Mass Spectrometry</i> , <b>2008</b> , 22, 1245-56	2.2	12
12	Disulfide bond cleavages observed in SORI-CID of three nonapeptides complexed with divalent transition-metal cations. <i>Journal of Mass Spectrometry</i> , <b>2007</b> , 42, 450-8	2.2	34
11	Parallel processing of large datasets from NanoLC-FTICR-MS measurements. <i>Journal of the American Society for Mass Spectrometry</i> , <b>2007</b> , 18, 152-61	3.5	14
10	Imaging of peptides in the rat brain using MALDI-FTICR mass spectrometry. <i>Journal of the American Society for Mass Spectrometry</i> , <b>2007</b> , 18, 145-51	3.5	135

9	Combined infrared multiphoton dissociation and electron-capture dissociation using co-linear and overlapping beams in Fourier transform ion cyclotron resonance mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , <b>2006</b> , 20, 1838-44	2.2	22
8	Novel lipochitin oligosaccharide structures produced by <i>Rhizobium etli</i> KIM5s. <i>Carbohydrate Research</i> , <b>2002</b> , 337, 1193-202	2.9	15
7	Structural Studies on Methylated Starch Granules. <i>Starch/Staerke</i> , <b>2000</b> , 52, 40-43	2.3	18
6	Substituent distribution in highly branched dextrans from methylated starches. <i>Carbohydrate Research</i> , <b>2000</b> , 327, 423-9	2.9	10
5	FAB CIDMS/MS analysis of partially methylated maltotrioses derived from methylated amylose: a study of the substituent distribution. <i>Carbohydrate Research</i> , <b>2000</b> , 329, 341-9	2.9	10
4	Distribution of methyl substituents in amylose and amylopectin from methylated potato starches. <i>Carbohydrate Research</i> , <b>2000</b> , 325, 183-91	2.9	32
3	Distribution of methyl substituents over crystalline and amorphous domains in methylated starches. <i>Carbohydrate Research</i> , <b>1999</b> , 320, 100-107	2.9	24
2	Distribution of methyl substituents over branched and linear regions in methylated starches. <i>Carbohydrate Research</i> , <b>1998</b> , 312, 201-208	2.9	45
1	New Diphosphine Ligands Based on Heterocyclic Aromatics Inducing Very High Regioselectivity in Rhodium-Catalyzed Hydroformylation: Effect of the Bite Angle. <i>Organometallics</i> , <b>1995</b> , 14, 3081-3089	3.8	710