

Zhen-Ning Wang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7447640/zhen-ning-wang-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

284
papers

6,552
citations

42
h-index

64
g-index

296
ext. papers

7,900
ext. citations

5.1
avg. IF

5.9
L-index

#	Paper	IF	Citations
284	Elevated MMP10/13 mediated barrier disruption and NF- κ B activation aggravate colitis and colon tumorigenesis in both individual or full miR-148/152 family knockout mice.. <i>Cancer Letters</i> , 2022 , 529, 53-69	9.9	1
283	Boarding Oncolytic Viruses onto Tumor-Homing Bacterium-Vessels for Augmented Cancer Immunotherapy.. <i>Nano Letters</i> , 2022 ,	11.5	4
282	Is CSF1R Expression Localization Crucial for its Prognostic Value in Colorectal Cancer?. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2021 , 29, 68-75	1.9	
281	N6-methyladenosine reader IMP2 stabilizes the ZFAS1/OLA1 axis and activates the Warburg effect: implication in colorectal cancer. <i>Journal of Hematology and Oncology</i> , 2021 , 14, 188	22.4	6
280	Survival landscape of different tumor regression grades and pathologic complete response in rectal cancer after neoadjuvant therapy based on reconstructed individual patient data. <i>BMC Cancer</i> , 2021 , 21, 1214	4.8	2
279	Loss of ARID1A activates mTOR signaling and SOX9 in gastric adenocarcinoma-rationale for targeting deficiency. <i>Gut</i> , 2021 ,	19.2	2
278	Postoperative Adjuvant Treatment Strategy for Locally Advanced Rectal Cancer after Neoadjuvant Treatment. <i>BioMed Research International</i> , 2021 , 2021, 8852699	3	0
277	Chinese guideline for the application of rectal cancer staging recognition systems based on artificial intelligence platforms (2021 edition). <i>Chinese Medical Journal</i> , 2021 , 134, 1261-1263	2.9	0
276	Circ_0049447 acts as a tumor suppressor in gastric cancer through reducing proliferation, migration, invasion, and epithelial-mesenchymal transition. <i>Chinese Medical Journal</i> , 2021 , 134, 1345-1355 ^{2,9}		0
275	Patient-derived cell lines and orthotopic mouse model of peritoneal carcinomatosis recapitulate molecular and phenotypic features of human gastric adenocarcinoma. <i>Journal of Experimental and Clinical Cancer Research</i> , 2021 , 40, 207	12.8	0
274	Inhibitors Targeting YAP in Gastric Cancer: Current Status and Future Perspectives. <i>Drug Design, Development and Therapy</i> , 2021 , 15, 2445-2456	4.4	2
273	The platelet to lymphocyte ratio is a potential inflammatory marker predicting the effects of adjuvant chemotherapy in patients with stage II colorectal cancer. <i>BMC Cancer</i> , 2021 , 21, 792	4.8	1
272	YAP1 mediates gastric adenocarcinoma peritoneal metastases that are attenuated by YAP1 inhibition. <i>Gut</i> , 2021 , 70, 55-66	19.2	21
271	Increased Expression of LIPC Is Associated with Aggressive Phenotype of Borrmann Type 4 Gastric Cancer. <i>Journal of Gastrointestinal Surgery</i> , 2021 , 25, 900-910	3.3	1
270	Superiority of log odds of positive lymph nodes (LODDS) for prognostic prediction after gastric cancer surgery: a multi-institutional analysis of 7620 patients in China. <i>Surgery Today</i> , 2021 , 51, 101-110 ³	3	4
269	DDIT4 Licenses Only Healthy Cells to Proliferate During Injury-induced Metaplasia. <i>Gastroenterology</i> , 2021 , 160, 260-271.e10	13.3	19
268	Autophagy repurposes cells during paligenosis. <i>Autophagy</i> , 2021 , 17, 588-589	10.2	5

267	Pneumothorax in 2019 novel coronavirus pneumonia needs to be recognized. <i>Infection</i> , 2021 , 49, 367-368	8.8	1
266	Drug resistance and Cancer stem cells. <i>Cell Communication and Signaling</i> , 2021 , 19, 19	7.5	30
265	tRFTars: predicting the targets of tRNA-derived fragments. <i>Journal of Translational Medicine</i> , 2021 , 19, 88	8.5	4
264	Comparison of three lymph node staging methods for predicting outcome in breast cancer patients with mastectomy. <i>Annals of Translational Medicine</i> , 2021 , 9, 300	3.2	
263	Continuous Wound Infiltration with Local Anesthetic Is an Effective and Safe Postoperative Analgesic Strategy: A Meta-Analysis. <i>Pain and Therapy</i> , 2021 , 10, 525-538	3.6	1
262	Gastric Organoids: Progress and Remaining Challenges. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2021 , 13, 19-33	7.9	0
261	Efficacy of immune checkpoint inhibitors and age in cancer patients. <i>Immunotherapy</i> , 2020 , 12, 587-603	3.8	7
260	The Addition of EGFR Inhibitors in Neoadjuvant Therapy for KRAS-Wild Type Locally Advanced Rectal Cancer Patients: A Systematic Review and Meta-Analysis. <i>Frontiers in Pharmacology</i> , 2020 , 11, 706	5.6	3
259	HIP1R acts as a tumor suppressor in gastric cancer by promoting cancer cell apoptosis and inhibiting migration and invasion through modulating Akt. <i>Journal of Clinical Laboratory Analysis</i> , 2020 , 34, e23425	3	4
258	Predicting the effect of 5-fluorouracil-based adjuvant chemotherapy on colorectal cancer recurrence: A model using gene expression profiles. <i>Cancer Medicine</i> , 2020 , 9, 3043-3056	4.8	3
257	Efficacy and safety of modified endoscopic mucosal resection for rectal neuroendocrine tumors: a meta-analysis. <i>Zeitschrift Fur Gastroenterologie</i> , 2020 , 58, 137-145	1.6	9
256	A 3PtRNA-derived fragment enhances cell proliferation, migration and invasion in gastric cancer by targeting FBXO47. <i>Archives of Biochemistry and Biophysics</i> , 2020 , 690, 108467	4.1	18
255	Consecutive false-negative rRT-PCR test results for SARS-CoV-2 in patients after clinical recovery from COVID-19. <i>Journal of Medical Virology</i> , 2020 , 92, 2887-2890	19.7	7
254	Biomimetic construction of peritoneum to imitate peritoneal metastasis using digital micromirror device-based optical projection lithography. <i>Lab on A Chip</i> , 2020 , 20, 3109-3119	7.2	2
253	Aspirin and Its Potential Preventive Role in Cancer: An Umbrella Review. <i>Frontiers in Endocrinology</i> , 2020 , 11, 3	5.7	7
252	Antibiotic Treatment and Immune Checkpoint Inhibitor Therapy in Patients With Cancer. <i>JAMA Oncology</i> , 2020 , 6, 586-587	13.4	0
251	PPAR γ Interacts with the Hippo Coactivator YAP1 to Promote SOX9 Expression and Gastric Cancer Progression. <i>Molecular Cancer Research</i> , 2020 , 18, 390-402	6.6	9
250	Low SOX12 Expression Is Correlated With Poor Prognosis in Patients With Gastric Cancer. <i>Technology in Cancer Research and Treatment</i> , 2020 , 19, 1533033819901126	2.7	2

249	Reconstruction Methods and Complications of Esophagogastrectomy and Jejunal Interposition in Proximal Gastrectomy for Gastric Cancer: A Meta-Analysis. <i>Gastroenterology Research and Practice</i> , 2020 , 2020, 8179254	2	
248	Does delayed initiation of adjuvant chemotherapy following the curative resection affect the survival outcome of gastric cancer patients: A systematic review and meta-analysis. <i>European Journal of Surgical Oncology</i> , 2020 , 46, 1103-1110	3.6	7
247	A Metformin-Responsive Metabolic Pathway Controls Distinct Steps in Gastric Progenitor Fate Decisions and Maturation. <i>Cell Stem Cell</i> , 2020 , 26, 910-925.e6	18	18
246	Nomogram for predicting axillary lymph node status after neoadjuvant chemotherapy in breast cancer.. <i>Translational Cancer Research</i> , 2020 , 9, 7054-7064	0.3	0
245	The potential adjunctive benefit of adding metformin to standard treatment in inoperable cancer patients: a meta-analysis of randomized controlled trials. <i>Annals of Translational Medicine</i> , 2020 , 8, 1404 ³⁻²	3.2	4
244	Prognostic Value of Preoperative Fibrinogen for Predicting Clinical Outcome in Patients with Nonmetastatic Colorectal Cancer. <i>Cancer Management and Research</i> , 2020 , 12, 13301-13309	3.6	1
243	Screening of Potential Biomarkers for Gastric Cancer with Diagnostic Value Using Label-free Global Proteome Analysis. <i>Genomics, Proteomics and Bioinformatics</i> , 2020 , 18, 679-695	6.5	5
242	Transforming growth factor- β induces connective tissue growth factor expression and promotes peritoneal metastasis of gastric cancer. <i>Bioscience Reports</i> , 2020 , 40,	4.1	1
241	Negative lymph node count as an independent prognostic factor in stage III patients after curative gastrectomy: A retrospective cohort study based on a multicenter database. <i>International Journal of Surgery</i> , 2020 , 74, 44-52	7.5	4
240	Insufficient examined lymph node count underestimates staging in pN3a patients after curative gastrectomy: a multicenter study with external validation. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020 , 146, 515-528	4.9	3
239	LncRNA PVT1 Is a Poor Prognosticator and Can Be Targeted by PVT1 Antisense Oligos in Gastric Adenocarcinoma. <i>Cancers</i> , 2020 , 12,	6.6	6
238	Impact of the number of examined lymph nodes on stage migration in node-negative gastric cancer patients: a Chinese multi-institutional analysis with propensity score matching. <i>Annals of Translational Medicine</i> , 2020 , 8, 938	3.2	5
237	A Dedicated Evolutionarily Conserved Molecular Network Licenses Differentiated Cells to Return to the Cell Cycle. <i>Developmental Cell</i> , 2020 , 55, 178-194.e7	10.2	25
236	Detection and isolation of free cancer cells from ascites and peritoneal lavages using optically induced electrokinetics (OEK). <i>Science Advances</i> , 2020 , 6, eaba9628	14.3	18
235	Proposal of a novel subclassification of pN3b for improvement the prognostic discrimination ability of gastric cancer patients. <i>European Journal of Surgical Oncology</i> , 2020 , 46, e20-e26	3.6	1
234	Impact of examined lymph node count on staging and long-term survival of patients with node-negative stage III gastric cancer: a retrospective study using a Chinese multi-institutional registry with Surveillance, Epidemiology, and End Results (SEER) data validation. <i>Annals of Translational Medicine</i> , 2020 , 8, 1075	3.2	6
233	Accumulated Clinical Experiences from Successful Treatment of 1377 Severe and Critically Ill COVID-19 Cases. <i>Current Medical Science</i> , 2020 , 40, 597-601	2.8	6
232	The Prognosis Value of Lymphatic Vessel Invasion in pN0 Gastric Cancer Patients with Insufficient Examined Lymph Nodes. <i>Journal of Gastrointestinal Surgery</i> , 2020 , 24, 299-306	3.3	3

231	Multiplex profiling of peritoneal metastases from gastric adenocarcinoma identified novel targets and molecular subtypes that predict treatment response. <i>Gut</i> , 2020 , 69, 18-31	19.2	39
230	The Clinical Significance and Mechanisms of REG4 in Human Cancers. <i>Frontiers in Oncology</i> , 2020 , 10, 559230	5.3	3
229	The tRNA-Derived Fragment-3017A Promotes Metastasis by Inhibiting NELL2 in Human Gastric Cancer. <i>Frontiers in Oncology</i> , 2020 , 10, 570916	5.3	10
228	Retrieved lymph nodes from different anatomic groups in gastric cancer: a proposed optimal number, comparison with other nodal classification strategies and its impact on prognosis. <i>Cancer Communications</i> , 2019 , 39, 49	9.4	8
227	A nomogram for predicting bowel obstruction in preoperative colorectal cancer patients with clinical characteristics. <i>World Journal of Surgical Oncology</i> , 2019 , 17, 21	3.4	8
226	Preoperative Anemia or Low Hemoglobin Predicts Poor Prognosis in Gastric Cancer Patients: A Meta-Analysis. <i>Disease Markers</i> , 2019 , 2019, 7606128	3.2	21
225	Comparison of totally laparoscopic total gastrectomy and laparoscopic-assisted total gastrectomy: A systematic review and meta-analysis. <i>International Journal of Surgery</i> , 2019 , 68, 1-10	7.5	4
224	Smoking status and subsequent gastric cancer risk in men compared with women: a meta-analysis of prospective observational studies. <i>BMC Cancer</i> , 2019 , 19, 377	4.8	18
223	The role of EGFR mutation as a prognostic factor in survival after diagnosis of brain metastasis in non-small cell lung cancer: a systematic review and meta-analysis. <i>BMC Cancer</i> , 2019 , 19, 145	4.8	20
222	The clinical significance and biological function of lncRNA SOCAR in serous ovarian carcinoma. <i>Gene</i> , 2019 , 713, 143969	3.8	5
221	Circulating Noncoding RNAs Have a Promising Future Acting as Novel Biomarkers for Colorectal Cancer. <i>Disease Markers</i> , 2019 , 2019, 2587109	3.2	7
220	The long noncoding RNA CTA-941F9.9 is frequently downregulated and may serve as a biomarker for carcinogenesis in colorectal cancer. <i>Journal of Clinical Laboratory Analysis</i> , 2019 , 33, e22986	3	8
219	Statin use and its potential therapeutic role in esophageal cancer: a systematic review and meta-analysis. <i>Cancer Management and Research</i> , 2019 , 11, 5655-5663	3.6	3
218	The Potential Effect of Metformin on Cancer: An Umbrella Review. <i>Frontiers in Endocrinology</i> , 2019 , 10, 617	5.7	41
217	LncRNA PVT1 up-regulation is a poor prognosticator and serves as a therapeutic target in esophageal adenocarcinoma. <i>Molecular Cancer</i> , 2019 , 18, 141	42.1	44
216	Surgical choice of proximal gastric cancer in China: a retrospective study of a 30-year experience from a single center in China. <i>Expert Review of Gastroenterology and Hepatology</i> , 2019 , 13, 1123-1128	4.2	5
215	Conversion Surgery for Stage IV Gastric Cancer. <i>Frontiers in Oncology</i> , 2019 , 9, 1158	5.3	14
214	Antibiotic use and the efficacy of immune checkpoint inhibitors in cancer patients: a pooled analysis of 2740 cancer patients. <i>Oncolmmunology</i> , 2019 , 8, e1665973	7.2	46

213	Metastatic patterns and surgical methods for lymph nodes No. 5 and No. 6 in proximal gastric cancer. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research</i> , 2019 , 31, 171-177	3.8	4
212	Prognostic significance of 14v-lymph node dissection to D2 dissection for lower-third gastric cancer. <i>World Journal of Clinical Cases</i> , 2019 , 7, 2712-2721	1.6	2
211	The role of hedgehog signaling in gastric cancer: molecular mechanisms, clinical potential, and perspective. <i>Cell Communication and Signaling</i> , 2019 , 17, 157	7.5	21
210	Prognostic Biomarkers for Gastric Cancer: An Umbrella Review of the Evidence. <i>Frontiers in Oncology</i> , 2019 , 9, 1321	5.3	4
209	Long noncoding RNA H19 participates in metformin-mediated inhibition of gastric cancer cell invasion. <i>Journal of Cellular Physiology</i> , 2019 , 234, 4515-4527	7	27
208	Risk Factors Associated with Lymph Node Metastasis for Early Gastric Cancer Patients Who Underwent Non-curative Endoscopic Resection: a Systematic Review and Meta-analysis. <i>Journal of Gastrointestinal Surgery</i> , 2019 , 23, 1318-1328	3.3	16
207	MORC2 promotes development of an aggressive colorectal cancer phenotype through inhibition of NDRG1. <i>Cancer Science</i> , 2019 , 110, 135-146	6.9	19
206	Long non-coding RNA RUNX1-IT1 plays a tumour-suppressive role in colorectal cancer by inhibiting cell proliferation and migration. <i>Cell Biochemistry and Function</i> , 2019 , 37, 11-20	4.2	17
205	TBX2 overexpression promotes proliferation and invasion through epithelial-mesenchymal transition and ERK signaling pathway. <i>Experimental and Therapeutic Medicine</i> , 2019 , 17, 723-729	2.1	6
204	The efficacy and safety of targeted therapy with or without chemotherapy in advanced gastric cancer treatment: a network meta-analysis of well-designed randomized controlled trials. <i>Gastric Cancer</i> , 2018 , 21, 361-371	7.6	39
203	Regenerative proliferation of differentiated cells by mTORC1-dependent paligenesis. <i>EMBO Journal</i> , 2018 , 37,	13	74
202	What Is the Minimum Number of Examined Lymph Nodes After Neoadjuvant Therapy in Rectal Cancer?. <i>Journal of Gastrointestinal Surgery</i> , 2018 , 22, 1068-1076	3.3	3
201	Clinical evidence of prevention strategies for capecitabine-induced hand-foot syndrome. <i>International Journal of Cancer</i> , 2018 , 142, 2567-2577	7.5	10
200	The differences on efficacy of oxaliplatin in locally advanced colon cancer between mucinous and nonmucinous adenocarcinoma. <i>Cancer Medicine</i> , 2018 , 7, 600-615	4.8	5
199	Long non-coding RNA-CTD-2108O9.1 represses breast cancer metastasis by influencing leukemia inhibitory factor receptor. <i>Cancer Science</i> , 2018 , 109, 1764-1774	6.9	11
198	A panel consisting of three novel circulating lncRNAs, is it a predictive tool for gastric cancer?. <i>Journal of Cellular and Molecular Medicine</i> , 2018 , 22, 3605-3613	5.6	18
197	The efficacy of chemotherapy and operation in patients with colorectal neuroendocrine carcinoma. <i>Journal of Surgical Research</i> , 2018 , 225, 54-67	2.5	8
196	The efficacy of adding targeted agents to neoadjuvant therapy for locally advanced rectal cancer patients: a meta-analysis. <i>Cancer Medicine</i> , 2018 , 7, 565-582	4.8	8

195	Silence of Long Noncoding RNA NEAT1 Inhibits Malignant Biological Behaviors and Chemotherapy Resistance in Gastric Cancer. <i>Pathology and Oncology Research</i> , 2018 , 24, 109-113	2.6	43
194	The Differential Expression of Core Genes in Nucleotide Excision Repair Pathway Indicates Colorectal Carcinogenesis and Prognosis. <i>BioMed Research International</i> , 2018 , 2018, 9651320	3	6
193	Predictive Value of Preoperative Sarcopenia in Patients with Gastric Cancer: a Meta-analysis and Systematic Review. <i>Journal of Gastrointestinal Surgery</i> , 2018 , 22, 1890-1902	3.3	37
192	Effect of neoadjuvant chemotherapy in patients with gastric cancer: a PRISMA-compliant systematic review and meta-analysis. <i>BMC Cancer</i> , 2018 , 18, 118	4.8	29
191	Impact of timing of adjuvant chemotherapy on survival in stage III colon cancer: a population-based study. <i>BMC Cancer</i> , 2018 , 18, 234	4.8	39
190	A novel nomogram individually predicting disease-specific survival after D2 gastrectomy for advanced gastric cancer. <i>Cancer Communications</i> , 2018 , 38, 23	9.4	29
189	Prognostic value of gastric cancer-associated gene signatures: Evidence based on a meta-analysis using integrated bioinformatics methods. <i>Journal of Cellular and Molecular Medicine</i> , 2018 , 22, 5743-5747	5.6	17
188	Short-Course Radiotherapy in Neoadjuvant Treatment for Rectal Cancer: A Systematic Review and Meta-analysis. <i>Clinical Colorectal Cancer</i> , 2018 , 17, 320-330.e5	3.8	12
187	Racial/ethnic disparities in the adjuvant chemotherapy of locally advanced colon cancer patients. <i>Journal of Surgical Research</i> , 2018 , 228, 27-34	2.5	4
186	Metformin use and its effect on gastric cancer in patients with type 2 diabetes: A systematic review of observational studies. <i>Oncology Letters</i> , 2018 , 15, 1191-1199	2.6	19
185	CTD-2020K17.1, a Novel Long Non-Coding RNA, Promotes Migration, Invasion, and Proliferation of Serous Ovarian Cancer Cells In Vitro. <i>Medical Science Monitor</i> , 2018 , 24, 1329-1339	3.2	9
184	Prognosis and efficiency of adjuvant therapy in resected colon signet-ring cell carcinoma. <i>Translational Cancer Research</i> , 2018 , 7, 1006-1025	0.3	2
183	Validation of clinical significance of examined lymph node count for accurate prognostic evaluation of gastric cancer for the eighth edition of the American Joint Committee on Cancer (AJCC) TNM staging system. <i>Chinese Journal of Cancer Research: Official Journal of China Anti-Cancer Association, Beijing Institute for Cancer Research</i> , 2018 , 30, 477-491	3.8	24
182	Basic characteristics and therapy regimens for colorectal squamous cell carcinoma. <i>Translational Cancer Research</i> , 2018 , 7, 268-282	0.3	2
181	Anatomical location of metastatic lymph nodes: an indispensable prognostic factor for gastric cancer patients who underwent curative resection. <i>Scandinavian Journal of Gastroenterology</i> , 2018 , 53, 185-192	2.4	12
180	Tumor-associated macrophage infiltration is highly associated with PD-L1 expression in gastric adenocarcinoma. <i>Gastric Cancer</i> , 2018 , 21, 31-40	7.6	51
179	Palliative gastrectomy plus chemotherapy versus chemotherapy alone for incurable advanced gastric cancer: a meta-analysis. <i>Cancer Management and Research</i> , 2018 , 10, 4759-4771	3.6	3
178	Assessment of the 8th edition of TNM staging system for gastric cancer: the results from the SEER and a single-institution database. <i>Future Oncology</i> , 2018 , 14, 3023-3035	3.6	12

177	Proposal and validation of a modified staging system to improve the prognosis predictive performance of the 8th AJCC/UICC pTNM staging system for gastric adenocarcinoma: a multicenter study with external validation. <i>Cancer Communications</i> , 2018 , 38, 67	9.4	16
176	Long non-coding RNA AB007962 is downregulated in gastric cancer and associated with poor prognosis. <i>Oncology Letters</i> , 2018 , 16, 4621-4627	2.6	2
175	Do Patients with Second Primary Colorectal Cancer Hold the Similar Prognosis and Therapeutic Benefits as Those with Initial Primary Colorectal Cancer?. <i>BioMed Research International</i> , 2018 , 2018, 6172670	3	4
174	Can Preoperative Examination Help Choose the Best Surgical Procedure in Gastric Cancer?. <i>Gastroenterology Research and Practice</i> , 2018 , 2018, 4914201	2	
173	Conditional survival of patients with gastric cancer who undergo curative resection: A multi-institutional analysis in China. <i>Cancer</i> , 2018 , 124, 916-924	6.4	20
172	Quantitative global proteome and lysine succinylome analyses provide insights into metabolic regulation and lymph node metastasis in gastric cancer. <i>Scientific Reports</i> , 2017 , 7, 42053	4.9	29
171	Response to commentary on "Transanal total mesorectal excision (taTME) for rectal cancer: a systematic review and meta-analysis of oncological and perioperative outcomes compared with laparoscopic total mesorectal excision". <i>Techniques in Coloproctology</i> , 2017 , 21, 167-168	2.9	0
170	DLL4 overexpression increases gastric cancer stem/progenitor cell self-renewal ability and correlates with poor clinical outcome via Notch-1 signaling pathway activation. <i>Cancer Medicine</i> , 2017 , 6, 245-257	4.8	18
169	A Four-Factor Immunoscore System That Predicts Clinical Outcome for Stage II/III Gastric Cancer. <i>Cancer Immunology Research</i> , 2017 , 5, 524-534	12.5	40
168	MicroRNA-1258: An invasion and metastasis regulator that targets heparanase in gastric cancer. <i>Oncology Letters</i> , 2017 , 13, 3739-3745	2.6	27
167	Role of patient-, tumor- and systemic inflammatory response-related factors in predicting survival of patients with node-negative gastric cancer. <i>Tumor Biology</i> , 2017 , 39, 1010428317698374	2.9	2
166	What has preoperative radio(chemo)therapy brought to localized rectal cancer patients in terms of perioperative and long-term outcomes over the past decades? A systematic review and meta-analysis based on 41,121 patients. <i>International Journal of Cancer</i> , 2017 , 141, 1052-1065	7.5	64
165	The clinicopathological parameters and prognostic significance of HER2 expression in gastric cancer patients: a meta-analysis of literature. <i>World Journal of Surgical Oncology</i> , 2017 , 15, 68	3.4	59
164	HCRP1 downregulation confers poor prognosis and induces chemoresistance through regulation of EGFR-AKT pathway in human gastric cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2017 , 471, 743-751	5.1	7
163	Increased IFRD1 Expression in Human Colon Cancers Predicts Reduced Patient Survival. <i>Digestive Diseases and Sciences</i> , 2017 , 62, 3460-3467	4	3
162	High Platelet-to-Lymphocyte Ratio Predicts Poor Prognosis and Clinicopathological Characteristics in Patients with Breast Cancer: A Meta-Analysis. <i>BioMed Research International</i> , 2017 , 2017, 9503025	3	37
161	The preoperative neutrophil to lymphocyte ratio is a superior indicator of prognosis compared with other inflammatory biomarkers in resectable colorectal cancer. <i>BMC Cancer</i> , 2017 , 17, 744	4.8	47
160	Aberrantly methylated-differentially expressed genes and pathways in colorectal cancer. <i>Cancer Cell International</i> , 2017 , 17, 75	6.4	49

159	Mechanism of immune evasion in breast cancer. <i>OncoTargets and Therapy</i> , 2017 , 10, 1561-1573	4.4	46
158	Prognostic evaluation of platelet to lymphocyte ratio in patients with colorectal cancer. <i>Oncotarget</i> , 2017 , 8, 86287-86295	3.3	23
157	RANKL/RANK pathway abrogates cetuximab sensitivity in gastric cancer cells via activation of EGFR and c-Src. <i>OncoTargets and Therapy</i> , 2017 , 10, 73-83	4.4	6
156	Microarray analysis of long non-coding RNAs related to microRNA-148b in gastric cancer. <i>Neoplasma</i> , 2017 , 64, 199-208	3.3	7
155	Non-coding RNAs participate in the regulatory network of CLDN4 via ceRNA mediated miRNA evasion. <i>Nature Communications</i> , 2017 , 8, 289	17.4	191
154	Efficacy and safety of taxane-based systemic chemotherapy of advanced gastric cancer: A systematic review and meta-analysis. <i>Scientific Reports</i> , 2017 , 7, 5319	4.9	10
153	The retrieval of at least 25 lymph nodes should be essential for advanced gastric cancer patients with lymph node metastasis: A retrospective analysis of single-institution database study design: Cohort study. <i>International Journal of Surgery</i> , 2017 , 48, 291-299	7.5	11
152	Current issues of preoperative radio(chemo)therapy and its future evolution in locally advanced rectal cancer. <i>Future Oncology</i> , 2017 , 13, 2489-2501	3.6	5
151	Long non-coding RNA HOXA transcript at the distal tip as a biomarker for gastric cancer. <i>Oncology Letters</i> , 2017 , 14, 1068-1072	2.6	4
150	Prognostic value of pretreatment standardized uptake value of F-18-fluorodeoxyglucose PET in patients with gastric cancer: a meta-analysis. <i>BMC Cancer</i> , 2017 , 17, 275	4.8	12
149	Laparoscopic intersphincteric resection versus an open approach for low rectal cancer: a meta-analysis. <i>World Journal of Surgical Oncology</i> , 2017 , 15, 229	3.4	16
148	Efficacy and safety of intraperitoneal chemotherapy in patients with advanced gastric cancer: a cumulative meta-analysis of randomized controlled trials. <i>Oncotarget</i> , 2017 , 8, 81125-81136	3.3	7
147	The Impact of the Expression Level of Intratumoral Dihydropyrimidine Dehydrogenase on Chemotherapy Sensitivity and Survival of Patients in Gastric Cancer: A Meta-Analysis. <i>Disease Markers</i> , 2017 , 2017, 9202676	3.2	5
146	Improvement of T stage precision by integration of surgical and pathological staging in radically resected stage pT3-pT4b gastric cancer. <i>Oncotarget</i> , 2017 , 8, 46506-46513	3.3	8
145	Diabetes mellitus and the risk of gastric cancer: a meta-analysis of cohort studies. <i>Oncotarget</i> , 2017 , 8, 44881-44892	3.3	31
144	Plasma 25-hydroxyvitamin D levels, vitamin D intake, and pancreatic cancer risk or mortality: a meta-analysis. <i>Oncotarget</i> , 2017 , 8, 64395-64406	3.3	24
143	Association between alcohol consumption and the risk of gastric cancer: a meta-analysis of prospective cohort studies. <i>Oncotarget</i> , 2017 , 8, 84459-84472	3.3	20
142	Intraoperative radiotherapy in gastric and esophageal cancer: meta-analysis of long-term outcomes and complications. <i>Minerva Medica</i> , 2017 , 108, 74-83	2.2	9

141	Macroscopic Serosal Classification as a Prognostic Index in Radically Resected Stage pT3-pT4b Gastric Cancer. <i>Annals of Surgical Oncology</i> , 2016 , 23, 149-55	3.1	7
140	Tbx3 overexpression in human gastric cancer is correlated with advanced tumor stage and nodal status and promotes cancer cell growth and invasion. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2016 , 469, 505-513	5.1	10
139	The prognostic nutritional index is a predictive indicator of prognosis and postoperative complications in gastric cancer: A meta-analysis. <i>European Journal of Surgical Oncology</i> , 2016 , 42, 1176-82	3.6	107
138	Endoglin overexpression mediates gastric cancer peritoneal dissemination by inducing mesothelial cell senescence. <i>Human Pathology</i> , 2016 , 51, 114-23	3.7	5
137	Letter to the editor: a meta-analysis of preoperative circulating and disseminated tumor cells are negative predictors of survival in patients undergoing hepatic resection of colorectal liver metastases. <i>International Journal of Colorectal Disease</i> , 2016 , 31, 1523-4	3	1
136	Meta-analysis of the laparoscopic versus open colorectal surgery within fast track surgery. <i>International Journal of Colorectal Disease</i> , 2016 , 31, 613-22	3	22
135	A novel long noncoding RNA-LOWEG is low expressed in gastric cancer and acts as a tumor suppressor by inhibiting cell invasion. <i>Journal of Cancer Research and Clinical Oncology</i> , 2016 , 142, 601-9	4.9	38
134	Clinicopathologic characteristics and prognosis of Borrmann type IV gastric cancer: a meta-analysis. <i>World Journal of Surgical Oncology</i> , 2016 , 14, 49	3.4	35
133	Association between promoter polymorphisms of OPN gene and cancer risk: a meta-analysis. <i>OncoTargets and Therapy</i> , 2016 , 9, 87-97	4.4	2
132	Prognostic significance of preoperative prognostic nutritional index in colorectal cancer: results from a retrospective cohort study and a meta-analysis. <i>Oncotarget</i> , 2016 , 7, 58543-58552	3.3	56
131	Impact of age on efficacy of postoperative oxaliplatin-based chemotherapy in patients with rectal cancer after neoadjuvant chemoradiotherapy. <i>Oncotarget</i> , 2016 , 7, 19643-53	3.3	10
130	Polymorphisms of multiple genes involved in NER pathway predict prognosis of gastric cancer. <i>Oncotarget</i> , 2016 , 7, 48130-48142	3.3	13
129	Long noncoding RNAs in gastric cancer: functions and clinical applications. <i>OncoTargets and Therapy</i> , 2016 , 9, 681-97	4.4	40
128	Upregulated long intergenic noncoding RNA KRT18P55 acts as a novel biomarker for the progression of intestinal-type gastric cancer. <i>OncoTargets and Therapy</i> , 2016 , 9, 445-53	4.4	4
127	Clinicopathological significance of claudin 4 expression in gastric carcinoma: a systematic review and meta-analysis. <i>OncoTargets and Therapy</i> , 2016 , 9, 3205-12	4.4	11
126	A potential biomarker for colorectal cancer: long non-coding RNA RP1-13P20.6. <i>Neoplasma</i> , 2016 , 63, 984-990	3.3	6
125	Can the Neutrophil to Lymphocyte Ratio Be Used to Determine Gastric Cancer Treatment Outcomes? A Systematic Review and Meta-Analysis. <i>Disease Markers</i> , 2016 , 2016, 7862469	3.2	50
124	Efficacy and safety of anti-epidermal growth factor receptor therapy compared with anti-vascular endothelial growth factor therapy for metastatic colorectal cancer in first-line and second-line therapies: a meta-analysis. <i>OncoTargets and Therapy</i> , 2016 , 9, 5405-16	4.4	2

123	Transanal total mesorectal excision (taTME) for rectal cancer: a systematic review and meta-analysis of oncological and perioperative outcomes compared with laparoscopic total mesorectal excision. <i>BMC Cancer</i> , 2016 , 16, 380	4.8	105
122	Which is better for gastric cancer patients, perioperative or adjuvant chemotherapy: a meta-analysis. <i>BMC Cancer</i> , 2016 , 16, 631	4.8	15
121	Borrmann type IV gastric cancer should be classified as pT4b disease. <i>Journal of Surgical Research</i> , 2016 , 203, 258-67	2.5	14
120	A dose-response meta-analysis reveals an association between vitamin B12 and colorectal cancer risk. <i>Public Health Nutrition</i> , 2016 , 19, 1446-56	3.3	12
119	Lung cancer cells induce senescence and apoptosis of pleural mesothelial cells via transforming growth factor-beta1. <i>Tumor Biology</i> , 2015 , 36, 2657-65	2.9	6
118	Aspirin and nonsteroidal anti-inflammatory drugs after but not before diagnosis are associated with improved breast cancer survival: a meta-analysis. <i>Cancer Causes and Control</i> , 2015 , 26, 589-600	2.8	44
117	Surgery for gastric cancer in a patient with non-cirrhotic hyperammonemia: a case report. <i>World Journal of Surgical Oncology</i> , 2015 , 13, 76	3.4	2
116	TRIM24 is upregulated in human gastric cancer and promotes gastric cancer cell growth and chemoresistance. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2015 , 466, 525-32	5.1	40
115	Prognostic value of perineural invasion in colorectal cancer: a meta-analysis. <i>Journal of Gastrointestinal Surgery</i> , 2015 , 19, 1113-22	3.3	47
114	Meta-analysis of the prognostic value of circulating tumor cells detected with the CellSearch System in colorectal cancer. <i>BMC Cancer</i> , 2015 , 15, 202	4.8	87
113	Anti-epidermal growth factor receptor-targeted therapy in upper gastrointestinal tract cancers: a meta-analysis. <i>Growth Factors</i> , 2015 , 33, 113-27	1.6	5
112	Laparoscopic resection with natural orifice specimen extraction versus conventional laparoscopy for colorectal disease: a meta-analysis. <i>International Journal of Colorectal Disease</i> , 2015 , 30, 1479-88	3	46
111	Overexpression of SPAG9 in human gastric cancer is correlated with poor prognosis. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2015 , 467, 525-33	5.1	9
110	Clinicopathological and prognostic significance of circulating tumor cells in patients with gastric cancer: a meta-analysis. <i>International Journal of Cancer</i> , 2015 , 136, 21-33	7.5	33
109	Novel long non-coding RNA RP11-119F7.4 as a potential biomarker for the development and progression of gastric cancer. <i>Oncology Letters</i> , 2015 , 10, 115-120	2.6	31
108	Regulatory Roles of Non-Coding RNAs in Colorectal Cancer. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 19886-919	6.3	50
107	Prognostic Model Based on Systemic Inflammatory Response and Clinicopathological Factors to Predict Outcome of Patients with Node-Negative Gastric Cancer. <i>PLoS ONE</i> , 2015 , 10, e0128540	3.7	20
106	Clinicopathologic and Prognostic Value of Serum Carbohydrate Antigen 19-9 in Gastric Cancer: A Meta-Analysis. <i>Disease Markers</i> , 2015 , 2015, 549843	3.2	39

105	Association of IL-17A and IL-17F polymorphisms with gastric cancer risk in Asians: a meta-analysis. <i>Human Immunology</i> , 2015 , 76, 6-12	2.3	14
104	Non-coding RNAs in gastric cancer. <i>Gene</i> , 2015 , 560, 1-8	3.8	55
103	Cbl-b inhibits P-gp transporter function by preventing its translocation into caveolae in multiple drug-resistant gastric and breast cancers. <i>Oncotarget</i> , 2015 , 6, 6737-48	3.3	24
102	Macroscopic serosal classification of colorectal cancer and its clinical significance. <i>International Journal of Clinical and Experimental Medicine</i> , 2015 , 8, 20123-34		2
101	Low junctional adhesion molecule A expression correlates with poor prognosis in gastric cancer. <i>Journal of Surgical Research</i> , 2014 , 192, 494-502	2.5	21
100	Polymorphisms and haplotypes of the miR-148/152 family are associated with the risk and clinicopathological features of gastric cancer in a Northern Chinese population. <i>Mutagenesis</i> , 2014 , 29, 401-7	2.8	8
99	Fast-track surgery versus traditional perioperative care in laparoscopic colorectal cancer surgery: a meta-analysis. <i>BMC Cancer</i> , 2014 , 14, 607	4.8	32
98	Tumor-associated mesothelial cells are negative prognostic factors in gastric cancer and promote peritoneal dissemination of adherent gastric cancer cells by chemotaxis. <i>Tumor Biology</i> , 2014 , 35, 6105-11	2.9	6
97	Influence of different hypoxia models on metastatic potential of SGC-7901 gastric cancer cells. <i>Tumor Biology</i> , 2014 , 35, 6801-8	2.9	21
96	Induction of apoptosis in human peritoneal mesothelial cells by gastric cancer cell supernatant promotes peritoneal carcinomatosis. <i>Tumor Biology</i> , 2014 , 35, 8301-7	2.9	6
95	Survivin gene expression increases gastric cancer cell lymphatic metastasis by upregulating vascular endothelial growth factor-C expression levels. <i>Molecular Medicine Reports</i> , 2014 , 9, 600-6	2.9	12
94	Botulinum toxin type-A injection to treat patients with intractable anismus unresponsive to simple biofeedback training. <i>World Journal of Gastroenterology</i> , 2014 , 20, 12602-7	5.6	17
93	Clinical significance of promoter region hypermethylation of microRNA-148a in gastrointestinal cancers. <i>OncoTargets and Therapy</i> , 2014 , 7, 853-63	4.4	7
92	Association between the epithelial cadherin -160C/A gene polymorphism and diffuse gastric cancer risk: a meta-analysis. <i>Genetics and Molecular Research</i> , 2014 , 13, 850-9	1.2	1
91	Which is the best postoperative chemotherapy regimen in patients with rectal cancer after neoadjuvant therapy?. <i>BMC Cancer</i> , 2014 , 14, 888	4.8	12
90	The novel long noncoding RNA AC138128.1 may be a predictive biomarker in gastric cancer. <i>Medical Oncology</i> , 2014 , 31, 262	3.7	28
89	Peritoneal milky spots serve as a hypoxic niche and favor gastric cancer stem/progenitor cell peritoneal dissemination through hypoxia-inducible factor 1. <i>Stem Cells</i> , 2014 , 32, 3062-74	5.8	29
88	Preoperative predicting score of lymph node metastasis for gastric cancer. <i>Tumor Biology</i> , 2014 , 35, 10437-42	3.4	6

87	Histopathology-based prognostic score is independent prognostic factor of gastric carcinoma. <i>BMC Cancer</i> , 2014 , 14, 663	4.8	9
86	Relationship between circulating tumor cells and tumor response in colorectal cancer patients treated with chemotherapy: a meta-analysis. <i>BMC Cancer</i> , 2014 , 14, 976	4.8	50
85	The efficacy and toxicity of paclitaxel plus S-1 compared with paclitaxel plus 5-FU for advanced gastric cancer: a PRISMA systematic review and meta-analysis of randomized controlled trials. <i>Medicine (United States)</i> , 2014 , 93, e164	1.8	16
84	ILEI: a novel marker for epithelial-mesenchymal transition and poor prognosis in colorectal cancer. <i>Histopathology</i> , 2014 , 65, 527-38	7.3	22
83	The mannose-sensitive hemagglutination pilus strain of <i>Pseudomonas aeruginosa</i> shift peritoneal milky spot macrophages towards an M1 phenotype to dampen peritoneal dissemination. <i>Tumor Biology</i> , 2014 , 35, 4285-93	2.9	1
82	Transforming growth factor-beta1 signaling blockade attenuates gastric cancer cell-induced peritoneal mesothelial cell fibrosis and alleviates peritoneal dissemination both in vitro and in vivo. <i>Tumor Biology</i> , 2014 , 35, 3575-83	2.9	16
81	Clinicopathological significance of claudin-4 in gastric carcinoma. <i>World Journal of Surgical Oncology</i> , 2013 , 11, 150	3.4	21
80	CARMA3 overexpression accelerates cell proliferation and inhibits paclitaxel-induced apoptosis through NF- κ B regulation in breast cancer cells. <i>Tumor Biology</i> , 2013 , 34, 3041-7	2.9	21
79	Overexpression of CRKL correlates with malignant cell proliferation in breast cancer. <i>Tumor Biology</i> , 2013 , 34, 2891-7	2.9	22
78	Prognostic value of tumor size in gastric cancer: an analysis of 2,379 patients. <i>Tumor Biology</i> , 2013 , 34, 1027-35	2.9	16
77	Positive association of the vascular endothelial growth factor-A +405 GG genotype and poor survival in stage I-II gastric cancer in the Northern Chinese population. <i>Molecular Biology Reports</i> , 2013 , 40, 2741-8	2.8	8
76	Is the prediction of prognosis not improved by the seventh edition of the TNM classification for colorectal cancer? Analysis of the surveillance, epidemiology, and end results (SEER) database. <i>BMC Cancer</i> , 2013 , 13, 123	4.8	45
75	Factors associated with peritoneal metastasis in non-serosa-invasive gastric cancer: a retrospective study of a prospectively-collected database. <i>BMC Cancer</i> , 2013 , 13, 57	4.8	33
74	The microRNA-148/152 family: multi-faceted players. <i>Molecular Cancer</i> , 2013 , 12, 43	42.1	124
73	Clinical significance of palliative gastrectomy on the survival of patients with incurable advanced gastric cancer: a systematic review and meta-analysis. <i>BMC Cancer</i> , 2013 , 13, 577	4.8	72
72	Association of presence/absence and on/off patterns of <i>Helicobacter pylori</i> oipA gene with peptic ulcer disease and gastric cancer risks: a meta-analysis. <i>BMC Infectious Diseases</i> , 2013 , 13, 555	4	41
71	Milky spot macrophages remodeled by gastric cancer cells promote peritoneal mesothelial cell injury. <i>Biochemical and Biophysical Research Communications</i> , 2013 , 439, 378-83	3.4	17
70	Prognostic impact of atypical chemokine receptor expression in patients with gastric cancer. <i>Journal of Surgical Research</i> , 2013 , 183, 177-83	2.5	11

69	The clinical significance of mesenchyme forkhead 1 (FoxC2) in gastric carcinoma. <i>Histopathology</i> , 2013 , 62, 1038-48	7.3	32
68	Connective tissue growth factor is a positive regulator of epithelial-mesenchymal transition and promotes the adhesion with gastric cancer cells in human peritoneal mesothelial cells. <i>Cytokine</i> , 2013 , 61, 173-80	4	30
67	Does the prognosis of colorectal mucinous carcinoma depend upon the primary tumour site? Results from two independent databases. <i>Histopathology</i> , 2013 , 63, 603-15	7.3	23
66	The role of glutamate decarboxylase 65 in gastric cancer development, progression, and prognosis. <i>Histopathology</i> , 2013 , 63, 334-42	7.3	0
65	Flotillin2 expression correlates with HER2 levels and poor prognosis in gastric cancer. <i>PLoS ONE</i> , 2013 , 8, e62365	3.7	32
64	Expression of legumain correlates with prognosis and metastasis in gastric carcinoma. <i>PLoS ONE</i> , 2013 , 8, e73090	3.7	38
63	Prognostic significance of tumor deposits in gastric cancer patients who underwent radical surgery. <i>Surgery</i> , 2012 , 151, 871-81	3.6	33
62	Evaluation of the seventh edition of American Joint Committee on Cancer TNM staging system for gastric cancer: results from a Chinese monoinstitutional study. <i>Annals of Surgical Oncology</i> , 2012 , 19, 1918-27	3.1	65
61	Midkine confers Adriamycin resistance in human gastric cancer cells. <i>Tumor Biology</i> , 2012 , 33, 1543-8	2.9	14
60	SCC-S2 is overexpressed in colon cancers and regulates cell proliferation. <i>Tumor Biology</i> , 2012 , 33, 2099-106	2.9	27
59	Associations of non-metastatic cells 1 gene polymorphisms with lymph node metastasis risk of gastric cancer in Northern Chinese population. <i>Tumor Biology</i> , 2012 , 33, 2159-66	2.9	5
58	Inverse association between miR-194 expression and tumor invasion in gastric cancer. <i>Annals of Surgical Oncology</i> , 2012 , 19 Suppl 3, S509-17	3.1	49
57	CARMA3 is overexpressed in colon cancer and regulates NF- κ B activity and cyclin D1 expression. <i>Biochemical and Biophysical Research Communications</i> , 2012 , 425, 781-7	3.4	31
56	Benefits of hyperthermic intraperitoneal chemotherapy for patients with serosal invasion in gastric cancer: a meta-analysis of the randomized controlled trials. <i>BMC Cancer</i> , 2012 , 12, 526	4.8	66
55	Loss of heterozygosity at chromosomes 1p35-pter, 4q, and 18q and protein expression differences between adenocarcinomas of the distal stomach and gastric cardia. <i>Human Pathology</i> , 2012 , 43, 2308-17	3.7	7
54	Promoter polymorphisms in DNA repair gene ERCC5 and susceptibility to gastric cancer in Chinese. <i>Gene</i> , 2012 , 511, 274-9	3.8	33
53	Polymorphisms and a haplotype in heparanase gene associations with the progression and prognosis of gastric cancer in a northern Chinese population. <i>PLoS ONE</i> , 2012 , 7, e30277	3.7	12
52	Can the tumor deposits be counted as metastatic lymph nodes in the UICC TNM staging system for colorectal cancer?. <i>PLoS ONE</i> , 2012 , 7, e34087	3.7	46

51	The association between individual SNPs or haplotypes of matrix metalloproteinase 1 and gastric cancer susceptibility, progression and prognosis. <i>PLoS ONE</i> , 2012 , 7, e38002	3.7	7
50	miR-631 mediates proliferation and apoptosis in human gastric cancer cells by the regulation of GATA-6. <i>Neoplasma</i> , 2012 , 59, 416-23	3.3	8
49	Iron-deficiency anemia: a predictor of diminished disease-free survival of T3N0M0 stage colon cancer. <i>Journal of Surgical Oncology</i> , 2012 , 105, 371-5	2.8	19
48	Splenic hilar lymph node metastasis independently predicts poor survival for patients with gastric cancers in the upper and/or the middle third of the stomach. <i>Journal of Surgical Oncology</i> , 2012 , 105, 786-92	2.8	32
47	Prognostic significance of lymph node station 7 for patients with gastric cancers underwent radical surgery. <i>Journal of Surgical Oncology</i> , 2012 , 105, 805-12	2.8	4
46	MicroRNA-148b suppresses cell growth by targeting cholecystokinin-2 receptor in colorectal cancer. <i>International Journal of Cancer</i> , 2012 , 131, 1042-51	7.5	73
45	Clinicopathologic features and prognosis analysis of mucinous gastric carcinoma. <i>Medical Oncology</i> , 2012 , 29, 864-70	3.7	21
44	Expression levels of microRNA-192 and -215 in gastric carcinoma. <i>Pathology and Oncology Research</i> , 2012 , 18, 585-91	2.6	27
43	Altered expression of miR-152 and miR-148a in ovarian cancer is related to cell proliferation. <i>Oncology Reports</i> , 2012 , 27, 447-54	3.5	88
42	MicroRNA-335 acts as a metastasis suppressor in gastric cancer by targeting Bcl-w and specificity protein 1. <i>Oncogene</i> , 2012 , 31, 1398-407	9.2	158
41	Is the seventh edition of the UICC/AJCC TNM staging system reasonable for patients with tumor deposits in colorectal cancer?. <i>Annals of Surgery</i> , 2012 , 255, 208-13	7.8	57
40	Expression levels of microRNA-375 in colorectal carcinoma. <i>Molecular Medicine Reports</i> , 2012 , 5, 1299-304	4.9	29
39	Increased expression of miR-148b in ovarian carcinoma and its clinical significance. <i>Molecular Medicine Reports</i> , 2012 , 5, 1277-80	2.9	31
38	microRNA-192, -194 and -215 are frequently downregulated in colorectal cancer. <i>Experimental and Therapeutic Medicine</i> , 2012 , 3, 560-566	2.1	84
37	Integrated ratio of metastatic to examined lymph nodes and number of metastatic lymph nodes into the AJCC staging system for colon cancer. <i>PLoS ONE</i> , 2012 , 7, e35021	3.7	16
36	Which is a more accurate predictor in colorectal survival analysis? Nine data mining algorithms vs. the TNM staging system. <i>PLoS ONE</i> , 2012 , 7, e42015	3.7	23
35	The integration of macroscopic tumor invasion of adjacent organs into TNM staging system for colorectal cancer. <i>PLoS ONE</i> , 2012 , 7, e52269	3.7	7
34	Long-term survival results and prognostic factors of early gastric cancer. <i>Experimental and Therapeutic Medicine</i> , 2011 , 2, 1059-1064	2.1	6

33	Clinicopathological analysis and prognostic significance of peritoneal cytology in Chinese patients with advanced gastric cancer. <i>ANZ Journal of Surgery</i> , 2011 , 81, 608-13	1	12
32	Early gastric cancer with signet-ring cell histologic type: risk factors of lymph node metastasis and indications of endoscopic surgery. <i>Surgery</i> , 2011 , 149, 356-63	3.6	32
31	Is pT2 subclassification feasible to predict patient outcome in colorectal cancer?. <i>Annals of Surgical Oncology</i> , 2011 , 18, 1389-96	3.1	7
30	Macroscopic serosal classification predicts peritoneal recurrence for patients with gastric cancer underwent potentially curative surgery. <i>Annals of Surgical Oncology</i> , 2011 , 18, 1068-80	3.1	29
29	Can lymph node ratio take the place of pN categories in the UICC/AJCC TNM classification system for colorectal cancer?. <i>Annals of Surgical Oncology</i> , 2011 , 18, 2453-60	3.1	30
28	Aberrant expression of miR-203 and its clinical significance in gastric and colorectal cancers. <i>Journal of Gastrointestinal Surgery</i> , 2011 , 15, 63-70	3.3	83
27	A novel insight of sentinel lymph node concept based on 1-3 positive nodes in patients with pT1-2 gastric cancer. <i>BMC Cancer</i> , 2011 , 11, 18	4.8	13
26	MicroRNA-148b is frequently down-regulated in gastric cancer and acts as a tumor suppressor by inhibiting cell proliferation. <i>Molecular Cancer</i> , 2011 , 10, 1	42.1	228
25	Downregulation of connective tissue growth factor inhibits the growth and invasion of gastric cancer cells and attenuates peritoneal dissemination. <i>Molecular Cancer</i> , 2011 , 10, 122	42.1	50
24	Analysis of DNA copy number aberrations by multiple ligation-dependent probe amplification on 50 intestinal type gastric cancers. <i>Journal of Surgical Oncology</i> , 2011 , 103, 124-32	2.8	14
23	Clinicopathologic characteristics and prognosis of signet ring cell carcinoma of the stomach: results from a Chinese mono-institutional study. <i>Journal of Surgical Oncology</i> , 2011 , 103, 700-3	2.8	47
22	Synergistic therapeutic effect in gastric cancer cells produced by oncolytic adenovirus encoding <i>Drosophila melanogaster</i> deoxyribonucleoside kinase. <i>Cancer Biology and Therapy</i> , 2011 , 11, 874-82	4.6	11
21	Which is the most suitable classification for colorectal cancer, log odds, the number or the ratio of positive lymph nodes?. <i>PLoS ONE</i> , 2011 , 6, e28937	3.7	40
20	Induction of gastric cancer cell adhesion through transforming growth factor-beta1-mediated peritoneal fibrosis. <i>Journal of Experimental and Clinical Cancer Research</i> , 2010 , 29, 139	12.8	28
19	Advanced gastric cancer with early cancer macroscopic appearance: is it worthy of D2 lymphadenectomy?. <i>Annals of Surgical Oncology</i> , 2010 , 17, 1278-90	3.1	16
18	Altered expression of MiR-148a and MiR-152 in gastrointestinal cancers and its clinical significance. <i>Journal of Gastrointestinal Surgery</i> , 2010 , 14, 1170-9	3.3	172
17	Log odds of positive lymph nodes: a novel prognostic indicator superior to the number-based and the ratio-based N category for gastric cancer patients with R0 resection. <i>Cancer</i> , 2010 , 116, 2571-80	6.4	135
16	Association of heparanase gene (HPSE-1) single nucleotide polymorphisms with gastric cancer. <i>Journal of Surgical Oncology</i> , 2010 , 102, 68-72	2.8	15

15	Clinicopathologic characteristics and prognosis of gastric cancer invading the subserosa. <i>Journal of Surgical Oncology</i> , 2010 , 102, 737-41	2.8	7
14	Cyclooxygenase-2 polymorphisms and susceptibility to gastric carcinoma: a meta-analysis. <i>World Journal of Gastroenterology</i> , 2010 , 16, 5510-7	5.6	10
13	The impact of N-ratio in minimizing stage migration phenomenon in gastric cancer patients with insufficient number or level of lymph node retrieved: results from a Chinese mono-institutional study in 2159 patients. <i>Annals of Oncology</i> , 2009 , 20, 897-905	10.3	93
12	PagetB disease is associated with eleven cancerous regions: a case report and therapeutic strategy. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2009 , 29, 677-8		1
11	Prognostic significance of the number of metastatic lymph nodes: is UICC/TNM node classification perfectly suitable for early gastric cancer?. <i>Annals of Surgical Oncology</i> , 2009 , 16, 61-7	3.1	21
10	Prognostic significance of microscopic positive margins for gastric cancer patients with potentially curative resection. <i>Annals of Surgical Oncology</i> , 2009 , 16, 3028-37	3.1	77
9	A novel subclassification of pT2 gastric cancers according to the depth of muscularis propria invasion: superficial muscularis propria versus deep muscularis propria/subserosa. <i>Annals of Surgery</i> , 2009 , 249, 768-75	7.8	31
8	Hemangiopericytoma of the Breast: A Case Report. <i>Breast Care</i> , 2008 , 3, 431-433	2.4	2
7	Cyclooxygenase 2 polymorphism and colorectal cancer: -765G>C variant modifies risk associated with smoking and body mass index. <i>World Journal of Gastroenterology</i> , 2008 , 14, 1785-9	5.6	29
6	Matrix metalloproteinase-9-1562C>T polymorphism may increase the risk of lymphatic metastasis of colorectal cancer. <i>World Journal of Gastroenterology</i> , 2007 , 13, 4626-9	5.6	38
5	Positive association of heparanase expression with tumor invasion and lymphatic metastasis in gastric carcinoma. <i>Modern Pathology</i> , 2005 , 18, 205-11	9.8	28
4	Detection of peritoneal micrometastasis by reverse transcriptase-polymerase chain reaction for heparanase mRNA and cytology in peritoneal wash samples. <i>Journal of Surgical Oncology</i> , 2005 , 90, 59-65	2.8	18
3	Expression of survivin in primary and metastatic gastric cancer cells obtained by laser capture microdissection. <i>World Journal of Gastroenterology</i> , 2004 , 10, 3094-8	5.6	15
2	Somatic mutation analysis of p53 and ST7 tumor suppressor genes in gastric carcinoma by DHPLC. <i>World Journal of Gastroenterology</i> , 2003 , 9, 2662-5	5.6	10
1	Relationship between collagen IV expression and biological behavior of gastric cancer. <i>World Journal of Gastroenterology</i> , 2000 , 6, 438-439	5.6	13