

De-Hua Wu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7448959/publications.pdf>

Version: 2024-02-01

29
papers

1,226
citations

516215

16
h-index

433756

31
g-index

37
all docs

37
docs citations

37
times ranked

1666
citing authors

#	ARTICLE	IF	CITATIONS
1	The Long Intergenic Noncoding RNA UFC1, a Target of MicroRNA 34a, Interacts With the mRNA Stabilizing Protein HuR to Increase Levels of β -Catenin in HCC Cells. <i>Gastroenterology</i> , 2015, 148, 415-426.e18.	0.6	227
2	Combination of TMB and CNA Stratifies Prognostic and Predictive Responses to Immunotherapy Across Metastatic Cancer. <i>Clinical Cancer Research</i> , 2019, 25, 7413-7423.	3.2	211
3	CD36 inhibits β -catenin/c-myc-mediated glycolysis through ubiquitination of GPC4 to repress colorectal tumorigenesis. <i>Nature Communications</i> , 2019, 10, 3981.	5.8	126
4	Development and interpretation of a pathomics-based model for the prediction of microsatellite instability in Colorectal Cancer. <i>Theranostics</i> , 2020, 10, 11080-11091.	4.6	111
5	Identification and Functional Characterization of Long Non-coding RNA<i> MIR22HG</i> as a Tumor Suppressor for Hepatocellular Carcinoma. <i>Theranostics</i> , 2018, 8, 3751-3765.	4.6	74
6	UBE2T promotes nasopharyngeal carcinoma cell proliferation, invasion, and metastasis by activating the AKT/GSK3 β / β -catenin pathway. <i>Oncotarget</i> , 2016, 7, 15161-15172.	0.8	60
7	Therapeutic effects and prognostic factors in three-dimensional conformal radiotherapy combined with transcatheter arterial chemoembolization for hepatocellular carcinoma. <i>World Journal of Gastroenterology</i> , 2004, 10, 2184.	1.4	58
8	UBE2T-regulated H2AX monoubiquitination induces hepatocellular carcinoma radioresistance by facilitating CHK1 activation. <i>Journal of Experimental and Clinical Cancer Research</i> , 2020, 39, 222.	3.5	49
9	Nek2 augments sorafenib resistance by regulating the ubiquitination and localization of β -catenin in hepatocellular carcinoma. <i>Journal of Experimental and Clinical Cancer Research</i> , 2019, 38, 316.	3.5	32
10	Small extracellular vesicles containing miR-30a-3p attenuate the migration and invasion of hepatocellular carcinoma by targeting SNAP23 gene. <i>Oncogene</i> , 2021, 40, 233-245.	2.6	27
11	Integration of glucose and cardioplin anabolism confers radiation resistance of HCC. <i>Hepatology</i> , 2022, 75, 1386-1401.	3.6	27
12	A nomogram based on pretreatment CT radiomics features for predicting complete response to chemoradiotherapy in patients with esophageal squamous cell cancer. <i>Radiation Oncology</i> , 2020, 15, 249.	1.2	26
13	EBV encoded miRNA BART8-3p promotes radioresistance in nasopharyngeal carcinoma by regulating ATM/ATR signaling pathway. <i>Bioscience Reports</i> , 2019, 39, .	1.1	25
14	UBE2T-mediated Akt ubiquitination and Akt/ β -catenin activation promotes hepatocellular carcinoma development by increasing pyrimidine metabolism. <i>Cell Death and Disease</i> , 2022, 13, 154.	2.7	24
15	Long noncoding RNA UPK1A-AS1 indicates poor prognosis of hepatocellular carcinoma and promotes cell proliferation through interaction with EZH2. <i>Journal of Experimental and Clinical Cancer Research</i> , 2020, 39, 229.	3.5	23
16	Wnt/ β -catenin inhibitor ICG-001 enhances the antitumor efficacy of radiotherapy by increasing radiation-induced DNA damage and improving tumor immune microenvironment in hepatocellular carcinoma. <i>Radiotherapy and Oncology</i> , 2021, 162, 34-44.	0.3	20
17	Protein tyrosine phosphatase receptor type D gene promotes radiosensitivity via STAT3 dephosphorylation in nasopharyngeal carcinoma. <i>Oncogene</i> , 2021, 40, 3101-3117.	2.6	18
18	Antitumor effects and radiosensitization of cytosine deaminase and thymidine kinase fusion suicide gene on colorectal carcinoma cells. <i>World Journal of Gastroenterology</i> , 2005, 11, 3051.	1.4	15

#	ARTICLE	IF	CITATIONS
19	<i>KAI1</i> gene expression in colonic carcinoma and its clinical significances. World Journal of Gastroenterology, 2004, 10, 2245.	1.4	14
20	Integrative evaluation of primary and metastatic lesion spectrum to guide anti-PD-L1 therapy of non-small cell lung cancer: results from two randomized studies. Oncoimmunology, 2021, 10, 1909296.	2.1	13
21	Identification of miR-375 as a potential prognostic biomarker for esophageal squamous cell cancer: A bioinformatics analysis based on TCGA and meta-analysis. Pathology Research and Practice, 2019, 215, 512-518.	1.0	11
22	Efficacy and safety of consolidation chemotherapy during the resting period in patients with local advanced rectal cancer. Oncology Letters, 2018, 17, 1655-1663.	0.8	10
23	Reciprocal regulation of HIF-1 α and Uroplakin 1A promotes glycolysis and proliferation in Hepatocellular Carcinoma. Journal of Cancer, 2020, 11, 6737-6747.	1.2	6
24	Organ-specific metastatic landscape dissects PD-(L)1 blockade efficacy in advanced non-small cell lung cancer: applicability from clinical trials to real-world practice. BMC Medicine, 2022, 20, 120.	2.3	5
25	Development and Validation of a Prognostic Nomogram Based on Residual Tumor in Patients With Nondisseminated Nasopharyngeal Carcinoma. Technology in Cancer Research and Treatment, 2020, 19, 153303382095703.	0.8	3
26	Identification of a thirteen-gene signature predicting overall survival for hepatocellular carcinoma. Bioscience Reports, 2021, 41, .	1.1	3
27	Expression of KAI1/CD82 in human colorectal tumor. Di 1 Jun Yi Da Xue Xue Bao = Academic Journal of the First Medical College of PLA, 2003, 23, 714-5, 719.	0.1	3
28	De Novo Mutation in Non-Tyrosine Kinase Domain of ROS1 as a Potential Predictor of Immune Checkpoint Inhibitors in Melanoma. Frontiers in Oncology, 2021, 11, 666145.	1.3	2
29	Observation of the short-term therapeutic effect of 3D conformal hypofractionated single high-dose radiotherapy on lung tumors. Di 1 Jun Yi Da Xue Xue Bao = Academic Journal of the First Medical College of PLA, 2003, 23, 269-70.	0.1	0