De-Hua Wu

List of Publications by Year
in descending order

Source: https://exaly.com/author-pdf/7448959/publications.pdf

Version: 2024-02-01

29 papers	1,226 citations	516215 16 h-index	433756 31 g-index
37 all docs	37 docs citations	37 times ranked	1666 citing authors

#	Article	IF	Citations
1	Integration of glucose and cardiolipin anabolism confers radiation resistance of HCC. Hepatology, 2022, 75, 1386-1401.	3.6	27
2	UBE2T-mediated Akt ubiquitination and Akt/Î²-catenin activation promotes hepatocellular carcinoma development by increasing pyrimidine metabolism. Cell Death and Disease, 2022, 13, 154.	2.7	24
3	Organ-specific metastatic landscape dissects PD-(L)1 blockade efficacy in advanced non-small cell lung cancer: applicability from clinical trials to real-world practice. BMC Medicine, 2022, 20, 120.	2.3	5
4	Small extracellular vesicles containing miR-30a-3p attenuate the migration and invasion of hepatocellular carcinoma by targeting SNAP23 gene. Oncogene, 2021, 40, 233-245.	2.6	27
5	Integrative evaluation of primary and metastatic lesion spectrum to guide anti-PD-L1 therapy of non-small cell lung cancer: results from two randomized studies. OncoImmunology, 2021, 10, 1909296.	2.1	13
6	Protein tyrosine phosphatase receptor type D gene promotes radiosensitivity via STAT3 dephosphorylation in nasopharyngeal carcinoma. Oncogene, 2021, 40, 3101-3117.	2.6	18
7	Identification of a thirteen-gene signature predicting overall survival for hepatocellular carcinoma. Bioscience Reports, 2021, 41, .	1.1	3
8	De Novo Mutation in Non-Tyrosine Kinase Domain of ROS1 as a Potential Predictor of Immune Checkpoint Inhibitors in Melanoma. Frontiers in Oncology, 2021, 11, 666145.	1.3	2
9	Wnt/Î²-catenin inhibitor ICG-001 enhances the antitumor efficacy of radiotherapy by increasing radiation-induced DNA damage and improving tumor immune microenvironment in hepatocellular carcinoma. Radiotherapy and Oncology, 2021, 162, 34-44.	0.3	20
10	UBE2T-regulated H2AX monoubiquitination induces hepatocellular carcinoma radioresistance by facilitating CHK1 activation. Journal of Experimental and Clinical Cancer Research, 2020, 39, 222.	3.5	49
11	Reciprocal regulation of HIF-1Î± and Uroplakin 1A promotes glycolysis and proliferation in Hepatocellular Carcinoma. Journal of Cancer, 2020, 11, 6737-6747.	1.2	6
12	Long noncoding RNA UPK1A-AS1 indicates poor prognosis of hepatocellular carcinoma and promotes cell proliferation through interaction with EZH2. Journal of Experimental and Clinical Cancer Research, 2020, 39, 229.	3.5	23
13	A nomogram based on pretreatment CT radiomics features for predicting complete response to chemoradiotherapy in patients with esophageal squamous cell cancer. Radiation Oncology, 2020, 15, 249.	1.2	26
14	Development and Validation of a Prognostic Nomogram Based on Residual Tumor in Patients With Nondisseminated Nasopharyngeal Carcinoma. Technology in Cancer Research and Treatment, 2020, 19, 153303382095703.	0.8	3
15	Development and interpretation of a pathomics-based model for the prediction of microsatellite instability in Colorectal Cancer. Theranostics, 2020, 10, 11080-11091.	4.6	111
16	Nek2 augments sorafenib resistance by regulating the ubiquitination and localization of Î²-catenin in hepatocellular carcinoma. Journal of Experimental and Clinical Cancer Research, 2019, 38, 316.	3.5	32
17	CD36 inhibits Î²-catenin/c-myc-mediated glycolysis through ubiquitination of GPC4 to repress colorectal tumorigenesis. Nature Communications, 2019, 10, 3981.	5.8	126
18	EBV encoded miRNA BART8-3p promotes radioresistance in nasopharyngeal carcinoma by regulating ATM/ATR signaling pathway. Bioscience Reports, 2019, 39, .	1.1	25

#	Article	IF	Citations
19	Combination of TMB and CNA Stratifies Prognostic and Predictive Responses to Immunotherapy Across Metastatic Cancer. Clinical Cancer Research, 2019, 25, 7413-7423.	3.2	211
20	Identification of miR-375 as a potential prognostic biomarker for esophageal squamous cell cancer: A bioinformatics analysis based on TCGA and meta-analysis. Pathology Research and Practice, 2019, 215, 512-518.	1.0	11
21	Efficacy and safety of consolidation chemotherapy during the resting period in patients with local advanced rectal cancer. Oncology Letters, 2018, 17, 1655-1663.	0.8	10
22	Identification and Functional Characterization of Long Non-coding RNA MIR22HG as a Tumor Suppressor for Hepatocellular Carcinoma. Theranostics, 2018, 8, 3751-3765.	4.6	74
23	UBE2T promotes nasopharyngeal carcinoma cell proliferation, invasion, and metastasis by activating the AKT/GSK3Î²/Î²-catenin pathway. Oncotarget, 2016, 7, 15161-15172.	0.8	60
24	The Long Intergenic Noncoding RNA UFC1, a Target of MicroRNA 34a, Interacts With the mRNA Stabilizing Protein HuR to Increase Levels of Î²-Catenin in HCC Cells. Gastroenterology, 2015, 148, 415-426.e18.	0.6	227
25	Antitumor effects and radiosensitization of cytosine deaminase and thymidine kinase fusion suicide gene on colorectal carcinoma cells. World Journal of Gastroenterology, 2005, 11, 3051.	1.4	15
26	Therapeutic effects and prognostic factors in three-dimensional conformal radiotherapy combined with transcatheter arterial chemoembolization for hepatocellular carcinoma. World Journal of Gastroenterology, 2004, 10, 2184.	1.4	58
27	KAI1gene expression in colonic carcinoma and its clinical significances. World Journal of Gastroenterology, 2004, 10, 2245.	1.4	14
28	Observation of the short-term therapeutic effect of 3D conformal hypofractionated single high-dose radiotherapy on lung tumors. Di 1 Jun Yi Da Xue Xue Bao = Academic Journal of the First Medical College of PLA, 2003, 23, 269-70.	0.1	0
29	Expression of KAI1/CD82 in human colorectal tumor. Di 1 Jun Yi Da Xue Xue Bao = Academic Journal of the First Medical College of PLA, 2003, 23, 714-5, 719.	0.1	3